

參 考 資 料

付表1. 罹患数、部位割合(%)、粗罹患率(人口10万対)、年齢調整罹患率(人口10万対)、累積罹患率(%)： 詳細部位別、性別

山口県

2018年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率			累積罹患率(0~74歳)					
		男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数
全部位	C00-C96 D00-D47	7,659	6,066	13,725	100.0	100.0	100.0	1,178.3	842.5	1,001.8	507.7	415.0	449.3	362.6	314.6	330.9	42.7	33.3	37.5
全部位	C00-C96	6,827	5,199	12,026	89.1	85.7	87.6	1,050.3	722.1	877.8	446.1	327.6	376.1	317.0	245.1	274.3	37.4	26.6	31.6
口唇	C00	0	4	4	0.0	0.1	0.0	0.0	0.6	0.3	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.0
舌根<基底>部	C01	4	1	5	0.1	0.0	0.0	0.6	0.1	0.4	0.3	0.2	0.2	0.2	0.1	0.0	0.0	0.0	0.0
その他および部位不明の舌	C02	41	24	65	0.5	0.4	0.5	6.3	3.3	4.7	3.4	2.5	2.6	1.3	1.9	0.3	0.1	0.2	0.1
歯肉	C03	15	18	33	0.2	0.3	0.2	2.3	2.5	2.4	0.8	0.6	0.7	0.6	0.4	0.5	0.1	0.0	0.1
口腔底	C04	7	1	8	0.1	0.0	0.1	1.1	0.1	0.6	0.7	0.0	0.3	0.5	0.0	0.1	0.0	0.0	0.0
口蓋	C05	3	4	7	0.0	0.1	0.1	0.5	0.6	0.5	0.3	0.5	0.4	0.2	0.4	0.3	0.0	0.0	0.0
その他および部位不明の口腔	C06	6	4	10	0.1	0.1	0.1	0.9	0.6	0.7	0.5	0.2	0.3	0.3	0.2	0.2	0.0	0.0	0.0
耳下腺	C07	4	5	9	0.1	0.1	0.1	0.6	0.7	0.7	0.2	0.4	0.3	0.1	0.3	0.2	0.0	0.0	0.0
その他および部位不明の大唾液腺	C08	2	0	2	0.0	0.0	0.0	0.3	0.0	0.1	0.2	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0
扁桃	C09	7	5	12	0.1	0.1	0.1	1.1	0.7	0.9	0.6	0.4	0.5	0.5	0.3	0.4	0.1	0.0	0.0
中咽頭	C10	17	13	30	0.2	0.2	0.2	2.6	1.8	2.2	1.3	1.3	1.3	1.0	1.0	1.0	0.1	0.1	0.1
鼻<上>咽頭	C11	6	4	10	0.1	0.1	0.1	0.9	0.6	0.7	0.7	0.4	0.6	0.6	0.3	0.4	0.1	0.0	0.0
梨状陥凹<洞>	C12	42	1	43	0.5	0.0	0.3	6.5	0.1	3.1	2.8	0.2	1.3	1.9	0.1	0.9	0.2	0.0	0.1
下咽頭	C13	30	1	31	0.4	0.0	0.2	4.6	0.1	2.3	2.3	0.2	1.2	1.7	0.1	0.9	0.2	0.0	0.1
その他および部位不明確の口唇、口腔および咽頭	C14	1	0	1	0.0	0.0	0.0	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
食道	C15	262	53	315	3.4	0.9	2.3	40.3	7.4	23.0	18.0	2.8	9.8	12.8	1.9	7.0	1.7	0.2	0.9
胃	C16	1,081	497	1,578	14.1	8.2	11.5	166.3	69.0	115.2	68.8	22.1	43.2	48.3	15.7	30.6	5.8	1.7	3.7
小腸	C17	25	24	49	0.3	0.4	0.4	3.8	3.3	3.6	1.9	1.4	1.6	1.3	1.0	1.2	0.1	0.1	0.1
結腸	C18	659	658	1,317	8.6	10.8	9.6	101.4	91.4	96.1	43.1	29.4	35.7	30.6	20.7	25.2	3.6	2.4	3.0
直腸S状結腸移行部	C19	77	74	151	1.0	1.2	1.1	11.8	10.3	11.0	5.7	4.5	5.1	4.1	3.3	3.7	0.5	0.4	0.5
直腸	C20	267	198	465	3.5	3.3	3.4	41.1	27.5	33.9	20.3	11.4	15.6	14.9	8.3	11.5	1.9	0.9	1.4
肛門および肛門管	C21	13	5	18	0.2	0.1	0.1	2.0	0.7	1.3	1.0	0.2	0.6	0.8	0.1	0.4	0.1	0.0	0.0
肝および肝内胆管	C22	341	192	533	4.5	3.2	3.9	52.5	26.7	38.9	20.5	7.7	13.4	14.1	5.1	9.1	1.5	0.5	1.0
胆のう	C23	53	66	119	0.7	1.1	0.9	8.2	9.2	8.7	2.9	1.9	2.4	1.9	1.2	1.5	0.1	0.1	0.1
その他および部位不明の胆道	C24	97	67	164	1.3	1.1	1.2	14.9	9.3	12.0	5.2	2.1	3.5	3.5	1.3	2.3	0.4	0.1	0.2
膀胱	C25	242	257	499	3.2	4.2	3.6	37.2	35.7	36.4	15.9	11.5	13.5	11.4	8.1	9.6	1.3	0.9	1.1
その他および部位不明の消化器	C26	6	11	17	0.1	0.2	0.1	0.9	1.5	1.2	0.4	0.6	0.5	0.3	0.4	0.0	0.0	0.0	0.0
鼻腔および中耳	C30	8	5	13	0.1	0.1	0.1	1.2	0.7	0.9	1.1	0.2	0.7	0.9	0.2	0.5	0.1	0.0	0.1
副鼻腔	C31	13	4	17	0.2	0.1	0.1	2.0	0.6	1.2	1.0	0.3	0.6	0.7	0.2	0.5	0.1	0.0	0.1
喉頭	C32	81	4	85	1.1	0.1	0.6	12.5	0.6	6.2	5.6	0.2	2.6	4.0	0.1	1.9	0.5	0.0	0.2
気管	C33	3	0	3	0.0	0.0	0.0	0.5	0.0	0.2	0.2	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0
気管支および肺	C34	1,044	533	1,577	13.6	8.8	11.5	160.6	74.0	115.1	62.5	23.8	40.9	43.1	16.4	28.3	5.1	2.0	3.5
胸膜	C37	10	11	21	0.1	0.2	0.2	1.5	1.5	1.5	0.9	0.9	0.9	0.8	0.7	0.7	0.1	0.1	0.1
心臓、縦隔および胸膜	C38	7	2	9	0.1	0.0	0.1	1.1	0.3	0.7	0.8	0.3	0.6	0.6	0.3	0.4	0.1	0.0	0.0
その他および部位不明確の呼吸器系および胸腔内臓器	C39	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(四) 肢の骨および関節軟骨	C40	3	3	6	0.0	0.0	0.0	0.5	0.4	0.4	0.4	0.4	0.4	0.4	0.3	0.3	0.0	0.0	0.0
その他および部位不明の骨および関節軟骨	C41	11	1	12	0.1	0.0	0.1	1.7	0.1	0.9	1.3	0.0	0.7	1.0	0.0	0.5	0.1	0.0	0.1
皮膚の悪性黒色腫	C43	9	12	21	0.1	0.2	0.2	1.4	1.7	1.5	0.6	0.6	0.6	0.4	0.5	0.4	0.0	0.0	0.0
皮膚のその他	C44	130	137	267	1.7	2.3	1.9	20.0	19.0	19.5	7.2	5.0	5.9	5.0	3.5	4.2	0.5	0.3	0.4
中皮腫	C45	26	6	32	0.3	0.1	0.2	4.0	0.8	2.3	1.5	0.3	0.8	0.9	0.2	0.5	0.1	0.0	0.1
カボジ肉腫	C46	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
末梢神経および自律神経系の悪性新生物	C47	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
後腹膜および腹膜	C48	4	30	34	0.1	0.5	0.2	0.6	4.2	2.5	0.2	2.3	1.3	0.2	1.7	1.0	0.0	0.2	0.1
その他の結合組織および軟部組織	C49	27	17	44	0.4	0.3	0.3	4.2	2.4	3.2	2.5	1.0	1.7	2.0	0.8	1.3	0.2	0.1	0.1
乳房	C50	7	1,019	1,026	0.1	16.8	7.5	1.1	141.5	74.9	0.4	91.7	47.6	0.3	70.4	36.4	0.0	7.8	4.0
外陰	C51	-	20	20	-	0.3	0.1	-	2.8	-	-	0.8	-	-	0.6	-	-	0.1	-
腎	C52	-	4	4	-	0.1	0.0	-	0.6	-	-	0.2	-	-	0.2	-	-	0.0	-
子宮頸部	C53	-	116	116	-	1.9	0.8	-	16.1	-	-	15.6	-	-	12.2	-	-	1.2	-
子宮体部	C54	-	197	197	-	3.2	1.4	-	27.4	-	-	18.9	-	-	14.8	-	-	1.6	-
子宮部位不明	C55	-	6	6	-	0.1	0.0	-	0.8	-	-	0.1	-	-	0.1	-	-	0.0	-
卵巣	C56	-	128	128	-	2.1	0.9	-	17.8	-	-	12.6	-	-	10.0	-	-	1.0	-
その他および部位不明の女性性器	C57	-	1	1	-	0.0	0.0	-	0.1	-	-	0.1	-	-	0.0	-	-	0.0	-
胎盤	C58	-	0	0	-	0.0	0.0	-	0.0	-	-	0.0	-	-	0.0	-	-	0.0	-
陰茎	C60	5	-	5	0.1	-	0.0	0.8	-	-	0.3	-	-	0.2	-	-	0.0	-	-
前立腺	C61	1,134	-	1,134	14.8	-	8.3	174.5	-	-	65.8	-	-	44.3	-	-	5.6	-	-
精巢	C62	18	-	18	0.2	-	0.1	2.8	-	-	3.6	-	-	3.3	-	-	0.3	-	-
その他および部位不明の男性性器	C63	12	-	12	0.2	-	0.1	1.8	-	-	1.0	-	-	0.8	-	-	0.1	-	-
腎孟を除く腎	C64	174	68	242	2.3	1.1	1.8	26.8	9.4	17.7	14.2	4.4	9.0	10.5	3.2	6.7	1.3	0.4	0.8
腎盂	C65	34	17	51	0.4	0.3	0.4	5.2	2.4	3.7	1.6	0.4	1.0	1.0	0.3	0.6	0.1	0.0	0.1
尿管	C66	37	27	64	0.5	0.4	0.5	5.7	3.7	4.7	1.9	0.9	1.4	1.3	0.6	0.9	0.2	0.1	0.1
膀胱	C67	229	72	301	3.0	1.2	2.2	35.2	10.0	22.0	13.1	3.0	7.5	9.2	2.2	5.3</td			

付表1. 罹患数、部位割合(%)、粗罹患率(人口10万対)、年齢調整罹患率(人口10万対)、累積罹患率(%)： 詳細部位別、性別

山口県

2018年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率			累積罹患率(0-74歳)					
		男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数
上皮内がん	D00-D09	602	640	1,242	7.9	10.6	9.0	92.6	88.9	90.7	42.2	70.9	55.5	30.2	55.9	42.3	3.8	5.3	4.5
口腔、食道および胃	D00	28	9	37	0.4	0.1	0.3	4.3	1.3	2.7	2.0	0.5	1.2	1.4	0.3	0.8	0.2	0.0	0.1
食道	D001	21	6	27	0.3	0.1	0.2	3.2	0.8	2.0	1.5	0.4	0.9	1.1	0.2	0.6	0.1	0.0	0.1
その他および部位不明の消化器	D01	324	210	534	4.2	3.5	3.9	49.8	29.2	39.0	24.5	13.1	18.4	18.0	9.5	13.5	2.3	1.1	1.7
結腸	D010	217	133	350	2.8	2.2	2.6	33.4	18.5	25.5	16.2	7.8	11.8	12.0	5.6	8.6	1.6	0.7	1.1
直腸S状結腸移行部	D011	23	14	37	0.3	0.2	0.3	3.5	1.9	2.7	1.7	0.8	1.2	1.2	0.5	0.9	0.2	0.1	0.1
直腸	D012	61	40	101	0.8	0.7	0.7	9.4	5.6	7.4	4.8	2.9	3.7	3.5	2.1	2.8	0.4	0.3	0.3
中耳および呼吸器系	D02	21	28	49	0.3	0.5	0.4	3.2	3.9	3.6	1.4	1.7	1.6	1.0	1.2	1.1	0.1	0.2	0.1
気管	D021	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	D022	18	27	45	0.2	0.4	0.3	2.8	3.7	3.3	1.2	1.7	1.4	0.9	1.1	1.0	0.1	0.1	0.1
上皮内黒色腫	D03	6	4	10	0.1	0.1	0.1	0.9	0.6	0.7	0.8	0.3	0.5	0.7	0.2	0.4	0.1	0.0	0.0
皮膚のその他	D04	21	24	45	0.3	0.4	0.3	3.2	3.3	3.3	1.3	0.8	1.0	0.8	0.5	0.7	0.1	0.0	0.0
乳房	D05	1	92	93	0.0	1.5	0.7	0.2	12.8	6.8	0.1	10.3	5.3	0.0	8.0	4.1	0.0	0.8	0.4
子宮頸部	D06	-	225	225	-	3.7	1.6	-	31.3	-	-	41.6	-	-	34.4	-	-	2.9	-
その他および部位不明の性器	D07	2	4	6	0.0	0.1	0.0	0.3	0.6	0.4	0.1	0.4	0.3	0.1	0.3	0.2	0.0	0.0	0.0
その他および部位不明	D09	199	44	243	2.6	0.7	1.8	30.6	6.1	17.7	12.1	2.3	6.7	8.2	1.7	4.6	0.9	0.2	0.6
膀胱	D090	181	38	219	2.4	0.6	1.6	27.8	5.3	16.0	11.0	2.0	6.0	7.4	1.5	4.1	0.8	0.2	0.5
良性腫瘍	D02-D05	79	127	206	1.0	2.1	1.5	12.2	17.6	15.0	8.0	10.6	9.3	6.5	8.9	7.7	0.6	0.9	0.8
髄膜	D02	35	90	125	0.5	1.5	0.9	5.4	12.5	9.1	2.9	5.8	4.5	2.2	4.3	3.3	0.2	0.5	0.4
脳および中枢神経系	D03	25	14	39	0.3	0.2	0.3	3.8	1.9	2.8	3.1	1.6	2.3	2.9	1.7	2.3	0.3	0.1	0.2
下垂体	D052	19	23	42	0.2	0.4	0.3	2.9	3.2	3.1	2.0	3.1	2.5	1.4	2.8	2.1	0.2	0.2	0.2
頭蓋咽頭管	D053	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
松果体	D054	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
性状不詳	D42-D47	149	93	242	1.9	1.5	1.8	22.9	12.9	17.7	11.2	4.8	7.8	8.5	3.6	6.0	0.9	0.4	0.6
髄膜	D42	4	5	9	0.1	0.1	0.1	0.6	0.7	0.7	0.2	0.4	0.3	0.1	0.3	0.2	0.0	0.0	0.0
脳および中枢神経系	D43	16	21	37	0.2	0.3	0.3	2.5	2.9	2.7	1.4	1.5	1.4	1.1	1.3	1.2	0.1	0.1	0.1
下垂体	D443	1	2	3	0.0	0.0	0.0	0.2	0.3	0.2	0.0	0.2	0.1	0.0	0.2	0.1	0.0	0.0	0.0
頭蓋咽頭管	D444	0	1	1	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
松果体	D445	2	0	2	0.0	0.0	0.0	0.3	0.0	0.1	0.3	0.0	0.2	0.5	0.0	0.3	0.0	0.0	0.0
真正赤血球増殖症	D45	9	4	13	0.1	0.1	0.1	1.4	0.6	0.9	0.9	0.1	0.5	0.8	0.1	0.4	0.1	0.0	0.0
骨髄異形形成症候群	D46	88	43	131	1.1	0.7	1.0	13.5	6.0	9.6	5.4	1.8	3.4	3.7	1.3	2.4	0.4	0.1	0.3
慢性骨髄増殖性疾患	D471	9	3	12	0.1	0.0	0.1	1.4	0.4	0.9	0.6	0.1	0.3	0.4	0.0	0.2	0.1	0.0	0.0
本態性(出血性)血小板血症	D473	17	13	30	0.2	0.2	0.2	2.6	1.8	2.2	2.0	0.7	1.3	1.6	0.5	1.1	0.2	0.1	0.1

1 総数は男女および性別不詳の合計

付表2. 死亡数、部位割合(%)、粗死亡率(人口10万対)、年齢調整死亡率(人口10万対)、累積死亡率(%)：詳細部位別、性別

山口県

2018年

部位	ICD-10	死亡数			部位割合			粗死亡率			年齢調整死亡率			累積死亡率(0~74歳)					
		男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数
全部位	C00-C97 D00-D47	2,813	2,249	5,062	100.0	100.0	100.0	437.5	315.9	373.6	157.2	91.2	118.7	107.3	64.7	82.6	11.3	6.7	8.9
全部位	C00-C97	2,723	2,163	4,886	96.8	96.2	96.5	423.5	303.8	360.6	152.3	89.0	115.4	103.7	63.1	80.1	11.1	6.6	8.7
口唇	C00	1	0	1	0.0	0.0	0.0	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
舌根く基底く部	C01	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明の舌	C02	12	11	23	0.4	0.5	0.5	1.9	1.5	1.7	1.0	0.4	0.6	0.7	0.2	0.5	0.1	0.0	0.0
歯肉	C03	6	9	15	0.2	0.4	0.3	0.9	1.3	1.1	0.3	0.4	0.3	0.2	0.3	0.0	0.0	0.0	0.0
口腔底	C04	4	1	5	0.1	0.0	0.1	0.6	0.1	0.4	0.3	0.0	0.1	0.2	0.0	0.1	0.0	0.0	0.0
口蓋	C05	2	1	3	0.1	0.0	0.1	0.3	0.1	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明の口腔	C06	1	4	5	0.0	0.2	0.1	0.2	0.6	0.4	0.1	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.0
耳下腺	C07	3	0	3	0.1	0.0	0.1	0.5	0.0	0.2	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0
その他および部位不明の大唾液腺	C08	1	1	2	0.0	0.0	0.0	0.2	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
扁桃	C09	1	0	1	0.0	0.0	0.0	0.2	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
中咽頭	C10	10	4	14	0.4	0.2	0.3	1.6	0.6	1.0	0.7	0.2	0.4	0.5	0.2	0.3	0.0	0.0	0.0
鼻く上く咽頭	C11	4	0	4	0.1	0.0	0.1	0.6	0.0	0.3	0.2	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0
梨状陥凹く洞く	C12	1	0	1	0.0	0.0	0.0	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
下咽頭	C13	25	3	28	0.9	0.1	0.6	3.9	0.4	2.1	1.6	0.4	0.9	1.1	0.3	0.6	0.1	0.0	0.1
その他および部位不明確の口唇、口腔および咽頭	C14	5	0	5	0.2	0.0	0.1	0.8	0.0	0.4	0.3	0.0	0.2	0.2	0.0	0.1	0.0	0.0	0.0
食道	C15	103	23	126	3.7	1.0	2.5	16.0	3.2	9.3	6.1	1.0	3.3	4.2	0.7	2.3	0.6	0.1	0.3
胃	C16	382	237	619	13.6	10.5	12.2	59.4	33.3	45.7	21.7	8.1	14.0	14.9	5.6	9.7	1.6	0.6	1.1
小腸	C17	13	9	22	0.5	0.4	0.4	2.0	1.3	1.6	0.7	0.3	0.5	0.5	0.2	0.3	0.1	0.0	0.0
結腸	C18	215	271	486	7.6	12.0	9.6	33.4	38.1	35.9	13.0	9.9	11.3	9.1	6.9	7.9	1.0	0.7	0.8
直腸S状結腸移行部	C19	2	5	7	0.1	0.2	0.1	0.3	0.7	0.5	0.1	0.3	0.2	0.1	0.2	0.0	0.0	0.0	0.0
直腸	C20	106	81	187	3.8	3.6	3.7	16.5	11.4	13.8	6.7	3.0	4.7	4.6	2.1	3.3	0.6	0.2	0.4
肛門および肛門管	C21	2	3	5	0.1	0.1	0.1	0.3	0.4	0.4	0.1	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.0
肝および肝内胆管	C22	217	145	362	7.7	6.4	7.2	33.7	20.4	26.7	12.0	4.3	7.7	8.0	2.8	5.1	0.8	0.2	0.5
胆のう	C23	39	58	97	1.4	2.6	1.9	6.1	8.1	7.2	2.0	1.5	1.8	1.3	0.9	1.1	0.1	0.1	0.1
その他および部位不明の胆道	C24	69	58	127	2.5	2.6	2.5	10.7	8.1	9.4	3.1	1.5	2.2	2.0	0.9	1.4	0.1	0.1	0.1
脾臓	C25	216	215	431	7.7	9.6	8.5	33.6	30.2	31.8	12.6	8.5	10.3	8.5	5.9	7.0	0.9	0.6	0.7
その他および部位不明の消化器	C26	0	3	3	0.0	0.1	0.1	0.0	0.4	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
鼻腔および中耳	C30	0	4	4	0.0	0.2	0.1	0.0	0.6	0.3	0.0	0.2	0.1	0.0	0.1	0.0	0.0	0.0	0.0
副鼻腔	C31	5	6	11	0.2	0.3	0.2	0.8	0.8	0.8	0.5	0.3	0.4	0.4	0.3	0.3	0.0	0.0	0.0
喉頭	C32	15	1	16	0.5	0.0	0.3	2.3	0.1	1.2	0.9	0.0	0.4	0.7	0.0	0.3	0.1	0.0	0.0
気管	C33	2	0	2	0.1	0.0	0.0	0.3	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	C34	623	294	917	22.1	13.1	18.1	96.9	41.3	67.7	34.6	10.1	20.8	23.2	6.8	14.0	2.7	0.7	1.7
胸膜	C37	2	2	4	0.1	0.1	0.1	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.0	0.0	0.0	0.0
心臓、継隔および胸膜	C38	3	1	4	0.1	0.0	0.1	0.5	0.1	0.3	0.4	0.1	0.2	0.3	0.1	0.2	0.0	0.0	0.0
その他および部位不明確の呼吸器系および胸腔内臓器	C39	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(四) 肢の骨および関節軟骨	C40	2	2	4	0.1	0.1	0.1	0.3	0.3	0.3	0.3	0.1	0.2	0.4	0.0	0.2	0.0	0.0	0.0
その他および部位不明の骨および関節軟骨	C41	0	2	2	0.0	0.1	0.0	0.0	0.3	0.1	0.0	0.2	0.1	0.0	0.1	0.0	0.0	0.0	0.0
皮膚の悪性黒色腫	C43	5	3	8	0.2	0.1	0.2	0.8	0.4	0.6	0.4	0.4	0.4	0.3	0.4	0.3	0.0	0.0	0.0
皮膚のその他	C44	7	13	20	0.2	0.6	0.4	1.1	1.8	1.5	0.3	0.4	0.3	0.2	0.3	0.2	0.0	0.0	0.0
中皮腫	C45	19	3	22	0.7	0.1	0.4	3.0	0.4	1.6	0.9	0.1	0.4	0.6	0.0	0.3	0.1	0.0	0.0
カボジ肉腫	C46	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
末梢神経および自律神経系の悪性新生物	C47	2	1	3	0.1	0.0	0.1	0.3	0.1	0.2	0.1	0.2	0.1	0.1	0.1	0.0	0.0	0.0	0.0
後腹膜および腹膜	C48	3	16	19	0.1	0.7	0.4	0.5	2.2	1.4	0.1	0.6	0.4	0.1	0.4	0.2	0.0	0.0	0.0
その他の結合組織および軟部組織	C49	13	8	21	0.5	0.4	0.4	2.0	1.1	1.5	0.7	0.4	0.5	0.5	0.3	0.4	0.1	0.0	0.0
乳房	C50	2	184	186	0.1	8.2	3.7	0.3	25.8	13.7	0.1	13.7	7.3	0.0	10.4	5.5	0.0	1.2	0.6
外陰	C51	-	6	6	-	0.3	0.1	-	0.8	-	-	0.2	-	-	0.1	-	-	0.0	-
腎	C52	-	2	2	-	0.1	0.0	-	0.3	-	-	0.1	-	-	0.1	-	-	0.0	-
子宮頸部	C53	-	33	33	-	1.5	0.7	-	4.6	-	-	2.6	-	-	2.0	-	-	0.2	-
子宮体部	C54	-	40	40	-	1.8	0.8	-	5.6	-	-	2.2	-	-	1.6	-	-	0.2	-
子宮部位不明	C55	-	20	20	-	0.9	0.4	-	2.8	-	-	1.2	-	-	0.9	-	-	0.1	-
卵巣	C56	-	56	56	-	2.5	1.1	-	7.9	-	-	4.5	-	-	3.4	-	-	0.4	-
その他および部位不明の女性性器	C57	-	1	1	-	0.0	0.0	-	0.1	-	-	0.0	-	-	0.0	-	-	0.0	-
胎盤	C58	-	1	1	-	0.0	0.0	-	0.1	-	-	0.2	-	-	0.2	-	-	0.0	-
陰茎	C60	1	-	1	0.0	-	0.0	0.2	-	-	0.0	-	-	0.0	-	-	0.0	-	-
前立腺	C61	156	-	156	5.5	-	3.1	24.3	-	-	6.8	-	-	4.3	-	-	0.3	-	-
精巢	C62	1	-	1	0.0	-	0.0	0.2	-	-	0.2	-	-	0.2	-	-	0.0	-	-
その他および部位不明の男性性器	C63	2	-	2	0.1	-	0.0	0.3	-	-	0.1	-	-	0.1	-	-	0.0	-	-
腎孟を除く腎	C64	40	13	53	1.4	0.6	1.0	6.2	1.8	3.9	2.3	0.5	1.3	1.6	0.4	0.9	0.2	0.0	0.1
腎孟	C65	13	12	25	0.5	0.5	0.5	2.0	1.7	1.8	0.6	0.5	0.5	0.4	0.4	0.4	0.0	0.0	0.0
尿管	C66	21	8	29	0.7	0.4	0.6	3.3	1.1	2.1	1.0	0.3	0.6	0.7	0.2	0.4	0.1	0.0	0.0
膀胱	C67	92	37	129	3.3	1.6	2.5	14.3	5.2	9.5	4.2	0.7	2.2	2.9	0.5	1.5	0.3	0.0	0.1
その他および部位不明の泌尿器	C68	5	2	7	0.2	0.1	0.1	0.8	0.3	0.5	0.3	0.0	0.2	0.2	0.0				

部位	ICD-10	死亡数			部位割合			粗死亡率			年齢調整死亡率			累積死亡率(0-74歳)							
		男	女	総数	1	男	女	総数	1	男	女	総数	1	男	女	総数	1	男	女	総数	1
上皮内がん	D00-D09	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
口腔、食道および胃	D00	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
食道	D001	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明の消化器	D01	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
結腸	D010	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
直腸S状結腸移行部	D011	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
直腸	D012	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
中耳および呼吸器系	D02	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管	D021	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	D022	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
上皮内黒色腫	D03	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
皮膚のその他	D04	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
乳房	D05	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
子宮頸部	D06	-	0	0	-	0.0	0.0	-	0.0	-	-	0.0	-	-	0.0	-	-	0.0	-	0.0	-
その他および部位不明の性器	D07	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明	D09	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
膀胱	D090	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
良性腫瘍	D02-D35	2	4	6	0.1	0.2	0.1	0.3	0.6	0.4	0.1	0.1	0.1	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0
脳膜	D32	2	3	5	0.1	0.1	0.1	0.3	0.4	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
脳および中枢神経系	D33	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
下垂体	D352	0	1	1	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
頭蓋咽頭管	D353	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
松果体	D354	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
性状不詳	D42-D47	59	46	105	2.1	2.0	2.1	9.2	6.5	7.7	3.1	1.1	2.0	2.1	0.8	1.3	0.2	0.0	0.1	0.0	0.0
脳膜	D42	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
脳および中枢神経系	D43	15	20	35	0.5	0.9	0.7	2.3	2.8	2.6	0.9	0.5	0.7	0.6	0.4	0.5	0.1	0.0	0.0	0.0	0.0
下垂体	D443	1	0	1	0.0	0.0	0.0	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
頭蓋咽頭管	D444	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
松果体	D445	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
真正赤血球増殖症	D45	3	1	4	0.1	0.0	0.1	0.5	0.1	0.3	0.2	0.0	0.1	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0
骨髓異形症候群	D46	38	19	57	1.4	0.8	1.1	5.9	2.7	4.2	1.9	0.4	1.1	1.2	0.3	0.7	0.1	0.0	0.0	0.0	0.1
慢性骨髓増殖性疾患	D471	1	2	3	0.0	0.1	0.1	0.2	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
本態性(出血性)血小板血症	D473	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

1 総数は男女および性別不詳の合計

付表3. 初回治療内容割合詳細 (%) : 部位別

A. 上皮内がんを除く

山口県

2018年

部位	ICD-10	集計対象数 ¹	手術のみ						薬物						手術/内視鏡				他の組合せ	治療なし ・不明			
			2		内視鏡のみ		手術 +内視鏡	放射線のみ		薬物のみ ³		+放射線		+その他		+放射線		+薬物		+その他			
			手術のみ	内視鏡のみ	内視鏡のみ	手術+内視鏡		放射線のみ	薬物のみ	3	+放射線	+その他	+放射線	+その他	+放射線	+その他	+放射線	+その他	+放射線	+その他			
全部位	C00-C96	11,837	26.2	6.5	0.8	1.8	16.6	3.8	1.2	0.7	15.2	0.5	2.9	1.3	22.5								
口腔・咽頭	C00-C14	268	36.9	4.1	0.0	5.6	5.6	18.7	0.0	4.1	3.0	0.4	4.5	0.4	16.8								
食道	C15	309	10.0	16.2	0.3	5.5	10.4	20.1	0.6	0.3	16.2	0.0	3.9	0.6	15.9								
胃	C16	1,556	24.9	31.1	2.3	0.1	11.1	0.1	0.2	0.1	11.2	0.2	0.1	0.7	18.0								
大腸（結腸・直腸）	C18-C20	1,910	38.8	7.2	2.5	0.2	4.9	0.1	0.2	0.2	27.6	0.4	1.4	1.0	15.6								
結腸	C18	1,296	41.7	6.7	2.0	0.1	3.8	0.0	0.2	0.1	27.1	0.5	0.1	1.2	16.5								
直腸	C19-C20	614	32.6	8.3	3.4	0.3	7.2	0.3	0.2	0.5	28.7	0.3	4.1	0.5	13.7								
肝および肝内胆管	C22	514	21.4	0.0	0.0	0.6	9.1	0.8	20.0	0.0	1.6	1.4	0.2	9.1	35.8								
胆のう・胆管	C23-C24	279	29.4	0.4	0.0	0.0	17.9	0.0	0.0	0.0	8.6	0.4	0.7	2.2	40.5								
脾臓	C25	484	7.4	0.0	0.0	0.4	34.9	0.4	1.4	0.0	13.8	0.0	0.0	1.2	40.3								
喉頭	C32	85	12.9	1.2	0.0	29.4	1.2	24.7	0.0	3.5	2.4	0.0	8.2	0.0	16.5								
肺	C33-C34	1,539	27.6	0.0	0.0	4.0	19.6	6.4	0.1	0.2	8.6	0.2	0.6	0.7	32.1								
皮膚	C43-C44	287	81.2	0.0	0.0	0.3	0.7	0.0	0.0	1.0	2.1	0.7	0.0	2.1	11.8								
乳房	C50	1,017	11.2	0.0	0.0	0.9	9.2	0.2	0.2	3.7	41.5	0.0	20.6	0.3	12.2								
乳房（女性のみ）	C50	1,010	11.2	0.0	0.0	0.9	9.1	0.2	0.2	3.8	41.4	0.0	20.7	0.3	12.3								
子宮	C53-C55	315	41.0	0.0	0.0	3.2	5.7	7.3	0.0	0.6	24.4	0.3	3.2	0.3	14.0								
子宮頸部	C53	115	38.3	0.0	0.0	7.0	7.0	20.0	0.0	0.9	4.3	0.9	8.7	0.0	13.0								
子宮体部	C54	197	43.1	0.0	0.0	1.0	5.1	0.0	0.0	0.5	36.5	0.0	0.0	0.0	13.7								
卵巣	C56	127	27.6	0.0	0.0	0.0	11.0	0.0	0.0	0.0	41.7	0.0	0.0	0.8	18.9								
前立腺	C61	1,126	16.0	1.0	0.0	3.3	43.9	9.9	0.3	0.1	5.9	0.0	0.1	1.4	18.2								
膀胱	C67	294	2.7	23.5	3.7	1.4	3.4	4.4	0.3	1.0	24.8	8.2	5.1	5.1	16.3								
腎・尿路（膀胱除く）	C64-C66 C68	356	55.6	0.0	0.0	0.8	9.8	1.7	0.3	0.3	11.0	0.6	0.3	0.0	19.7								
脳・中枢神経系	C70-C72	77	14.3	0.0	0.0	3.9	0.0	10.4	0.0	1.3	7.8	0.0	31.2	0.0	31.2								
甲状腺	C73	203	69.5	0.0	0.0	0.0	1.0	0.0	0.0	3.9	1.5	0.0	1.0	0.0	23.2								
悪性リンパ腫	C81-C85 C96	431	2.1	0.0	0.0	2.3	52.7	4.6	1.2	0.2	3.0	0.0	0.9	0.2	32.7								
多発性骨髄腫	C88-C90	94	2.1	0.0	0.0	1.1	61.7	2.1	2.1	0.0	0.0	0.0	0.0	0.0	30.9								
白血病	C91-C95	145	0.0	0.0	0.0	0.0	53.1	0.7	0.7	0.0	0.0	0.0	0.0	6.2	39.3								

1 DCOを除く総数

2 外科的、鏡視下治療のいずれかが1:あり

3 化学療法、内分泌療法のいずれかが1:あり

付表3. 初回治療内容割合詳細 (%) : 部位別

B. 上皮内がんを含む

山口県

2018年

部位	ICD-10	集計対象数 1	手術のみ			内視鏡のみ		手術 +内視鏡	放射線のみ	薬物のみ 3			手術/内視鏡				他の組合せ	治療なし ・不明
			手術のみ	2 内視鏡のみ	手術 +内視鏡	放射線のみ	薬物のみ			+放射線	+その他	+放射線	+薬物	+その他	+放射線 +薬物			
全部位	C00-C96 D00-D09	13,079	27.3	10.3	0.8	1.7	15.0	3.4	1.0	0.8	14.2	0.7	2.8	1.3	20.8			
食道	C15 D001	336	9.2	22.0	0.6	5.1	9.5	18.5	0.6	0.3	14.9	0.0	3.6	0.6	15.2			
大腸（結腸・直腸） ⁴	C18-C20 D010-D012	2,398	33.4	23.4	2.0	0.1	3.9	0.1	0.2	0.2	22.0	0.3	1.1	0.8	12.6			
結腸 ⁴	C18 D010	1,646	35.4	23.8	1.7	0.1	3.0	0.0	0.2	0.1	21.4	0.4	0.1	1.0	13.1			
直腸 ⁴	C19-C20 D011-D012	752	29.0	22.5	2.8	0.3	5.9	0.3	0.1	0.4	23.4	0.3	3.3	0.4	11.4			
肺	C33-C34 D021-D022	1,584	29.5	0.0	0.0	3.9	19.0	6.2	0.1	0.2	8.4	0.2	0.6	0.7	31.2			
皮膚	C43-C44 D030-D049	342	81.3	0.0	0.0	0.3	0.6	0.0	0.0	0.9	1.8	0.6	0.0	2.0	12.6			
乳房	C50 D05	1,110	14.1	0.0	0.0	0.8	8.5	0.2	0.2	5.0	38.8	0.0	20.2	0.3	12.0			
乳房（女性のみ）	C50 D05	1,102	14.1	0.0	0.0	0.8	8.3	0.2	0.2	5.0	38.7	0.0	20.3	0.3	12.1			
子宮	C53-C55 D06	540	61.3	0.0	0.0	1.9	3.3	4.3	0.0	0.4	14.3	1.5	1.9	0.4	10.9			
子宮頸部	C53 D06	340	72.4	0.0	0.0	2.4	2.4	6.8	0.0	0.3	1.5	2.4	2.9	0.3	8.8			
膀胱	C67 D090	513	3.7	37.2	2.5	0.8	1.9	2.5	0.2	0.6	22.4	9.9	2.9	4.5	10.7			

1 DC0を除く総数

2 外科的、鏡視下治療のいずれかが1:あり

3 化学療法、内分泌療法のいずれかが1:あり

4 粘膜がんを含む