

表1. 罹患数、部位割合(%)、粗罹患率(人口10万対)、年齢調整罹患率(人口10万対)、累積罹患率(%) : 部位別、性別

A. 上皮内がんを除く

山口県

2019年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 1	男	女	総数 1	男	女	総数 1	日本人口			世界人口			男	女	総数 1
											男	女	総数 1	男	女	総数 1			
全部位	C00-C96	6,977	5,344	12,321	100.0	100.0	100.0	1,081.7	749.5	907.3	451.1	332.9	380.6	319.0	248.8	276.9	37.6	27.4	32.1
口腔・咽頭	C00-C14	209	100	309	3.0	1.9	2.5	32.4	14.0	22.8	16.6	5.9	10.9	12.4	4.4	8.2	1.6	0.5	1.0
食道	C15	249	65	314	3.6	1.2	2.5	38.6	9.1	23.1	17.0	3.5	9.6	12.0	2.5	6.9	1.5	0.3	0.9
胃	C16	1,069	481	1,550	15.3	9.0	12.6	165.7	67.5	114.1	64.8	21.8	40.9	44.4	15.6	28.5	5.3	1.7	3.4
大腸(結腸・直腸)	C18-C20	1,046	852	1,898	15.0	15.9	15.4	162.2	119.5	139.8	72.1	43.3	56.5	51.1	31.0	40.3	6.1	3.7	4.9
結腸	C18	670	637	1,307	9.6	11.9	10.6	103.9	89.3	96.2	44.2	30.4	36.6	30.8	21.5	25.8	3.7	2.5	3.1
直腸	C19-C20	376	215	591	5.4	4.0	4.8	58.3	30.2	43.5	28.0	12.9	19.8	20.2	9.5	14.5	2.5	1.2	1.8
肝および肝内胆管	C22	334	186	520	4.8	3.5	4.2	51.8	26.1	38.3	20.4	6.5	12.7	14.0	4.3	8.7	1.5	0.4	0.9
胆のう・胆管	C23-C24	148	135	283	2.1	2.5	2.3	22.9	18.9	20.8	8.1	4.7	6.2	5.5	3.2	4.2	0.5	0.4	0.4
膵臓	C25	249	281	530	3.6	5.3	4.3	38.6	39.4	39.0	15.7	11.9	13.6	10.9	8.4	9.5	1.3	0.9	1.1
喉頭	C32	67	5	72	1.0	0.1	0.6	10.4	0.7	5.3	4.2	0.3	2.1	2.9	0.2	1.4	0.4	0.0	0.2
肺	C33-C34	1,060	574	1,634	15.2	10.7	13.3	164.3	80.5	120.3	64.4	28.0	44.1	44.4	19.8	30.7	5.4	2.4	3.8
皮膚	C43-C44	172	183	355	2.5	3.4	2.9	26.7	25.7	26.1	9.6	6.6	7.9	6.6	4.7	5.5	0.6	0.4	0.5
乳房	C50	3	1,029	1,032	0.0	19.3	8.4	0.5	144.3	76.0	0.6	88.0	46.1	0.5	67.2	35.0	0.0	7.5	3.9
子宮	C53-C55	-	341	341	-	6.4	2.8	-	47.8	-	-	37.2	-	-	29.1	-	-	3.1	-
子宮頸部	C53	-	153	153	-	2.9	1.2	-	21.5	-	-	19.0	-	-	14.9	-	-	1.4	-
子宮体部	C54	-	182	182	-	3.4	1.5	-	25.5	-	-	18.0	-	-	14.0	-	-	1.6	-
卵巣	C56	-	130	130	-	2.4	1.1	-	18.2	-	-	12.8	-	-	10.4	-	-	1.1	-
前立腺	C61	1,230	-	1,230	17.6	-	10.0	190.7	-	-	72.0	-	-	49.0	-	-	6.3	-	-
膀胱	C67	266	88	354	3.8	1.6	2.9	41.2	12.3	26.1	14.4	2.7	7.8	10.0	1.7	5.4	1.2	0.2	0.7
腎・尿路(膀胱除く)	C64-C66 C68	218	136	354	3.1	2.5	2.9	33.8	19.1	26.1	15.2	8.0	11.2	10.9	5.8	8.1	1.3	0.7	1.0
脳・中枢神経系	C70-C72	28	28	56	0.4	0.5	0.5	4.3	3.9	4.1	2.3	2.5	2.4	1.7	2.1	1.9	0.2	0.2	0.2
甲状腺	C73	30	146	176	0.4	2.7	1.4	4.7	20.5	13.0	2.9	15.7	9.4	2.1	12.6	7.4	0.3	1.3	0.8
悪性リンパ腫	C81-C85 C96	210	221	431	3.0	4.1	3.5	32.6	31.0	31.7	15.7	12.9	14.1	12.0	9.7	10.8	1.3	1.1	1.2
多発性骨髄腫	C88-C90	33	46	79	0.5	0.9	0.6	5.1	6.5	5.8	2.1	2.0	2.0	1.4	1.4	1.4	0.1	0.2	0.2
白血病	C91-C95	94	58	152	1.3	1.1	1.2	14.6	8.1	11.2	10.1	4.6	7.3	9.5	4.2	6.8	0.8	0.3	0.6

1 総数は男女および性別不詳の合計

表1. 罹患数、部位割合（％）、粗罹患率（人口10万対）、年齢調整罹患率（人口10万対）、累積罹患率（％）： 部位別、性別

## B. 上皮内がんを含む

山口県

2019年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 1	男	女	総数 1	男	女	総数 1	日本人口			世界人口			男	女	総数 1
											男	女	総数 1	男	女	総数 1			
全部位	C00-C96 D00-D09	7,636	5,955	13,591	100.0	100.0	100.0	1,183.9	835.2	1,000.8	498.1	402.2	437.3	352.5	304.0	320.3	41.7	32.6	36.7
食道	C15 D001	269	70	339	3.5	1.2	2.5	41.7	9.8	25.0	18.5	3.9	10.5	13.0	2.9	7.5	1.7	0.4	1.0
大腸（結腸・直腸） 2	C18-C20 D010-D012	1,348	1,023	2,371	17.7	17.2	17.4	209.0	143.5	174.6	95.9	53.7	73.0	68.3	38.5	52.3	8.3	4.6	6.4
結腸 2	C18 D010	891	769	1,660	11.7	12.9	12.2	138.1	107.9	122.2	61.4	38.9	49.2	43.3	27.7	34.9	5.2	3.3	4.2
直腸 2	C19-C20 D011-D012	457	254	711	6.0	4.3	5.2	70.9	35.6	52.4	34.4	14.7	23.9	25.0	10.8	17.4	3.1	1.3	2.2
肺	C33-C34 D021-D022	1,092	603	1,695	14.3	10.1	12.5	169.3	84.6	124.8	66.7	30.1	46.2	46.0	21.3	32.3	5.6	2.6	4.0
皮膚	C43-C44 D030-D049	194	213	407	2.5	3.6	3.0	30.1	29.9	30.0	10.7	8.5	9.4	7.3	6.1	6.6	0.7	0.6	0.6
乳房	C50 D05	3	1,128	1,131	0.0	18.9	8.3	0.5	158.2	83.3	0.6	97.9	51.2	0.5	75.0	39.0	0.0	8.4	4.3
子宮	C53-C55 D06	-	563	563	-	9.5	4.1	-	79.0	-	-	79.2	-	-	64.0	-	-	6.0	-
子宮頸部	C53 D06	-	375	375	-	6.3	2.8	-	52.6	-	-	61.0	-	-	49.9	-	-	4.4	-
膀胱	C67 D090	494	131	625	6.5	2.2	4.6	76.6	18.4	46.0	29.5	4.6	15.8	20.7	3.0	11.1	2.5	0.3	1.3

1 総数は男女および性別不詳の合計

2 粘膜がんを含む

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

山口県

2019年

性別	部位	ICD-10	総数	1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C96	6,977	5	4	2	4	9	7	16	23	46	97	133	236	565	1,032	1,374	1,328	1,044	704	291	53	4	0	
	口腔・咽頭	C00-C14	209	0	0	0	0	0	1	1	1	2	6	13	12	28	32	47	28	19	17	1	1	0	0	
	食道	C15	249	0	0	0	0	0	0	0	0	0	3	11	7	27	38	61	52	33	14	1	2	0	0	
	胃	C16	1,069	0	0	0	0	0	0	1	1	4	9	15	25	92	150	212	207	195	115	37	6	0	0	
	大腸（結腸・直腸）	C18-C20	1,046	0	0	0	0	1	0	1	5	12	25	27	46	91	172	199	208	140	82	28	9	0	0	
	結腸	C18	670	0	0	0	0	1	0	1	2	7	12	14	28	49	105	128	138	98	56	23	8	0	0	
	直腸	C19-C20	376	0	0	0	0	0	0	0	3	5	13	13	18	42	67	71	70	42	26	5	1	0	0	
	肝および肝内胆管	C22	334	0	0	0	0	0	0	0	1	4	4	5	15	26	32	49	71	55	53	17	2	0	0	
	胆のう・胆管	C23-C24	148	0	0	0	0	0	0	0	0	0	0	1	2	2	11	21	15	30	26	21	16	3	0	0
	膵臓	C25	249	0	0	0	0	0	0	0	1	1	1	2	7	7	17	38	49	51	37	26	11	1	0	0
	喉頭	C32	67	0	0	0	0	0	0	0	0	0	0	0	1	4	4	9	22	9	12	3	2	1	0	0
	肺	C33-C34	1,060	0	0	0	0	0	0	1	1	2	13	13	34	76	158	225	211	157	119	43	6	1	0	
	皮膚	C43-C44	172	0	0	0	0	0	0	0	0	1	1	2	2	8	11	14	17	28	28	31	24	4	1	0
	乳房	C50	3	0	0	0	0	1	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0
	前立腺	C61	1,230	0	0	0	0	0	0	0	0	0	0	1	7	30	83	221	271	259	185	114	47	12	0	0
	膀胱	C67	266	0	0	0	0	0	0	0	0	0	1	1	0	3	19	43	50	41	39	42	23	3	1	0
	腎・尿路（膀胱除く）	C64-C66 C68	218	0	0	0	0	0	0	0	0	3	5	6	5	10	20	27	43	31	29	28	10	0	1	0
	脳・中枢神経系	C70-C72	28	0	0	0	0	1	0	0	1	1	0	1	1	1	2	5	6	3	5	1	1	0	0	0
	甲状腺	C73	30	0	0	0	0	0	0	2	0	2	2	1	2	3	1	10	4	2	0	1	0	0	0	
	悪性リンパ腫	C81-C85 C96	210	2	0	0	0	2	0	0	1	4	2	6	11	27	27	40	36	27	15	9	1	0	0	
	多発性骨髄腫	C88-C90	33	0	0	0	0	0	0	0	0	1	1	1	2	0	2	5	7	8	3	3	0	0	0	
	白血病	C91-C95	94	2	3	2	3	1	1	0	3	1	9	5	6	8	7	16	6	9	7	4	1	0	0	

1 総数は年齢不詳を含む

2 総数は男女および性別不詳の合計

32 表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

山口県

2019年

性別	部位	ICD-10	総数	1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	C00-C96	5,344	2	4	1	5	6	17	30	71	135	209	207	281	350	606	749	745	721	644	415	133	13	0	
	口腔・咽頭	C00-C14	100	0	0	0	0	0	2	0	1	1	4	3	6	5	6	15	18	17	14	6	2	0	0	
	食道	C15	65	0	0	0	0	0	0	0	0	1	1	1	4	6	8	12	11	6	6	8	1	0	0	
	胃	C16	481	0	0	0	0	0	2	1	1	8	4	7	11	30	54	54	77	79	90	48	13	2	0	
	大腸（結腸・直腸）	C18-C20	852	0	0	0	0	0	1	2	4	9	14	19	32	61	95	143	139	128	103	81	21	0	0	
	結腸	C18	637	0	0	0	0	0	1	1	4	6	8	11	20	38	64	111	112	95	84	66	16	0	0	
	直腸	C19-C20	215	0	0	0	0	0	1	0	3	6	8	12	23	31	32	27	33	19	15	5	0	0		
	肝および肝内胆管	C22	186	0	0	0	0	0	0	0	1	0	3	0	1	4	18	20	34	40	33	27	5	0	0	
	胆のう・胆管	C23-C24	135	0	0	0	0	0	0	0	0	0	0	0	2	2	5	14	15	18	26	31	14	6	2	
	膵臓	C25	281	0	1	0	0	0	1	1	2	2	2	2	6	15	27	36	47	54	52	23	10	2	0	
	喉頭	C32	5	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	1	0	1	0	0	0	
	肺	C33-C34	574	0	0	0	0	0	0	0	3	3	6	15	20	39	68	93	96	96	65	48	20	2	0	
	皮膚	C43-C44	183	0	0	0	0	0	0	0	1	5	3	5	6	8	15	34	13	38	36	16	3	0		
	乳房	C50	1,029	0	0	0	0	1	2	9	17	54	94	73	96	90	124	158	111	92	65	34	9	0	0	
	子宮	C53-C55	341	0	0	0	0	0	4	9	23	19	33	39	39	25	44	39	21	21	14	9	1	1	0	
	子宮頸部	C53	153	0	0	0	0	0	3	8	21	11	16	12	13	9	16	13	12	8	6	4	1	0	0	
	子宮体部	C54	182	0	0	0	0	0	1	1	2	8	17	27	26	16	26	26	9	12	7	3	0	1	0	
	卵巣	C56	130	0	1	0	1	2	0	2	3	9	9	12	13	14	19	12	9	8	8	6	2	0	0	
	膀胱	C67	88	0	0	0	0	0	0	0	0	0	0	0	3	0	6	10	15	15	18	15	6	0	0	
	腎・尿路（膀胱除く）	C64-C66 C68	136	0	0	0	0	0	0	0	2	3	6	2	9	6	18	24	19	20	12	9	6	0	0	
	脳・中枢神経系	C70-C72	28	0	1	0	0	0	0	0	3	0	2	3	1	2	0	5	2	3	4	2	0	0	0	
	甲状腺	C73	146	0	0	0	1	0	5	3	6	13	11	10	14	10	24	21	15	4	6	3	0	0	0	
	悪性リンパ腫	C81-C85 C96	221	0	0	0	1	2	1	2	1	4	4	6	7	15	31	31	33	36	29	12	6	0	0	
	多発性骨髄腫	C88-C90	46	0	0	0	0	0	0	0	0	0	0	0	1	2	2	8	5	6	6	13	2	1	0	
	白血病	C91-C95	58	2	0	0	1	1	0	0	3	3	4	1	1	2	5	4	6	10	9	5	1	0	0	

1 総数は年齢不詳を含む

2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

山口県

2019年

性別	部位	ICD-10	総数	1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数	2 全部位	C00-C96	12,321	7	8	3	9	15	24	46	94	181	306	340	517	915	1,638	2,123	2,073	1,765	1,348	706	186	17	0	
	口腔・咽頭	C00-C14	309	0	0	0	0	0	3	1	2	3	10	16	18	33	38	62	46	36	31	7	3	0	0	
	食道	C15	314	0	0	0	0	0	0	0	1	4	12	11	33	46	73	63	39	20	9	3	0	0	0	
	胃	C16	1,550	0	0	0	0	0	2	2	12	13	22	36	122	204	266	284	274	205	85	19	2	0	0	
	大腸（結腸・直腸）	C18-C20	1,898	0	0	0	0	1	1	3	9	21	39	46	78	152	267	342	347	268	185	109	30	0	0	
	結腸	C18	1,307	0	0	0	0	1	1	2	6	13	20	25	48	87	169	239	250	193	140	89	24	0	0	
	直腸	C19-C20	591	0	0	0	0	0	0	1	3	8	19	21	30	65	98	103	97	75	45	20	6	0	0	
	肝および肝内胆管	C22	520	0	0	0	0	0	0	0	2	4	7	5	16	30	50	69	105	95	86	44	7	0	0	
	胆のう・胆管	C23-C24	283	0	0	0	0	0	0	0	0	0	1	4	4	16	35	30	48	52	52	30	9	2	0	
	膵臓	C25	530	0	1	0	0	0	2	2	3	4	9	13	32	65	85	98	91	78	34	11	2	0	0	
	喉頭	C32	72	0	0	0	0	0	0	0	0	0	0	1	4	5	11	22	10	12	4	2	1	0	0	
	肺	C33-C34	1,634	0	0	0	0	0	1	4	5	19	28	54	115	226	318	307	253	184	91	26	3	0	0	
	皮膚	C43-C44	355	0	0	0	0	0	0	0	1	2	7	5	13	17	22	32	62	41	69	60	20	4	0	
	乳房	C50	1,032	0	0	0	0	2	2	9	17	55	94	74	96	90	124	158	111	92	65	34	9	0	0	
	子宮	C53-C55	341	0	0	0	0	0	4	9	23	19	33	39	39	25	44	39	21	21	14	9	1	1	0	
	子宮頸部	C53	153	0	0	0	0	0	3	8	21	11	16	12	13	9	16	13	12	8	6	4	1	0	0	
	子宮体部	C54	182	0	0	0	0	0	1	1	2	8	17	27	26	16	26	26	9	12	7	3	0	1	0	
	卵巣	C56	130	0	1	0	1	2	0	2	3	9	9	12	13	14	19	12	9	8	8	6	2	0	0	
	前立腺	C61	1,230	0	0	0	0	0	0	0	0	1	7	30	83	221	271	259	185	114	47	12	0	0	0	
	膀胱	C67	354	0	0	0	0	0	0	0	1	1	0	6	19	49	60	56	54	60	38	9	1	0	0	
	腎・尿路（膀胱除く）	C64-C66 C68	354	0	0	0	0	0	0	0	5	8	12	7	19	26	45	67	50	49	40	19	6	1	0	
	脳・中枢神経系	C70-C72	56	0	1	0	0	1	0	0	4	1	2	4	2	4	5	11	5	8	5	3	0	0	0	
	甲状腺	C73	176	0	0	0	1	0	5	5	6	15	13	11	16	13	25	31	19	6	6	4	0	0	0	
	悪性リンパ腫	C81-C85 C96	431	2	0	0	1	4	1	2	2	8	6	12	18	42	58	71	69	63	44	21	7	0	0	
	多発性骨髄腫	C88-C90	79	0	0	0	0	0	0	0	1	1	2	4	2	10	10	13	14	16	5	1	0	0	0	
	白血病	C91-C95	152	4	3	2	4	2	1	0	6	4	13	6	7	10	12	20	12	19	16	9	2	0	0	

1 総数は年齢不詳を含む

2 総数は男女および性別不詳の合計

34 表2. 年齢階級別罹患数： 部位別、性別

B. 上皮内がんを含む

山口県

2019年

性別	部位	ICD-10	総数 1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳	
男	全部位	C00-C96 D00-D09	7,636	5	4	2	4	10	10	17	23	53	106	161	270	628	1,124	1,514	1,456	1,134	753	300	57	5	0	
	食道	C15 D001	269	0	0	0	0	0	0	0	0	0	5	12	7	28	42	65	58	34	15	1	2	0	0	
	大腸（結腸・直腸） 2	C18-C20 D010-D012	1,348	0	0	0	0	1	2	2	5	17	27	50	66	122	212	271	262	176	96	29	10	0	0	
	結腸 2	C18 D010	891	0	0	0	0	1	2	2	2	11	14	29	42	71	131	180	185	121	67	24	9	0	0	
	直腸 2	C19-C20 D011-D012	457	0	0	0	0	0	0	0	0	3	6	13	24	51	81	91	77	55	29	5	1	0	0	
	肺	C33-C34 D021-D022	1,092	0	0	0	0	0	0	0	1	1	3	14	13	36	80	161	234	216	160	122	44	6	1	0
	皮膚	C43-C44 D030-D049	194	0	0	0	0	0	0	0	0	1	1	3	2	8	11	16	21	33	33	35	25	4	1	0
	乳房	C50 D05	3	0	0	0	0	1	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0
	膀胱	C67 D090	494	0	0	0	0	1	1	0	0	0	1	3	4	14	43	77	94	81	77	62	28	6	2	0
	女	全部位	C00-C96 D00-D09	5,955	2	4	1	5	9	38	62	114	190	270	244	311	394	651	825	804	778	677	427	136	13	0
食道		C15 D001	70	0	0	0	0	0	0	0	0	1	1	1	4	9	8	13	11	7	6	8	1	0	0	
大腸（結腸・直腸） 2		C18-C20 D010-D012	1,023	0	0	0	0	0	1	2	7	11	19	25	39	75	116	182	162	161	114	88	21	0	0	
結腸 2		C18 D010	769	0	0	0	0	0	1	1	7	8	12	17	25	50	82	140	130	118	90	72	16	0	0	
直腸 2		C19-C20 D011-D012	254	0	0	0	0	0	0	1	0	3	7	8	14	25	34	42	32	43	24	16	5	0	0	
肺		C33-C34 D021-D022	603	0	0	0	0	0	0	0	0	3	6	6	16	21	43	72	99	102	99	66	48	20	2	0
皮膚		C43-C44 D030-D049	213	0	0	0	0	1	0	1	0	1	6	5	7	6	10	18	38	18	44	38	17	3	0	
乳房		C50 D05	1,128	0	0	0	0	2	2	9	18	60	108	86	102	103	138	170	122	96	69	34	9	0	0	
子宮		C53-C55 D06	563	0	0	0	0	1	25	40	62	63	73	51	51	33	46	46	25	21	15	9	1	1	0	
子宮頸部		C53 D06	375	0	0	0	0	1	24	39	60	55	56	24	25	17	18	20	16	8	7	4	1	0	0	
膀胱	C67 D090	131	0	0	0	0	0	0	0	0	0	0	0	3	5	1	8	15	24	23	28	17	7	0	0	
総数 3	全部位	C00-C96 D00-D09	13,591	7	8	3	9	19	48	79	137	243	376	405	581	1,022	1,775	2,339	2,260	1,912	1,430	727	193	18	0	
	食道	C15 D001	339	0	0	0	0	0	0	0	0	1	6	13	11	37	50	78	69	41	21	9	3	0	0	
	大腸（結腸・直腸） 2	C18-C20 D010-D012	2,371	0	0	0	0	1	3	4	12	28	46	75	105	197	328	453	424	337	210	117	31	0	0	
	結腸 2	C18 D010	1,660	0	0	0	0	1	3	3	9	19	26	46	67	121	213	320	315	239	157	96	25	0	0	
	直腸 2	C19-C20 D011-D012	711	0	0	0	0	0	0	1	3	9	20	29	38	76	115	133	109	98	53	21	6	0	0	
	肺	C33-C34 D021-D022	1,695	0	0	0	0	0	0	0	1	4	9	20	29	57	123	233	333	318	259	188	92	26	3	0
	皮膚	C43-C44 D030-D049	407	0	0	0	0	1	0	1	1	2	9	7	15	17	26	39	71	51	79	63	21	4	0	
	乳房	C50 D05	1,131	0	0	0	0	3	2	9	18	61	108	87	102	103	138	170	122	96	69	34	9	0	0	
	子宮	C53-C55 D06	563	0	0	0	0	1	25	40	62	63	73	51	51	33	46	46	25	21	15	9	1	1	0	
	子宮頸部	C53 D06	375	0	0	0	0	1	24	39	60	55	56	24	25	17	18	20	16	8	7	4	1	0	0	
膀胱	C67 D090	625	0	0	0	0	1	1	0	0	1	3	7	19	44	85	109	105	100	90	45	13	2	0		

1 総数は年齢不詳を含む

2 粘膜がんを含む

3 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

山口県

2019年

性別	部位	ICD-10	総数	1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C96	1,081.7		20.0	14.8	6.9	12.5	30.0	25.0	50.0	63.9	107.0	202.1	341.0	621.1	1,345.2	1,984.6	2,694.1	3,405.1	3,866.7	4,208.0	-
	口腔・咽頭	C00-C14	32.4		0.0	0.0	0.0	0.0	0.0	3.6	3.1	2.8	4.7	12.5	33.3	31.6	66.7	61.5	92.2	71.8	70.4	76.0	-
	食道	C15	38.6		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.3	28.2	18.4	64.3	73.1	119.6	133.3	122.2	68.0	-
	胃	C16	165.7		0.0	0.0	0.0	0.0	0.0	0.0	3.1	2.8	9.3	18.8	38.5	65.8	219.0	288.5	415.7	530.8	722.2	632.0	-
	大腸（結腸・直腸）	C18-C20	162.2		0.0	0.0	0.0	0.0	3.3	0.0	3.1	13.9	27.9	52.1	69.2	121.1	216.7	330.8	390.2	533.3	518.5	476.0	-
	結腸	C18	103.9		0.0	0.0	0.0	0.0	3.3	0.0	3.1	5.6	16.3	25.0	35.9	73.7	116.7	201.9	251.0	353.8	363.0	348.0	-
	直腸	C19-C20	58.3		0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.3	11.6	27.1	33.3	47.4	100.0	128.8	139.2	179.5	155.6	128.0	-
	肝および肝内胆管	C22	51.8		0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	9.3	8.3	12.8	39.5	61.9	61.5	96.1	182.1	203.7	288.0	-
	胆のう・胆管	C23-C24	22.9		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	5.1	5.3	26.2	40.4	29.4	76.9	96.3	160.0	-
	膵臓	C25	38.6		0.0	0.0	0.0	0.0	0.0	0.0	3.1	2.8	2.3	4.2	17.9	18.4	40.5	73.1	96.1	130.8	137.0	152.0	-
	喉頭	C32	10.4		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	10.5	9.5	17.3	43.1	23.1	44.4	24.0	-
	肺	C33-C34	164.3		0.0	0.0	0.0	0.0	0.0	0.0	3.1	2.8	4.7	27.1	33.3	89.5	181.0	303.8	441.2	541.0	581.5	676.0	-
	皮膚	C43-C44	26.7		0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	2.3	4.2	5.1	21.1	26.2	26.9	33.3	71.8	103.7	240.0	-
	乳房	C50	0.5		0.0	0.0	0.0	0.0	3.3	0.0	0.0	0.0	2.3	0.0	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
	前立腺	C61	190.7		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	17.9	78.9	197.6	425.0	531.4	664.1	685.2	692.0	-
	膀胱	C67	41.2		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	2.1	0.0	7.9	45.2	82.7	98.0	105.1	144.4	276.0	-
	腎・尿路（膀胱除く）	C64-C66 C68	33.8		0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.3	11.6	12.5	12.8	26.3	47.6	51.9	84.3	79.5	107.4	156.0	-
	脳・中枢神経系	C70-C72	4.3		0.0	0.0	0.0	0.0	3.3	0.0	0.0	2.8	2.3	0.0	2.6	2.6	4.8	9.6	11.8	7.7	18.5	8.0	-
	甲状腺	C73	4.7		0.0	0.0	0.0	0.0	0.0	0.0	6.3	0.0	4.7	4.2	2.6	5.3	7.1	1.9	19.6	10.3	7.4	4.0	-
	悪性リンパ腫	C81-C85 C96	32.6		8.0	0.0	0.0	0.0	6.7	0.0	0.0	2.8	9.3	4.2	15.4	28.9	64.3	51.9	78.4	92.3	100.0	100.0	-
	多発性骨髄腫	C88-C90	5.1		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	2.1	2.6	5.3	0.0	3.8	9.8	17.9	29.6	24.0	-
	白血病	C91-C95	14.6		8.0	11.1	6.9	9.4	3.3	3.6	0.0	8.3	2.3	18.8	12.8	15.8	19.0	13.5	31.4	15.4	33.3	48.0	-

1 総数は年齢不詳を含む

2 総数は男女および性別不詳の合計

36 表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

山口県

2019年

性別	部位	ICD-10	総数	1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位	C00-C96	749.5		8.7	15.4	3.6	16.7	22.2	68.0	100.0	202.9	321.4	435.4	492.9	685.4	777.8	1,082.1	1,248.3	1,432.7	1,716.7	2,008.3	-
	口腔・咽頭	C00-C14	14.0		0.0	0.0	0.0	0.0	0.0	8.0	0.0	2.9	2.4	8.3	7.1	14.6	11.1	10.7	25.0	34.6	40.5	36.7	-
	食道	C15	9.1		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	2.1	2.4	9.8	13.3	14.3	20.0	21.2	14.3	25.0	-
	胃	C16	67.5		0.0	0.0	0.0	0.0	0.0	8.0	3.3	2.9	19.0	8.3	16.7	26.8	66.7	96.4	90.0	148.1	188.1	255.0	-
	大腸（結腸・直腸）	C18-C20	119.5		0.0	0.0	0.0	0.0	0.0	4.0	6.7	11.4	21.4	29.2	45.2	78.0	135.6	169.6	238.3	267.3	304.8	341.7	-
	結腸	C18	89.3		0.0	0.0	0.0	0.0	0.0	4.0	3.3	11.4	14.3	16.7	26.2	48.8	84.4	114.3	185.0	215.4	226.2	276.7	-
	直腸	C19-C20	30.2		0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	7.1	12.5	19.0	29.3	51.1	55.4	53.3	51.9	78.6	65.0	-
	肝および肝内胆管	C22	26.1		0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	6.3	0.0	2.4	8.9	32.1	33.3	65.4	95.2	108.3	-
	胆のう・胆管	C23-C24	18.9		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	4.9	11.1	25.0	25.0	34.6	61.9	88.3	-
	膵臓	C25	39.4		0.0	3.8	0.0	0.0	0.0	0.0	3.3	2.9	4.8	4.2	4.8	14.6	33.3	48.2	60.0	90.4	128.6	145.0	-
	喉頭	C32	0.7		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	3.6	0.0	1.9	0.0	1.7	-
	肺	C33-C34	80.5		0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.6	7.1	12.5	35.7	48.8	86.7	121.4	155.0	184.6	228.6	225.0	-
	皮膚	C43-C44	25.7		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	10.4	7.1	12.2	13.3	14.3	25.0	65.4	31.0	155.0	-
	乳房	C50	144.3		0.0	0.0	0.0	0.0	3.7	8.0	30.0	48.6	128.6	195.8	173.8	234.1	200.0	221.4	263.3	213.5	219.0	180.0	-
	子宮	C53-C55	47.8		0.0	0.0	0.0	0.0	0.0	16.0	30.0	65.7	45.2	68.8	92.9	95.1	55.6	78.6	65.0	40.4	50.0	41.7	-
	子宮頸部	C53	21.5		0.0	0.0	0.0	0.0	0.0	12.0	26.7	60.0	26.2	33.3	28.6	31.7	20.0	28.6	21.7	23.1	19.0	18.3	-
	子宮体部	C54	25.5		0.0	0.0	0.0	0.0	0.0	4.0	3.3	5.7	19.0	35.4	64.3	63.4	35.6	46.4	43.3	17.3	28.6	18.3	-
	卵巣	C56	18.2		0.0	3.8	0.0	3.3	7.4	0.0	6.7	8.6	21.4	18.8	28.6	31.7	31.1	33.9	20.0	17.3	19.0	26.7	-
	膀胱	C67	12.3		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.3	0.0	10.7	16.7	28.8	35.7	65.0	-
	腎・尿路（膀胱除く）	C64-C66 C68	19.1		0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.7	7.1	12.5	4.8	22.0	13.3	32.1	40.0	36.5	47.6	45.0	-
	脳・中枢神経系	C70-C72	3.9		0.0	3.8	0.0	0.0	0.0	0.0	0.0	8.6	0.0	4.2	7.1	2.4	4.4	0.0	8.3	3.8	7.1	10.0	-
	甲状腺	C73	20.5		0.0	0.0	0.0	3.3	0.0	20.0	10.0	17.1	31.0	22.9	23.8	34.1	22.2	42.9	35.0	28.8	9.5	15.0	-
	悪性リンパ腫	C81-C85 C96	31.0		0.0	0.0	0.0	3.3	7.4	4.0	6.7	2.9	9.5	8.3	14.3	17.1	33.3	55.4	51.7	63.5	85.7	78.3	-
	多発性骨髄腫	C88-C90	6.5		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	4.9	4.4	14.3	8.3	11.5	14.3	26.7	-
	白血病	C91-C95	8.1		8.7	0.0	0.0	3.3	3.7	0.0	0.0	8.6	7.1	8.3	2.4	2.4	4.4	8.9	6.7	11.5	23.8	25.0	-

1 総数は年齢不詳を含む

2 総数は男女および性別不詳の合計



表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

山口県

2019年

性別	部位	ICD-10	総数	1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数	2 全部位	C00-C96	907.3	14.6	15.1	5.3	14.5	26.3	45.3	74.2	132.4	212.9	318.8	419.8	654.4	1,051.7	1,516.7	1,912.6	2,278.0	2,558.0	2,655.3	-	
	口腔・咽頭	C00-C14	22.8	0.0	0.0	0.0	0.0	0.0	5.7	1.6	2.8	3.5	10.4	19.8	22.8	37.9	35.2	55.9	50.5	52.2	48.2	-	
	食道	C15	23.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	4.2	14.8	13.9	37.9	42.6	65.8	69.2	56.5	37.6	-	
	胃	C16	114.1	0.0	0.0	0.0	0.0	0.0	3.8	3.2	2.8	14.1	13.5	27.2	45.6	140.2	188.9	239.6	312.1	397.1	365.9	-	
	大腸（結腸・直腸）	C18-C20	139.8	0.0	0.0	0.0	0.0	1.8	1.9	4.8	12.7	24.7	40.6	56.8	98.7	174.7	247.2	308.1	381.3	388.4	381.2	-	
	結腸	C18	96.2	0.0	0.0	0.0	0.0	1.8	1.9	3.2	8.5	15.3	20.8	30.9	60.8	100.0	156.5	215.3	274.7	279.7	297.6	-	
	直腸	C19-C20	43.5	0.0	0.0	0.0	0.0	0.0	0.0	1.6	4.2	9.4	19.8	25.9	38.0	74.7	90.7	92.8	106.6	108.7	83.5	-	
	肝および肝内胆管	C22	38.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	4.7	7.3	6.2	20.3	34.5	46.3	62.2	115.4	137.7	161.2	-	
	胆のう・胆管	C23-C24	20.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	4.9	5.1	18.4	32.4	27.0	52.7	75.4	109.4	-	
	膵臓	C25	39.0	0.0	1.9	0.0	0.0	0.0	0.0	3.2	2.8	3.5	4.2	11.1	16.5	36.8	60.2	76.6	107.7	131.9	147.1	-	
	喉頭	C32	5.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	5.1	5.7	10.2	19.8	11.0	17.4	8.2	-	
	肺	C33-C34	120.3	0.0	0.0	0.0	0.0	0.0	0.0	1.6	5.6	5.9	19.8	34.6	68.4	132.2	209.3	286.5	337.4	366.7	357.6	-	
	皮膚	C43-C44	26.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	2.4	7.3	6.2	16.5	19.5	20.4	28.8	68.1	59.4	180.0	-	
	乳房	C50	76.0	0.0	0.0	0.0	0.0	3.5	3.8	14.5	23.9	64.7	97.9	91.4	121.5	103.4	114.8	142.3	122.0	133.3	127.1	-	
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	膀胱	C67	26.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.0	0.0	7.6	21.8	45.4	54.1	61.5	78.3	127.1	-	
	腎・尿路（膀胱除く）	C64-C66 C68	26.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.0	9.4	12.5	8.6	24.1	29.9	41.7	60.4	54.9	71.0	77.6	
	脳・中枢神経系	C70-C72	4.1	0.0	1.9	0.0	0.0	1.8	0.0	0.0	5.6	1.2	2.1	4.9	2.5	4.6	4.6	9.9	5.5	11.6	9.4	-	
	甲状腺	C73	13.0	0.0	0.0	0.0	1.6	0.0	9.4	8.1	8.5	17.6	13.5	13.6	20.3	14.9	23.1	27.9	20.9	8.7	11.8	-	
	悪性リンパ腫	C81-C85 C96	31.7	4.2	0.0	0.0	1.6	7.0	1.9	3.2	2.8	9.4	6.3	14.8	22.8	48.3	53.7	64.0	75.8	91.3	84.7	-	
	多発性骨髄腫	C88-C90	5.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.0	2.5	5.1	2.3	9.3	9.0	14.3	20.3	25.9	-	
	白血病	C91-C95	11.2	8.3	5.7	3.5	6.5	3.5	1.9	0.0	8.5	4.7	13.5	7.4	8.9	11.5	11.1	18.0	13.2	27.5	31.8	-	

1 総数は年齢不詳を含む

2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

B. 上皮内がんを含む

山口県

2019年

性別	部位	ICD-10	総数 1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳		
男	全部位	C00-C96 D00-D09	1,183.9	20.0	14.8	6.9	12.5	33.3	35.7	53.1	63.9	123.3	220.8	412.8	710.5	1,495.2	2,161.5	2,968.6	3,733.3	4,200.0	4,460.0	-		
	食道	C15 D001	41.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.4	30.8	18.4	66.7	80.8	127.5	148.7	125.9	72.0	-		
	大腸（結腸・直腸）	2 C18-C20 D010-D012	209.0	0.0	0.0	0.0	0.0	3.3	7.1	6.3	13.9	39.5	56.3	128.2	173.7	290.5	407.7	531.4	671.8	651.9	540.0	-		
	結腸 2	C18 D010	138.1	0.0	0.0	0.0	0.0	3.3	7.1	6.3	5.6	25.6	29.2	74.4	110.5	169.0	251.9	352.9	474.4	448.1	400.0	-		
	直腸 2	C19-C20 D011-D012	70.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.3	14.0	27.1	53.8	63.2	121.4	155.8	178.4	197.4	203.7	140.0	-		
	肺	C33-C34 D021-D022	169.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	2.8	7.0	29.2	33.3	94.7	190.5	309.6	458.8	553.8	592.6	692.0	-	
	皮膚	C43-C44 D030-D049	30.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	2.3	6.3	5.1	21.1	26.2	30.8	41.2	84.6	122.2	260.0	-
	乳房	C50 D05	0.5	0.0	0.0	0.0	0.0	0.0	3.3	0.0	0.0	0.0	2.3	0.0	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
	膀胱	C67 D090	76.6	0.0	0.0	0.0	0.0	3.3	3.6	0.0	0.0	0.0	2.3	6.3	10.3	36.8	102.4	148.1	184.3	207.7	285.2	392.0	-	
	女	全部位	C00-C96 D00-D09	835.2	8.7	15.4	3.6	16.7	33.3	152.0	206.7	325.7	452.4	562.5	581.0	758.5	875.6	1,162.5	1,375.0	1,546.2	1,852.4	2,088.3	-	
食道		C15 D001	9.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	2.1	2.4	9.8	20.0	14.3	21.7	21.2	16.7	25.0	-		
大腸（結腸・直腸）		2 C18-C20 D010-D012	143.5	0.0	0.0	0.0	0.0	0.0	4.0	6.7	20.0	26.2	39.6	59.5	95.1	166.7	207.1	303.3	311.5	383.3	371.7	-		
結腸 2		C18 D010	107.9	0.0	0.0	0.0	0.0	0.0	4.0	3.3	20.0	19.0	25.0	40.5	61.0	111.1	146.4	233.3	250.0	281.0	296.7	-		
直腸 2		C19-C20 D011-D012	35.6	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	7.1	14.6	19.0	34.1	55.6	60.7	70.0	61.5	102.4	75.0	-		
肺		C33-C34 D021-D022	84.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.6	14.3	12.5	38.1	51.2	95.6	128.6	165.0	196.2	235.7	226.7	-	
皮膚		C43-C44 D030-D049	29.9	0.0	0.0	0.0	0.0	0.0	3.7	0.0	3.3	0.0	2.4	12.5	11.9	17.1	13.3	17.9	30.0	73.1	42.9	170.0	-	
乳房		C50 D05	158.2	0.0	0.0	0.0	0.0	7.4	8.0	30.0	51.4	142.9	225.0	204.8	248.8	228.9	246.4	283.3	234.6	228.6	186.7	-		
子宮		C53-C55 D06	79.0	0.0	0.0	0.0	0.0	3.7	100.0	133.3	177.1	150.0	152.1	121.4	124.4	73.3	82.1	76.7	48.1	50.0	43.3	-		
子宮頸部		C53 D06	52.6	0.0	0.0	0.0	0.0	3.7	96.0	130.0	171.4	131.0	116.7	57.1	61.0	37.8	32.1	33.3	30.8	19.0	20.0	-		
膀胱	C67 D090	18.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.1	12.2	2.2	14.3	25.0	46.2	54.8	86.7	-		
総数 3	全部位	C00-C96 D00-D09	1,000.8	14.6	15.1	5.3	14.5	33.3	90.6	127.4	193.0	285.9	391.7	500.0	735.4	1,174.7	1,643.5	2,107.2	2,483.5	2,771.0	2,785.9	-		
	食道	C15 D001	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	6.3	16.0	13.9	42.5	46.3	70.3	75.8	59.4	38.8	-		
	大腸（結腸・直腸）	2 C18-C20 D010-D012	174.6	0.0	0.0	0.0	0.0	1.8	5.7	6.5	16.9	32.9	47.9	92.6	132.9	226.4	303.7	408.1	465.9	488.4	421.2	-		
	結腸 2	C18 D010	122.2	0.0	0.0	0.0	0.0	1.8	5.7	4.8	12.7	22.4	27.1	56.8	84.8	139.1	197.2	288.3	346.2	346.4	327.1	-		
	直腸 2	C19-C20 D011-D012	52.4	0.0	0.0	0.0	0.0	0.0	0.0	1.6	4.2	10.6	20.8	35.8	48.1	87.4	106.5	119.8	119.8	142.0	94.1	-		
	肺	C33-C34 D021-D022	124.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	5.6	10.6	20.8	35.8	72.2	141.4	215.7	300.0	349.5	375.4	363.5	-	
	皮膚	C43-C44 D030-D049	30.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	1.6	1.4	2.4	9.4	8.6	19.0	19.5	24.1	35.1	78.0	73.9	196.5	-	
	乳房	C50 D05	83.3	0.0	0.0	0.0	0.0	5.3	3.8	14.5	25.4	71.8	112.5	107.4	129.1	118.4	127.8	153.2	134.1	139.1	131.8	-		
	子宮	C53-C55 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	子宮頸部	C53 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
膀胱	C67 D090	46.0	0.0	0.0	0.0	0.0	0.0	1.8	1.9	0.0	0.0	1.2	3.1	8.6	24.1	50.6	78.7	98.2	115.4	144.9	176.5	-		

1 総数は年齢不詳を含む

2 粘膜がんを含む

3 総数は男女および性別不詳の合計

表4. 発見経緯 (%) : 部位別

## A. 上皮内がんを除く

山口県

2019年

部位	ICD-10	集計対象数 <sup>1</sup>	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96	12,114	12.0	32.0	0.0	52.2	3.8
口腔・咽頭	C00-C14	305	2.0	19.7	0.0	75.7	2.6
食道	C15	308	13.0	29.2	0.0	54.9	2.9
胃	C16	1,534	17.7	30.8	0.0	49.1	2.3
大腸（結腸・直腸）	C18-C20	1,867	13.8	26.0	0.0	57.5	2.6
結腸	C18	1,281	14.5	27.7	0.0	55.3	2.5
直腸	C19-C20	586	12.3	22.4	0.0	62.5	2.9
肝および肝内胆管	C22	497	3.6	59.6	0.0	31.0	5.8
胆のう・胆管	C23-C24	270	2.6	32.2	0.0	62.2	3.0
膵臓	C25	519	4.0	36.8	0.0	58.2	1.0
喉頭	C32	72	1.4	19.4	0.0	72.2	6.9
肺	C33-C34	1,598	13.5	45.2	0.0	38.5	2.7
皮膚	C43-C44	352	0.0	10.8	0.0	88.1	1.1
乳房	C50	1,021	20.1	15.6	0.0	57.8	6.6
乳房（女性のみ）	C50	1,018	20.1	15.5	0.0	57.8	6.6
子宮	C53-C55	339	14.7	17.7	0.0	63.7	3.8
子宮頸部	C53	153	20.3	13.7	0.0	63.4	2.6
子宮体部	C54	182	10.4	20.9	0.0	64.8	3.8
卵巣	C56	128	3.1	21.9	0.0	71.9	3.1
前立腺	C61	1,216	18.5	41.0	0.0	32.8	7.6
膀胱	C67	351	2.8	27.9	0.0	63.2	6.0
腎・尿路（膀胱除く）	C64-C66 C68	344	9.6	46.2	0.0	39.5	4.7
脳・中枢神経系	C70-C72	56	1.8	17.9	0.0	75.0	5.4
甲状腺	C73	176	9.7	36.9	0.0	47.7	5.7
悪性リンパ腫	C81-C85 C96	427	6.3	27.2	0.0	65.1	1.4
多発性骨髄腫	C88-C90	76	1.3	46.1	0.0	44.7	7.9
白血病	C91-C95	149	9.4	34.2	0.0	53.0	3.4

1 DCOを除く総数

40 表4. 発見経緯 (%) : 部位別

B. 上皮内がんを含む

山口県

2019年

部位	ICD-10	集計対象数	1 がん検診・健康診断・人間ドック	他疾患の経過観察中	剖検発見	その他	不明
全部位	C00-C96 D00-D09	13,384	13.0	32.4	0.0	51.1	3.5
食道	C15 D001	333	13.5	29.4	0.0	54.4	2.7
大腸 (結腸・直腸) 2	C18-C20 D010-D012	2,340	17.5	27.9	0.0	52.3	2.3
結腸 2	C18 D010	1,634	18.4	29.9	0.0	49.5	2.2
直腸 2	C19-C20 D011-D012	706	15.3	23.5	0.0	58.8	2.4
肺	C33-C34 D021-D022	1,659	13.5	46.0	0.0	37.9	2.7
皮膚	C43-C44 D030-D049	404	0.0	10.6	0.0	88.4	1.0
乳房	C50 D05	1,120	20.6	16.7	0.0	56.7	6.0
乳房 (女性のみ)	C50 D05	1,117	20.7	16.7	0.0	56.7	6.0
子宮	C53-C55 D06	561	23.0	26.9	0.0	47.6	2.5
子宮頸部	C53 D06	375	29.3	29.9	0.0	39.5	1.3
膀胱	C67 D090	622	3.5	30.4	0.0	62.5	3.5

1 DCOを除く総数

2 粘膜がんを含む

表5-1. 進展度・総合 (%) : 部位別

A. 上皮内がんを除く

山口県

2019年

部位	ICD-10	集計対象数 1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 2
全部位	C00-C96	11,884	49.6	9.1	12.9	19.1	9.1	22.0
口腔・咽頭	C00-C14	305	39.7	14.8	33.4	4.9	7.2	48.2
食道	C15	308	49.4	9.4	19.2	14.3	7.8	28.6
胃	C16	1,534	57.0	10.4	7.5	19.0	6.1	17.9
大腸（結腸・直腸）	C18-C20	1,867	47.6	17.0	9.7	19.5	6.2	26.8
結腸	C18	1,281	49.1	15.5	10.3	19.0	6.2	25.8
直腸	C19-C20	586	44.2	20.5	8.5	20.6	6.1	29.0
肝および肝内胆管	C22	497	63.0	1.4	9.9	12.5	13.3	11.3
胆のう・胆管	C23-C24	270	17.8	2.2	36.3	27.0	16.7	38.5
膵臓	C25	519	17.9	6.4	21.4	46.6	7.7	27.7
喉頭	C32	72	65.3	8.3	11.1	5.6	9.7	19.4
肺	C33-C34	1,598	38.0	8.6	9.7	34.9	8.8	18.3
皮膚	C43-C44	352	79.8	0.9	8.0	1.4	4.8	8.8
乳房	C50	1,021	54.7	23.0	3.8	8.6	9.9	26.8
乳房（女性のみ）	C50	1,018	54.5	23.1	3.8	8.6	9.9	26.9
子宮	C53-C55	339	57.2	3.2	23.9	8.3	7.4	27.1
子宮頸部	C53	153	49.7	3.3	34.0	7.8	5.2	37.3
子宮体部	C54	182	64.8	3.3	15.4	8.8	7.7	18.7
卵巣	C56	128	27.3	0.8	43.8	19.5	8.6	44.5
前立腺	C61	1,216	68.3	1.0	10.8	10.7	9.3	11.8
膀胱	C67	351	69.2	1.4	12.0	5.1	12.3	13.4
腎・尿路（膀胱除く）	C64-C66 C68	344	55.8	2.3	16.0	15.7	10.2	18.3
脳・中枢神経系	C70-C72	56	55.4	0.0	16.1	5.4	23.2	16.1
甲状腺	C73	176	43.8	23.9	15.9	6.8	9.7	39.8
悪性リンパ腫	C81-C85 C96	423	28.8	2.4	19.6	39.0	10.2	22.0
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-

1 DC0、「777：該当せず」を除く総数

2 リンパ節転移＋隣接臓器浸潤

42 表5-1. 進展度・総合 (%) : 部位別

B. 上皮内がんを含む

山口県

2019年

部位	ICD-10	集計対象数 1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 2
全部位	C00-C96 D00-D09	13,154	9.6	44.9	8.3	11.6	17.3	8.3	19.9
食道	C15 D001	333	7.5	45.6	8.7	17.7	13.2	7.2	26.4
大腸 (結腸・直腸) 3	C18-C20 D010-D012	2,340	20.1	37.9	13.6	7.8	15.6	5.0	21.4
結腸 3	C18 D010	1,634	21.5	38.5	12.1	8.1	14.9	4.9	20.2
直腸 3	C19-C20 D011-D012	706	16.9	36.7	17.0	7.1	17.1	5.2	24.1
肺	C33-C34 D021-D022	1,659	3.6	36.6	8.3	9.3	33.7	8.5	17.6
皮膚	C43-C44 D030-D049	404	15.8	70.5	0.7	6.9	1.2	4.7	7.7
乳房	C50 D05	1,120	8.7	49.8	21.0	3.5	7.9	9.2	24.5
乳房 (女性のみ)	C50 D05	1,117	8.7	49.7	21.0	3.5	7.9	9.2	24.5
子宮	C53-C55 D06	561	39.2	34.6	2.0	14.4	5.0	4.8	16.4
子宮頸部	C53 D06	375	58.7	20.3	1.3	13.9	3.2	2.7	15.2
膀胱	C67 D090	622	42.8	39.4	0.8	6.8	2.9	7.4	7.6

1 DCO、「777:該当せず」を除く総数

2 リンパ節転移+隣接臓器浸潤

3 粘膜がんを含む

表5-2. 進展度・治療前 (%) : 部位別

## A. 上皮内がんを除く

山口県

2019年

部位	ICD-10	集計対象数 1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 2
全部位	C00-C96	11,884	0.7	49.0	7.6	11.7	18.3	12.6	19.4
口腔・咽頭	C00-C14	305	1.3	37.0	14.4	30.5	4.6	12.1	44.9
食道	C15	308	3.9	46.8	7.8	18.2	14.3	9.1	26.0
胃	C16	1,534	0.0	57.9	10.3	6.5	16.2	9.2	16.8
大腸（結腸・直腸）	C18-C20	1,867	0.6	42.3	14.9	11.4	17.8	13.0	26.4
結腸	C18	1,281	0.7	40.7	14.8	12.7	17.6	13.4	27.6
直腸	C19-C20	586	0.3	45.7	15.2	8.5	18.3	11.9	23.7
肝および肝内胆管	C22	497	0.0	62.0	1.6	9.5	12.5	14.5	11.1
胆のう・胆管	C23-C24	270	0.0	16.7	1.9	30.0	24.8	26.7	31.9
膵臓	C25	519	0.0	20.6	4.2	20.0	46.2	8.9	24.3
喉頭	C32	72	0.0	65.3	8.3	11.1	5.6	9.7	19.4
肺	C33-C34	1,598	0.3	38.3	7.6	9.7	34.5	9.6	17.3
皮膚	C43-C44	352	5.1	75.6	0.9	7.1	1.4	9.9	8.0
乳房	C50	1,021	2.4	59.5	15.7	3.5	8.4	10.6	19.2
乳房（女性のみ）	C50	1,018	2.4	59.4	15.7	3.5	8.4	10.5	19.3
子宮	C53-C55	339	2.7	53.4	2.1	21.5	8.0	12.4	23.6
子宮頸部	C53	153	5.9	41.2	1.3	35.3	7.2	9.2	36.6
子宮体部	C54	182	0.0	64.8	2.7	9.9	8.8	13.7	12.6
卵巣	C56	128	0.0	22.7	0.0	24.2	18.0	35.2	24.2
前立腺	C61	1,216	0.0	70.1	0.8	8.1	10.7	10.3	9.0
膀胱	C67	351	0.6	68.9	1.1	12.3	4.8	12.3	13.4
腎・尿路（膀胱除く）	C64-C66 C68	344	0.0	56.1	2.9	11.9	15.7	13.4	14.8
脳・中枢神経系	C70-C72	56	0.0	55.4	0.0	14.3	5.4	25.0	14.3
甲状腺	C73	176	0.0	50.0	11.9	11.4	6.3	20.5	23.3
悪性リンパ腫	C81-C85 C96	423	0.0	28.4	2.1	18.7	39.5	11.3	20.8
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-	-

1 DC0、「777：該当せず」を除く総数

2 リンパ節転移＋隣接臓器浸潤

表5-2. 進展度・治療前 (%) : 部位別

B. 上皮内がんを含む

山口県

2019年

部位	ICD-10	集計対象数 1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 2
全部位	C00-C96 D00-D09	13,154	6.2	45.9	6.9	10.6	16.5	13.8	17.5
食道	C15 D001	333	9.0	44.7	7.2	16.8	13.2	9.0	24.0
大腸 (結腸・直腸) 3	C18-C20 D010-D012	2,340	8.0	35.6	11.9	9.1	14.2	21.2	21.0
結腸 3	C18 D010	1,634	8.6	34.3	11.6	10.0	13.8	21.7	21.6
直腸 3	C19-C20 D011-D012	706	6.7	38.5	12.6	7.1	15.2	20.0	19.7
肺	C33-C34 D021-D022	1,659	2.0	38.5	7.3	9.3	33.2	9.6	16.6
皮膚	C43-C44 D030-D049	404	13.9	67.8	0.7	6.2	1.2	10.1	6.9
乳房	C50 D05	1,120	8.8	55.4	14.3	3.2	7.7	10.5	17.5
乳房 (女性のみ)	C50 D05	1,117	8.9	55.4	14.3	3.2	7.7	10.5	17.5
子宮	C53-C55 D06	561	38.3	32.6	1.2	13.2	4.8	9.8	14.4
子宮頸部	C53 D06	375	57.3	17.3	0.5	14.7	2.9	7.2	15.2
膀胱	C67 D090	622	24.8	54.8	0.6	6.9	2.7	10.1	7.6

1 DCO、「777:該当せず」を除く総数

2 リンパ節転移+隣接臓器浸潤

3 粘膜がんを含む



表5-3. 進展度・術後 (%) : 部位別

## A. 上皮内がんを除く

山口県

2019年

部位	ICD-10	集計対象数	1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域	2
全部位	C00-C96	7,235		57.7	10.5	9.7	4.8	17.1		20.2
口腔・咽頭	C00-C14	183		50.3	8.7	21.9	1.6	17.5		30.6
食道	C15	147		69.4	5.4	7.5	1.4	16.3		12.9
胃	C16	1,166		66.8	10.4	6.6	6.3	9.9		17.0
大腸（結腸・直腸）	C18-C20	1,561		52.1	18.6	9.5	11.0	8.8		28.1
結腸	C18	1,097		53.5	17.3	10.4	10.7	8.1		27.7
直腸	C19-C20	464		48.7	21.8	7.3	11.9	10.3		29.1
肝および肝内胆管	C22	183		54.6	0.0	2.2	0.5	42.6		2.2
胆のう・胆管	C23-C24	120		23.3	0.8	45.0	7.5	23.3		45.8
膵臓	C25	146		27.4	11.6	21.9	4.8	34.2		33.6
喉頭	C32	26		46.2	7.7	19.2	0.0	26.9		26.9
肺	C33-C34	777		62.7	7.7	5.5	3.0	21.1		13.3
皮膚	C43-C44	327		79.8	0.9	6.4	0.3	7.6		7.3
乳房	C50	791		61.6	21.4	2.3	1.6	13.1		23.6
乳房（女性のみ）	C50	789		61.5	21.4	2.3	1.6	13.2		23.7
子宮	C53-C55	240		72.5	4.2	10.4	1.7	11.3		14.6
子宮頸部	C53	80		78.8	5.0	2.5	1.3	12.5		7.5
子宮体部	C54	159		69.8	3.8	14.5	1.9	10.1		18.2
卵巣	C56	89		36.0	1.1	47.2	7.9	7.9		48.3
前立腺	C61	355		50.7	1.1	11.0	0.6	36.6		12.1
膀胱	C67	288		55.6	0.7	4.5	1.7	37.5		5.2
腎・尿路（膀胱除く）	C64-C66 C68	256		68.0	1.2	13.3	3.5	14.1		14.5
脳・中枢神経系	C70-C72	37		43.2	0.0	16.2	0.0	40.5		16.2
甲状腺	C73	152		45.4	25.0	15.8	2.6	11.2		40.8
悪性リンパ腫	C81-C85 C96	88		18.2	1.1	13.6	1.1	65.9		14.8
多発性骨髄腫	C88-C90	-		-	-	-	-	-		-
白血病	C91-C95	-		-	-	-	-	-		-

1 DC0、「660：手術なし・術前治療後」、「777：該当せず」を除く総数

2 リンパ節転移＋隣接臓器浸潤

46 表5-3. 進展度・術後 (%) : 部位別

B. 上皮内がんを含む

山口県

2019年

部位	ICD-10	集計対象数 1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 2
全部位	C00-C96 D00-D09	8,467	14.2	49.4	9.0	8.3	4.1	15.0	17.2
食道	C15 D001	171	13.5	59.6	4.7	6.4	1.2	14.6	11.1
大腸 (結腸・直腸) 3	C18-C20 D010-D012	2,031	22.9	40.0	14.3	7.3	8.5	7.0	21.6
結腸 3	C18 D010	1,447	24.0	40.6	13.1	7.9	8.1	6.4	21.0
直腸 3	C19-C20 D011-D012	584	20.2	38.7	17.3	5.8	9.4	8.6	23.1
肺	C33-C34 D021-D022	838	7.0	58.1	7.2	5.1	2.9	19.7	12.3
皮膚	C43-C44 D030-D049	378	15.6	70.1	0.8	5.6	0.3	7.7	6.3
乳房	C50 D05	887	10.5	54.9	19.1	2.0	1.5	12.1	21.1
乳房 (女性のみ)	C50 D05	885	10.5	54.8	19.1	2.0	1.5	12.1	21.1
子宮	C53-C55 D06	447	44.5	38.9	2.2	5.6	0.9	7.8	7.8
子宮頸部	C53 D06	287	69.3	22.0	1.4	0.7	0.3	6.3	2.1
膀胱	C67 D090	553	45.4	28.9	0.4	2.4	0.9	22.1	2.7

1 DC0、「660:手術なし・術前治療後」、「777:該当せず」を除く総数

2 リンパ節転移+隣接臓器浸潤

3 粘膜がんを含む

表6. 初回治療内容割合 (%) : 部位別

## A. 上皮内がんを除く

山口県

2019年

部位	ICD-10	集計対象数 <sup>1</sup>	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他 の治療	治療なし ・不明
全部位	C00-C96	12,114	26.3	20.4	8.7	9.8	30.8	10.4	2.5	21.7
口腔・咽頭	C00-C14	305	47.5	0.0	4.9	36.1	30.5	0.0	0.3	17.7
食道	C15	308	10.4	18.8	25.3	24.7	41.9	0.0	0.6	15.9
胃	C16	1,534	22.2	17.5	32.9	0.4	23.5	0.2	0.5	19.6
大腸（結腸・直腸）	C18-C20	1,867	26.0	47.2	9.7	1.7	33.6	0.2	0.6	14.7
結腸	C18	1,281	27.2	46.7	9.4	0.2	31.2	0.3	0.9	15.0
直腸	C19-C20	586	23.2	48.5	10.4	5.1	38.7	0.0	0.2	14.0
肝および肝内胆管	C22	497	16.1	8.2	0.2	3.2	31.2	0.0	30.4	35.6
胆のう・胆管	C23-C24	270	28.9	8.9	0.0	0.0	31.1	0.0	1.9	43.0
膵臓	C25	519	21.6	2.5	0.0	2.1	53.6	0.0	0.6	37.2
喉頭	C32	72	22.2	4.2	6.9	61.1	23.6	0.0	0.0	15.3
肺	C33-C34	1,598	3.4	36.2	0.0	11.8	38.0	0.1	0.6	29.1
皮膚	C43-C44	352	88.6	0.0	0.0	2.0	2.8	0.0	2.0	8.2
乳房	C50	1,021	75.9	0.6	0.0	21.9	35.8	51.4	0.5	11.9
乳房（女性のみ）	C50	1,018	75.9	0.5	0.0	22.0	35.9	51.5	0.5	11.9
子宮	C53-C55	339	59.0	9.7	0.3	15.9	36.0	1.5	1.2	15.0
子宮頸部	C53	153	54.2	0.7	0.0	32.7	43.1	0.0	2.6	16.3
子宮体部	C54	182	64.3	17.6	0.5	2.2	30.8	2.7	0.0	12.1
卵巣	C56	128	68.8	1.6	0.0	0.0	58.6	0.0	0.8	20.3
前立腺	C61	1,216	3.5	20.1	1.2	19.7	3.5	57.6	0.3	16.4
膀胱	C67	351	7.4	7.1	67.2	9.4	35.9	1.1	20.5	20.2
腎・尿路（膀胱除く）	C64-C66 C68	344	7.8	60.8	1.2	1.7	21.2	0.0	0.9	20.6
脳・中枢神経系	C70-C72	56	50.0	0.0	0.0	44.6	44.6	0.0	0.0	37.5
甲状腺	C73	176	76.7	0.6	0.0	7.4	2.3	3.4	1.1	18.2
悪性リンパ腫	C81-C85 C96	427	8.4	2.3	0.7	9.6	61.4	0.7	1.4	28.8
多発性骨髄腫	C88-C90	76	0.0	0.0	1.3	6.6	63.2	1.3	2.6	32.9
白血病	C91-C95	149	0.0	0.0	0.0	4.7	71.1	0.0	4.0	26.8

1 DCOを除く総数

重複を含むため合計は100%にならない

48 表6. 初回治療内容割合 (%) : 部位別

B. 上皮内がんを含む

山口県

2019年

部位	ICD-10	集計対象数 <sup>1</sup>	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他 の治療	治療なし ・不明
全部位	C00-C96 D00-D09	13,384	26.6	19.4	13.1	9.1	28.3	9.6	3.0	19.9
食道	C15 D001	333	9.9	18.0	29.4	22.8	38.7	0.0	0.9	15.0
大腸（結腸・直腸） <sup>2</sup>	C18-C20 D010-D012	2,340	21.3	39.4	25.7	1.4	26.9	0.2	0.5	12.0
結腸 <sup>2</sup>	C18 D010	1,634	22.0	38.6	26.4	0.1	24.6	0.2	0.7	12.0
直腸 <sup>2</sup>	C19-C20 D011-D012	706	19.7	41.2	24.2	4.2	32.2	0.0	0.1	11.9
肺	C33-C34 D021-D022	1,659	3.4	38.5	0.0	11.5	36.8	0.1	0.5	28.1
皮膚	C43-C44 D030-D049	404	88.9	0.0	0.0	1.7	2.5	0.0	1.7	8.4
乳房	C50 D05	1,120	77.6	0.5	0.0	22.6	32.9	49.3	0.4	11.2
乳房（女性のみ）	C50 D05	1,117	77.6	0.4	0.0	22.6	32.9	49.3	0.4	11.2
子宮	C53-C55 D06	561	69.9	7.3	0.2	9.6	21.7	0.9	5.3	12.1
子宮頸部	C53 D06	375	73.3	2.4	0.0	13.3	17.6	0.0	8.0	11.2
膀胱	C67 D090	622	5.9	4.5	78.0	5.5	28.5	0.8	23.2	12.4

1 DCOを除く総数

2 粘膜がんを含む

重複を含むため合計は100%にならない

表7. 外科的・鏡視下・内視鏡的治療の範囲（%）： 部位別

## A. 上皮内がんを除く

山口県

2019年

部位	ICD-10	集計対象数 1	腫瘍遺残なし	腫瘍遺残あり	不明
全部位	C00-C96	6,564	87.8	10.6	1.6
口腔・咽頭	C00-C14	160	82.5	13.1	4.4
食道	C15	167	94.0	4.8	1.2
胃	C16	1,078	92.0	7.5	0.5
大腸（結腸・直腸）	C18-C20	1,478	88.9	9.9	1.2
結腸	C18	1,023	90.1	8.9	1.0
直腸	C19-C20	455	86.2	12.3	1.5
肝および肝内胆管	C22	121	92.6	6.6	0.8
胆のう・胆管	C23-C24	100	81.0	18.0	1.0
膵臓	C25	125	77.6	16.0	6.4
喉頭	C32	22	86.4	9.1	4.5
肺	C33-C34	633	95.4	4.4	0.2
皮膚	C43-C44	312	94.2	3.8	1.9
乳房	C50	780	91.4	6.9	1.7
乳房（女性のみ）	C50	777	91.4	6.9	1.7
子宮	C53-C55	234	91.9	7.3	0.9
子宮頸部	C53	84	90.5	9.5	0.0
子宮体部	C54	150	92.7	6.0	1.3
卵巣	C56	90	72.2	21.1	6.7
前立腺	C61	302	78.5	19.2	2.3
膀胱	C67	263	54.0	44.5	1.5
腎・尿路（膀胱除く）	C64-C66 C68	236	92.4	5.5	2.1
脳・中枢神経系	C70-C72	28	42.9	57.1	0.0
甲状腺	C73	136	94.1	5.1	0.7
悪性リンパ腫	C81-C85 C96	48	52.1	37.5	10.4
多発性骨髄腫	C88-C90	1	100.0	0.0	0.0
白血病	C91-C95	0	-	-	-

1 外科的、鏡視下、内視鏡的治療のいずれかが「1：あり」 DC0を除く総数

表7. 外科的・鏡視下・内視鏡的治療の範囲（%）： 部位別

B. 上皮内がんを含む

山口県

2019年

部位	ICD-10	集計対象数 <sup>1</sup>	腫瘍遺残なし	腫瘍遺残あり	不明
全部位	C00-C96 D00-D09	7,772	89.2	9.3	1.5
食道	C15 D001	190	94.7	4.2	1.1
大腸（結腸・直腸） <sup>2</sup>	C18-C20 D010-D012	1,945	91.2	7.7	1.2
結腸 <sup>2</sup>	C18 D010	1,372	92.3	6.7	1.0
直腸 <sup>2</sup>	C19-C20 D011-D012	573	88.5	9.9	1.6
肺	C33-C34 D021-D022	693	95.7	4.2	0.1
皮膚	C43-C44 D030-D049	359	94.7	3.6	1.7
乳房	C50 D05	874	91.8	6.8	1.5
乳房（女性のみ）	C50 D05	871	91.7	6.8	1.5
子宮	C53-C55 D06	433	94.2	4.4	1.4
子宮頸部	C53 D06	283	95.1	3.5	1.4
膀胱	C67 D090	524	73.9	25.4	0.8

1 外科的、鏡視下、内視鏡的治療のいずれかが「1：あり」 DC0を除く総数

2 粘膜がんを含む

表8. 精度指標： 部位別、性別

A. 上皮内がんを除く

山口県

2019年

部位	ICD-10	死亡／罹患比 (MI比)			死亡情報のみの症例および遡り調査で「がん」が確認された症例 DCI (%)			死亡情報のみの症例 DCO (%)			病理学的裏付けのある症例 MV (%)			組織学的裏付けのある症例 HV (%)		
		男	女	総数 1	男	女	総数 1	男	女	総数 1	男	女	総数 1	男	女	総数 1
全部位	C00-C96	0.40	0.39	0.40	2.5	3.4	2.9	1.4	2.0	1.7	86.8	84.7	85.9	83.8	81.1	82.6
口腔・咽頭	C00-C14	0.40	0.21	0.34	1.4	1.0	1.3	1.4	1.0	1.3	93.8	93.0	93.5	91.9	91.0	91.6
食道	C15	0.46	0.46	0.46	1.6	3.1	1.9	1.6	3.1	1.9	94.8	90.8	93.9	94.8	90.8	93.9
胃	C16	0.34	0.43	0.37	1.7	2.7	2.0	0.9	1.2	1.0	95.4	92.3	94.5	94.9	91.5	93.9
大腸（結腸・直腸）	C18-C20	0.30	0.39	0.34	2.0	3.4	2.6	1.5	1.8	1.6	93.6	89.4	91.7	93.3	89.1	91.4
結腸	C18	0.32	0.42	0.37	2.7	3.9	3.3	2.1	1.9	2.0	92.2	88.2	90.3	91.9	87.8	89.9
直腸	C19-C20	0.27	0.31	0.29	0.8	1.9	1.2	0.5	1.4	0.8	96.0	93.0	94.9	95.7	93.0	94.8
肝および肝内胆管	C22	0.76	0.71	0.74	5.4	7.5	6.2	3.6	5.9	4.4	37.1	29.0	34.2	36.2	26.3	32.7
胆のう・胆管	C23-C24	0.70	0.73	0.72	6.1	7.4	6.7	3.4	5.9	4.6	73.6	60.0	67.1	60.1	51.9	56.2
膵臓	C25	0.80	0.86	0.83	3.2	6.8	5.1	1.6	2.5	2.1	65.1	58.7	61.7	57.4	48.0	52.5
喉頭	C32	0.19	0.20	0.19	0.0	20.0	1.4	0.0	0.0	0.0	94.0	80.0	93.1	94.0	80.0	93.1
肺	C33-C34	0.64	0.48	0.58	4.7	4.9	4.8	1.9	2.8	2.2	81.3	81.0	81.2	73.1	72.3	72.8
皮膚	C43-C44	0.05	0.07	0.06	0.6	1.1	0.8	0.6	1.1	0.8	98.8	97.8	98.3	98.8	97.8	98.3
乳房	C50	0.33	0.19	0.19	0.0	1.4	1.4	0.0	1.1	1.1	100.0	93.8	93.8	100.0	92.9	92.9
子宮	C53-C55	-	0.26	0.26	-	1.2	1.2	-	0.6	0.6	-	95.6	95.6	-	93.3	93.3
子宮頸部	C53	-	0.23	0.23	-	0.0	0.0	-	0.0	0.0	-	98.0	98.0	-	94.1	94.1
子宮体部	C54	-	0.15	0.15	-	0.0	0.0	-	0.0	0.0	-	96.2	96.2	-	95.6	95.6
卵巣	C56	-	0.44	0.44	-	3.8	3.8	-	1.5	1.5	-	86.9	86.9	-	80.0	80.0
前立腺	C61	0.14	-	0.14	1.4	-	1.4	1.1	-	1.1	90.9	-	90.9	90.3	-	90.3
膀胱	C67	0.33	0.51	0.37	1.5	2.3	1.7	1.1	0.0	0.8	91.7	76.1	87.9	83.1	71.6	80.2
腎・尿路（膀胱除く）	C64-C66 C68	0.38	0.36	0.37	4.1	5.9	4.8	1.4	5.1	2.8	79.4	75.7	78.0	76.1	69.9	73.7
脳・中枢神経系	C70-C72	0.82	0.54	0.68	0.0	0.0	0.0	0.0	0.0	0.0	67.9	60.7	64.3	67.9	60.7	64.3
甲状腺	C73	0.17	0.12	0.13	0.0	0.0	0.0	0.0	0.0	0.0	100.0	97.3	97.7	96.7	85.6	87.5
悪性リンパ腫	C81-C85 C96	0.37	0.38	0.38	1.0	2.7	1.9	0.5	1.4	0.9	95.2	89.6	92.3	92.4	86.0	89.1
多発性骨髄腫	C88-C90	0.79	0.67	0.72	6.1	10.9	8.9	3.0	4.3	3.8	84.8	76.1	79.7	78.8	73.9	75.9
白血病	C91-C95	0.77	0.64	0.72	1.1	8.6	3.9	0.0	5.2	2.0	97.9	96.6	97.4	92.6	84.5	89.5

1 総数は男女および性別不詳の合計

52 表8. 精度指標： 部位別、性別

B. 上皮内がんを含む

山口県

2019年

部位	ICD-10	死亡／罹患比 (MI比)			死亡情報のみの症例および遡り調査で「がん」が確認された症例 DCI (%)			死亡情報のみの症例 DCO (%)			病理学的裏付けのある症例 MV (%)			組織学的裏付けのある症例 HV (%)		
		男	女	総数 1	男	女	総数 1	男	女	総数 1	男	女	総数 1	男	女	総数 1
全部位	C00-C96 D00-D09	0.37	0.35	0.36	2.3	3.1	2.6	1.3	1.8	1.5	87.9	86.2	87.2	85.1	83.0	84.2
食道	C15 D001	0.42	0.43	0.42	1.5	2.9	1.8	1.5	2.9	1.8	95.2	91.4	94.4	95.2	91.4	94.4
大腸 (結腸・直腸) 2	C18-C20 D010-D012	0.24	0.33	0.28	1.6	2.8	2.1	1.2	1.5	1.3	95.0	91.2	93.4	94.8	90.9	93.1
結腸 2	C18 D010	0.24	0.35	0.29	2.0	3.3	2.6	1.6	1.6	1.6	94.2	90.2	92.3	93.9	89.9	92.0
直腸 2	C19-C20 D011-D012	0.23	0.26	0.24	0.7	1.6	1.0	0.4	1.2	0.7	96.7	94.1	95.8	96.5	94.1	95.6
肺	C33-C34 D021-D022	0.62	0.46	0.56	4.6	4.6	4.6	1.8	2.7	2.1	81.9	81.9	81.9	73.9	73.6	73.8
皮膚	C43-C44 D030-D049	0.05	0.06	0.05	0.5	0.9	0.7	0.5	0.9	0.7	98.5	98.1	98.3	98.5	98.1	98.3
乳房	C50 D05	0.33	0.17	0.17	0.0	1.2	1.2	0.0	1.0	1.0	100.0	94.3	94.3	100.0	93.5	93.5
子宮	C53-C55 D06	-	0.16	0.16	-	0.7	0.7	-	0.4	0.4	-	97.3	97.3	-	95.6	95.6
子宮頸部	C53 D06	-	0.09	0.09	-	0.0	0.0	-	0.0	0.0	-	99.2	99.2	-	97.1	97.1
膀胱	C67 D090	0.18	0.34	0.21	0.8	1.5	1.0	0.6	0.0	0.5	95.5	84.0	93.1	90.5	80.9	88.5

1 総数は男女および性別不詳の合計

2 粘膜がんを含む