

表1. 罹患数、部位割合(%)、粗罹患率(人口10万対)、年齢調整罹患率(人口10万対)、累積罹患率(%) : 部位別、性別

A. 上皮内がんを除く

山口県

2020年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 1	男	女	総数 1	男	女	総数 1	日本人口			世界人口			男	女	総数 1
											男	女	総数 1	男	女	総数 1			
全部位	C00-C96	6,645	5,118	11,763	100.0	100.0	100.0	1,043.6	725.6	876.5	424.6	321.4	362.6	299.8	241.2	264.0	35.4	26.4	30.5
口腔・咽頭	C00-C14	203	91	294	3.1	1.8	2.5	31.9	12.9	21.9	15.6	4.9	9.9	11.5	3.7	7.3	1.5	0.4	0.9
食道	C15	245	55	300	3.7	1.1	2.6	38.5	7.8	22.4	16.8	2.4	9.1	12.0	1.7	6.5	1.6	0.2	0.9
胃	C16	924	474	1,398	13.9	9.3	11.9	145.1	67.2	104.2	55.6	21.9	36.8	38.2	15.2	25.5	4.6	1.7	3.1
大腸(結腸・直腸)	C18-C20	1,033	918	1,951	15.5	17.9	16.6	162.2	130.2	145.4	68.8	46.5	56.5	48.6	33.3	40.2	5.8	3.9	4.8
結腸	C18	668	666	1,334	10.1	13.0	11.3	104.9	94.4	99.4	41.2	32.3	36.1	28.4	22.8	25.2	3.4	2.6	3.0
直腸	C19-C20	365	252	617	5.5	4.9	5.2	57.3	35.7	46.0	27.5	14.2	20.4	20.1	10.5	15.0	2.4	1.3	1.8
肝および肝内胆管	C22	319	156	475	4.8	3.0	4.0	50.1	22.1	35.4	19.2	6.1	12.0	13.3	4.2	8.3	1.5	0.4	0.9
胆のう・胆管	C23-C24	136	130	266	2.0	2.5	2.3	21.4	18.4	19.8	7.1	4.3	5.5	4.7	2.9	3.7	0.6	0.3	0.4
膵臓	C25	240	249	489	3.6	4.9	4.2	37.7	35.3	36.4	15.3	11.1	13.0	10.5	7.9	9.1	1.3	0.9	1.1
喉頭	C32	56	5	61	0.8	0.1	0.5	8.8	0.7	4.5	3.6	0.4	1.8	2.5	0.3	1.3	0.3	0.0	0.2
肺	C33-C34	1,030	544	1,574	15.5	10.6	13.4	161.8	77.1	117.3	63.5	25.4	42.5	43.9	17.7	29.5	5.4	2.1	3.7
皮膚	C43-C44	159	154	313	2.4	3.0	2.7	25.0	21.8	23.3	9.4	6.8	7.8	6.5	5.0	5.6	0.6	0.5	0.6
乳房	C50	5	998	1,003	0.1	19.5	8.5	0.8	141.5	74.7	0.2	89.1	46.2	0.2	68.3	35.3	0.0	7.5	3.9
子宮	C53-C55	-	331	331	-	6.5	2.8	-	46.9	-	-	34.6	-	-	26.9	-	-	2.9	-
子宮頸部	C53	-	139	139	-	2.7	1.2	-	19.7	-	-	16.2	-	-	12.7	-	-	1.2	-
子宮体部	C54	-	188	188	-	3.7	1.6	-	26.7	-	-	18.4	-	-	14.2	-	-	1.6	-
卵巣	C56	-	132	132	-	2.6	1.1	-	18.7	-	-	13.5	-	-	10.8	-	-	1.1	-
前立腺	C61	1,116	-	1,116	16.8	-	9.5	175.3	-	-	64.0	-	-	43.5	-	-	5.5	-	-
膀胱	C67	250	70	320	3.8	1.4	2.7	39.3	9.9	23.8	14.2	2.4	7.6	9.8	1.7	5.3	1.1	0.2	0.6
腎・尿路(膀胱除く)	C64-C66 C68	212	117	329	3.2	2.3	2.8	33.3	16.6	24.5	14.6	5.5	9.7	10.4	4.0	6.9	1.2	0.5	0.8
脳・中枢神経系	C70-C72	41	26	67	0.6	0.5	0.6	6.4	3.7	5.0	3.8	1.8	2.7	3.3	1.4	2.3	0.3	0.2	0.2
甲状腺	C73	47	133	180	0.7	2.6	1.5	7.4	18.9	13.4	4.4	13.1	8.8	3.3	10.0	6.7	0.4	1.0	0.7
悪性リンパ腫	C81-C85 C96	228	196	424	3.4	3.8	3.6	35.8	27.8	31.6	16.3	11.3	13.5	12.5	8.9	10.5	1.2	0.9	1.0
多発性骨髄腫	C88-C90	34	53	87	0.5	1.0	0.7	5.3	7.5	6.5	2.2	2.7	2.4	1.4	1.9	1.7	0.1	0.2	0.2
白血病	C91-C95	93	71	164	1.4	1.4	1.4	14.6	10.1	12.2	7.6	5.1	6.3	6.0	5.0	5.4	0.6	0.4	0.5

1 総数は男女および性別不詳の合計

表1. 罹患数、部位割合（％）、粗罹患率（人口10万対）、年齢調整罹患率（人口10万対）、累積罹患率（％）： 部位別、性別

B. 上皮内がんを含む

山口県

2020年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 1	男	女	総数 1	男	女	総数 1	日本人口			世界人口			男	女	総数 1
											男	女	総数 1	男	女	総数 1			
全部位	C00-C96 D00-D09	7,224	5,728	12,952	100.0	100.0	100.0	1,134.5	812.1	965.1	465.7	389.2	415.9	329.3	295.6	305.1	39.1	31.5	34.9
食道	C15 D001	268	58	326	3.7	1.0	2.5	42.1	8.2	24.3	18.5	2.5	9.9	13.2	1.8	7.1	1.7	0.2	1.0
大腸（結腸・直腸） 2	C18-C20 D010-D012	1,307	1,075	2,382	18.1	18.8	18.4	205.3	152.4	177.5	90.7	56.1	71.9	64.7	40.0	51.4	7.8	4.7	6.2
結腸 2	C18 D010	885	781	1,666	12.3	13.6	12.9	139.0	110.7	124.1	58.9	39.3	48.1	41.4	27.8	34.0	5.0	3.2	4.1
直腸 2	C19-C20 D011-D012	422	294	716	5.8	5.1	5.5	66.3	41.7	53.4	31.9	16.7	23.8	23.3	12.2	17.4	2.8	1.5	2.1
肺	C33-C34 D021-D022	1,052	575	1,627	14.6	10.0	12.6	165.2	81.5	121.2	64.8	27.6	44.2	44.7	19.4	30.8	5.5	2.3	3.8
皮膚	C43-C44 D030-D049	183	201	384	2.5	3.5	3.0	28.7	28.5	28.6	10.6	8.7	9.4	7.3	6.3	6.6	0.7	0.6	0.6
乳房	C50 D05	5	1,080	1,085	0.1	18.9	8.4	0.8	153.1	80.8	0.2	97.3	50.4	0.2	74.6	38.5	0.0	8.2	4.2
子宮	C53-C55 D06	-	538	538	-	9.4	4.2	-	76.3	-	-	75.9	-	-	61.8	-	-	5.7	-
子宮頸部	C53 D06	-	346	346	-	6.0	2.7	-	49.1	-	-	57.4	-	-	47.6	-	-	4.1	-
膀胱	C67 D090	449	118	567	6.2	2.1	4.4	70.5	16.7	42.2	26.4	5.3	14.6	18.2	3.8	10.3	2.1	0.4	1.2

1 総数は男女および性別不詳の合計

2 粘膜がんを含む

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

山口県

2020年

性別	部位	ICD-10	総数	1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C96	6,645	3	6	7	3	6	4	11	18	42	84	137	237	486	918	1,415	1,270	952	720	273	51	2	0	
	口腔・咽頭	C00-C14	203	0	0	0	0	0	0	0	1	1	5	12	15	26	29	46	24	24	13	6	1	0	0	
	食道	C15	245	0	0	0	0	0	0	0	1	3	6	11	24	51	52	48	30	11	6	2	0	0	0	
	胃	C16	924	0	0	0	0	0	0	1	3	2	8	13	32	58	128	200	181	136	123	37	2	0	0	
	大腸（結腸・直腸）	C18-C20	1,033	0	0	0	0	0	0	1	2	4	22	25	52	93	147	203	204	130	110	33	7	0	0	
	結腸	C18	668	0	0	0	0	0	0	0	2	2	7	10	24	54	85	141	143	95	80	19	6	0	0	
	直腸	C19-C20	365	0	0	0	0	0	0	1	0	2	15	15	28	39	62	62	61	35	30	14	1	0	0	
	肝および肝内胆管	C22	319	0	1	0	0	0	0	0	1	0	5	10	6	13	48	62	70	44	44	14	0	1	0	
	胆のう・胆管	C23-C24	136	0	0	0	0	0	0	0	0	1	0	1	0	7	14	33	27	21	22	8	2	0	0	
	膵臓	C25	240	0	0	0	0	0	0	0	0	1	2	7	17	13	29	54	35	47	26	9	0	0	0	
	喉頭	C32	56	0	0	0	0	0	0	0	0	0	0	1	3	4	10	13	9	10	2	4	0	0	0	
	肺	C33-C34	1,030	0	0	0	0	0	0	0	1	6	9	17	32	74	151	234	222	133	93	52	6	0	0	
	皮膚	C43-C44	159	0	0	0	0	0	0	2	1	1	3	6	4	7	13	19	23	28	29	16	7	0	0	
	乳房	C50	5	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	2	1	0	0	0	0	
	前立腺	C61	1,116	0	0	0	0	1	0	0	0	0	2	4	25	79	154	281	228	168	125	38	10	1	0	
	膀胱	C67	250	1	0	0	0	0	0	0	0	0	1	2	7	14	29	55	46	49	25	17	4	0	0	
	腎・尿路（膀胱除く）	C64-C66 C68	212	0	0	0	0	0	0	0	0	5	5	10	9	17	25	43	31	34	27	4	2	0	0	
	脳・中枢神経系	C70-C72	41	0	2	1	0	0	0	1	1	1	2	0	1	4	6	7	8	4	2	0	1	0	0	
	甲状腺	C73	47	0	0	0	0	0	0	2	1	3	2	5	6	8	8	7	2	3	0	0	0	0	0	
	悪性リンパ腫	C81-C85 C96	228	1	1	2	1	1	1	2	1	7	3	4	6	17	21	38	50	27	33	9	3	0	0	
	多発性骨髄腫	C88-C90	34	0	0	0	0	0	0	0	0	1	1	1	2	5	3	10	8	1	1	1	1	0	0	
	白血病	C91-C95	93	0	1	1	1	1	1	1	0	0	3	4	4	4	5	12	15	17	14	6	4	0	0	

1 総数は年齢不詳を含む

2 総数は男女および性別不詳の合計

32 表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

山口県

2020年

性別	部位	ICD-10	総数	1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	C00-C96	5,118	7	1	1	3	11	13	30	72	109	209	184	278	370	508	761	730	680	609	391	138	13	0	
	口腔・咽頭	C00-C14	91	0	0	0	0	0	2	0	1	0	2	1	4	4	12	16	13	11	12	10	3	0	0	
	食道	C15	55	0	0	0	0	0	0	0	0	0	0	1	2	3	5	14	8	8	4	4	5	1	0	
	胃	C16	474	0	0	0	0	0	1	2	4	4	7	5	15	19	40	80	90	76	80	35	13	3	0	
	大腸（結腸・直腸）	C18-C20	918	0	0	0	0	0	2	2	6	7	15	20	40	60	90	155	153	135	138	69	25	1	0	
	結腸	C18	666	0	0	0	0	0	1	2	4	5	10	15	25	37	57	115	114	105	110	48	17	1	0	
	直腸	C19-C20	252	0	0	0	0	0	1	0	2	2	5	5	15	23	33	40	39	30	28	21	8	0	0	
	肝および肝内胆管	C22	156	0	0	0	0	0	0	1	0	0	2	1	4	8	10	20	23	34	29	17	7	0	0	
	胆のう・胆管	C23-C24	130	0	0	0	0	0	0	0	0	0	0	0	2	3	5	8	10	22	17	29	23	10	1	
	膵臓	C25	249	0	0	0	0	0	1	0	0	1	2	9	5	11	28	35	40	44	34	27	10	2	0	
	喉頭	C32	5	0	0	0	0	0	0	0	0	0	1	0	0	1	0	2	0	0	1	0	0	0	0	
	肺	C33-C34	544	0	0	0	0	0	0	0	2	3	9	6	14	34	59	101	101	87	68	48	12	0	0	
	皮膚	C43-C44	154	0	0	0	0	1	1	0	0	2	2	4	4	7	11	18	21	20	24	31	6	2	0	
	乳房	C50	998	0	0	0	0	1	2	10	21	50	96	66	104	109	106	138	112	80	51	36	15	1	0	
	子宮	C53-C55	331	0	0	0	0	1	2	7	14	20	35	29	41	31	42	35	28	24	16	4	2	0	0	
	子宮頸部	C53	139	0	0	0	0	0	2	7	9	14	22	7	10	9	14	10	12	12	8	2	1	0	0	
	子宮体部	C54	188	0	0	0	0	1	0	0	5	6	13	22	31	22	28	24	16	11	7	2	0	0	0	
	卵巣	C56	132	0	0	0	1	2	0	3	5	7	15	14	8	16	14	16	5	7	13	5	1	0	0	
	膀胱	C67	70	0	0	0	0	0	0	0	0	0	1	1	1	2	6	9	5	13	11	14	7	0	0	
	腎・尿路（膀胱除く）	C64-C66 C68	117	0	0	0	0	1	0	0	0	1	1	0	0	1	2	3	6	3	5	0	0	0	0	
	脳・中枢神経系	C70-C72	26	0	0	1	0	0	0	0	1	1	0	0	1	2	3	6	3	3	5	0	0	0	0	
	甲状腺	C73	133	0	0	0	0	0	0	2	12	8	12	12	6	11	12	19	15	12	5	4	2	1	0	
	悪性リンパ腫	C81-C85 C96	196	1	0	0	0	3	2	0	4	4	3	1	8	12	16	29	30	27	31	20	5	0	0	
	多発性骨髄腫	C88-C90	53	0	0	0	0	0	0	0	1	0	0	1	3	3	10	5	5	13	7	5	0	0	0	
	白血病	C91-C95	71	3	1	0	1	0	0	1	0	0	1	2	4	7	6	6	11	13	9	6	0	0	0	

1 総数は年齢不詳を含む

2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

山口県

2020年

性別	部位	ICD-10	総数	1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数	2 全部位	C00-C96	11,763	10	7	8	6	17	17	41	90	151	293	321	515	856	1,426	2,176	2,000	1,632	1,329	664	189	15	0	
	口腔・咽頭	C00-C14	294	0	0	0	0	0	2	0	2	1	7	13	19	30	41	62	37	35	25	16	4	0	0	
	食道	C15	300	0	0	0	0	0	0	0	1	3	7	13	27	56	66	56	38	15	10	7	1	1	0	
	胃	C16	1,398	0	0	0	0	0	1	3	7	6	15	18	47	77	168	280	271	212	203	72	15	3	0	
	大腸（結腸・直腸）	C18-C20	1,951	0	0	0	0	0	2	3	8	11	37	45	92	153	237	358	357	265	248	102	32	1	0	
	結腸	C18	1,334	0	0	0	0	0	1	2	6	7	17	25	49	91	142	256	257	200	190	67	23	1	0	
	直腸	C19-C20	617	0	0	0	0	0	1	1	2	4	20	20	43	62	95	102	100	65	58	35	9	0	0	
	肝および肝内胆管	C22	475	0	1	0	0	0	0	1	1	0	7	11	10	21	58	82	93	78	73	31	7	1	0	
	胆のう・胆管	C23-C24	266	0	0	0	0	0	0	0	0	1	0	3	3	12	22	43	49	38	51	31	12	1	0	
	膵臓	C25	489	0	0	0	0	0	1	0	0	2	4	16	22	24	57	89	75	91	60	36	10	2	0	
	喉頭	C32	61	0	0	0	0	0	0	0	0	0	1	1	3	5	10	15	9	10	3	4	0	0	0	
	肺	C33-C34	1,574	0	0	0	0	0	0	0	3	9	18	23	46	108	210	335	323	220	161	100	18	0	0	
	皮膚	C43-C44	313	0	0	0	0	1	1	2	1	3	5	10	8	14	24	37	44	48	53	47	13	2	0	
	乳房	C50	1,003	0	0	0	0	1	2	10	21	50	96	66	104	109	107	139	112	82	52	36	15	1	0	
	子宮	C53-C55	331	0	0	0	0	1	2	7	14	20	35	29	41	31	42	35	28	24	16	4	2	0	0	
	子宮頸部	C53	139	0	0	0	0	0	2	7	9	14	22	7	10	9	14	10	12	12	8	2	1	0	0	
	子宮体部	C54	188	0	0	0	0	1	0	0	5	6	13	22	31	22	28	24	16	11	7	2	0	0	0	
	卵巣	C56	132	0	0	0	1	2	0	3	5	7	15	14	8	16	14	16	5	7	13	5	1	0	0	
	前立腺	C61	1,116	0	0	0	0	1	0	0	0	0	2	4	25	79	154	281	228	168	125	38	10	1	0	
	膀胱	C67	320	1	0	0	0	0	0	0	0	0	2	3	8	16	35	64	51	62	36	31	11	0	0	
	腎・尿路（膀胱除く）	C64-C66 C68	329	0	0	0	0	1	0	0	0	5	8	12	13	25	33	64	45	60	40	13	9	1	0	
	脳・中枢神経系	C70-C72	67	0	2	2	0	0	0	1	2	2	2	0	2	6	9	13	11	7	7	0	1	0	0	
	甲状腺	C73	180	0	0	0	0	0	0	2	14	9	15	14	11	17	20	27	22	14	8	4	2	1	0	
	悪性リンパ腫	C81-C85 C96	424	2	1	2	1	4	3	2	5	11	6	5	14	29	37	67	80	54	64	29	8	0	0	
	多発性骨髄腫	C88-C90	87	0	0	0	0	0	0	0	1	0	1	2	4	5	15	8	15	21	8	6	1	0	0	
	白血病	C91-C95	164	3	2	1	2	1	1	1	0	3	5	6	8	12	18	21	28	27	15	10	0	0	0	

1 総数は年齢不詳を含む

2 総数は男女および性別不詳の合計

13 表2. 年齢階級別罹患数： 部位別、性別

B. 上皮内がんを含む

山口県

2020年

性別	部位	ICD-10	総数 1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳	
男	全部位	C00-C96 D00-D09	7,224	3	6	7	3	6	4	13	24	44	101	145	265	546	1,021	1,533	1,378	1,024	766	281	52	2	0	
	食道	C15 D001	268	0	0	0	0	0	0	0	0	1	3	6	11	30	56	59	49	33	12	6	2	0	0	
	大腸（結腸・直腸） 2	C18-C20 D010-D012	1,307	0	0	0	0	0	0	0	2	6	5	35	33	72	124	206	250	253	157	123	34	7	0	0
	結腸 2	C18 D010	885	0	0	0	0	0	0	0	1	5	2	18	18	42	77	130	181	180	115	90	20	6	0	0
	直腸 2	C19-C20 D011-D012	422	0	0	0	0	0	0	0	1	1	3	17	15	30	47	76	69	73	42	33	14	1	0	0
	肺	C33-C34 D021-D022	1,052	0	0	0	0	0	0	0	0	1	6	9	17	32	74	157	240	227	137	94	52	6	0	0
	皮膚	C43-C44 D030-D049	183	0	0	0	0	0	0	0	2	2	1	3	6	4	7	13	22	30	33	36	17	7	0	0
	乳房	C50 D05	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	2	1	0	0	0	
	膀胱	C67 D090	449	1	0	0	0	0	0	0	0	1	0	4	2	12	34	57	97	87	78	49	22	5	0	0
	女	全部位	C00-C96 D00-D09	5,728	7	1	1	4	15	39	65	113	158	248	209	312	409	563	842	809	731	641	408	140	13	0
食道		C15 D001	58	0	0	0	0	0	0	0	0	0	0	1	2	3	6	15	8	8	5	4	5	1	0	
大腸（結腸・直腸） 2		C18-C20 D010-D012	1,075	0	0	0	0	0	2	2	8	8	19	24	51	73	106	187	190	157	148	74	25	1	0	
結腸 2		C18 D010	781	0	0	0	0	0	1	2	5	6	13	18	33	46	70	140	143	118	116	52	17	1	0	
直腸 2		C19-C20 D011-D012	294	0	0	0	0	0	1	0	3	2	6	6	18	27	36	47	47	39	32	22	8	0	0	
肺		C33-C34 D021-D022	575	0	0	0	0	1	0	0	2	3	10	9	14	36	67	106	106	91	70	48	12	0	0	
皮膚		C43-C44 D030-D049	201	0	0	0	0	1	1	0	0	3	2	5	5	9	13	24	30	29	33	37	7	2	0	
乳房		C50 D05	1,080	0	0	0	0	1	2	13	23	57	104	70	113	117	114	155	116	87	54	37	16	1	0	
子宮		C53-C55 D06	538	0	0	0	1	4	28	39	51	60	59	39	52	38	49	40	31	24	17	4	2	0	0	
子宮頸部		C53 D06	346	0	0	0	1	3	28	39	46	54	46	17	21	16	21	15	15	12	9	2	1	0	0	
膀胱		C67 D090	118	0	0	0	0	0	0	0	0	0	3	3	3	8	13	14	15	19	15	18	7	0	0	
総数 3		全部位	C00-C96 D00-D09	12,952	10	7	8	7	21	43	78	137	202	349	354	577	955	1,584	2,375	2,187	1,755	1,407	689	192	15	0
	食道	C15 D001	326	0	0	0	0	0	0	0	0	1	3	7	13	33	62	74	57	41	17	10	7	1	0	
	大腸（結腸・直腸） 2	C18-C20 D010-D012	2,382	0	0	0	0	0	2	4	14	13	54	57	123	197	312	437	443	314	271	108	32	1	0	
	結腸 2	C18 D010	1,666	0	0	0	0	0	1	3	10	8	31	36	75	123	200	321	323	233	206	72	23	1	0	
	直腸 2	C19-C20 D011-D012	716	0	0	0	0	0	1	1	4	5	23	21	48	74	112	116	120	81	65	36	9	0	0	
	肺	C33-C34 D021-D022	1,627	0	0	0	0	1	0	0	3	9	19	26	46	110	224	346	333	228	164	100	18	0	0	
	皮膚	C43-C44 D030-D049	384	0	0	0	0	1	1	2	2	4	5	11	9	16	26	46	60	62	69	54	14	2	0	
	乳房	C50 D05	1,085	0	0	0	0	1	2	13	23	57	104	70	113	117	115	156	116	89	55	37	16	1	0	
	子宮	C53-C55 D06	538	0	0	0	1	4	28	39	51	60	59	39	52	38	49	40	31	24	17	4	2	0	0	
	子宮頸部	C53 D06	346	0	0	0	1	3	28	39	46	54	46	17	21	16	21	15	15	12	9	2	1	0	0	
	膀胱	C67 D090	567	1	0	0	0	0	0	0	0	1	0	7	5	15	42	70	111	102	97	64	40	12	0	0

1 総数は年齢不詳を含む

2 粘膜がんを含む

3 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

山口県

2020年

性別	部位	ICD-10	総数	1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C96	1,043.6	13.2	22.1	24.2	9.8	20.3	14.2	35.9	51.4	102.5	171.5	342.5	622.4	1,188.5	1,880.3	2,588.4	3,301.2	3,503.5	4,053.5	-	
	口腔・咽頭	C00-C14	31.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	2.4	10.2	30.0	39.4	63.6	59.4	84.1	62.4	88.3	77.5	-	
	食道	C15	38.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	6.1	15.0	28.9	58.7	104.5	95.1	124.8	110.4	73.6	-	
	胃	C16	145.1	0.0	0.0	0.0	0.0	0.0	0.0	3.3	8.6	4.9	16.3	32.5	84.0	141.8	262.2	365.8	470.5	500.5	627.8	-	
	大腸（結腸・直腸）	C18-C20	162.2	0.0	0.0	0.0	0.0	0.0	0.0	3.3	5.7	9.8	44.9	62.5	136.6	227.4	301.1	371.3	530.3	478.4	581.3	-	
	結腸	C18	104.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.7	4.9	14.3	25.0	63.0	132.1	174.1	257.9	371.7	349.6	406.9	-	
	直腸	C19-C20	57.3	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	4.9	30.6	37.5	73.5	95.4	127.0	113.4	158.6	128.8	174.4	-	
	肝および肝内胆管	C22	50.1	0.0	3.7	0.0	0.0	0.0	0.0	0.0	2.9	0.0	10.2	25.0	15.8	31.8	98.3	113.4	182.0	161.9	228.6	-	
	胆のう・胆管	C23-C24	21.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.0	2.5	0.0	17.1	28.7	60.4	70.2	77.3	124.0	-	
	膵臓	C25	37.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	4.1	17.5	44.6	31.8	59.4	98.8	91.0	173.0	135.6	-	
	喉頭	C32	8.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	7.9	9.8	20.5	23.8	23.4	36.8	23.3	-	
	肺	C33-C34	161.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	14.6	18.4	42.5	84.0	181.0	309.3	428.0	577.1	489.5	585.2	-	
	皮膚	C43-C44	25.0	0.0	0.0	0.0	0.0	0.0	0.0	6.5	2.9	2.4	6.1	15.0	10.5	17.1	26.6	34.8	59.8	103.0	201.5	-	
	乳房	C50	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	1.8	0.0	7.4	3.9	-	
	前立腺	C61	175.3	0.0	0.0	0.0	0.0	3.4	0.0	0.0	0.0	0.0	4.1	10.0	65.7	193.2	315.4	514.0	592.7	618.3	674.3	-	
	膀胱	C67	39.3	4.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	5.0	18.4	34.2	59.4	100.6	119.6	180.3	178.3	-	
	腎・尿路（膀胱除く）	C64-C66 C68	33.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.2	10.2	25.0	23.6	41.6	51.2	78.7	80.6	125.1	127.9	-	
	脳・中枢神経系	C70-C72	6.4	0.0	7.4	3.5	0.0	0.0	0.0	3.3	2.9	2.4	4.1	0.0	2.6	9.8	12.3	12.8	20.8	14.7	11.6	-	
	甲状腺	C73	7.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.7	2.4	6.1	5.0	13.1	14.7	16.4	14.6	18.2	7.4	11.6	-	
	悪性リンパ腫	C81-C85 C96	35.8	4.4	3.7	6.9	3.3	3.4	3.6	6.5	2.9	17.1	6.1	10.0	15.8	41.6	43.0	69.5	130.0	99.4	174.4	-	
	多発性骨髄腫	C88-C90	5.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	2.5	2.6	4.9	10.2	5.5	26.0	29.4	11.6	-	
	白血病	C91-C95	14.6	0.0	3.7	3.5	3.3	3.4	3.6	0.0	0.0	7.3	8.2	10.0	10.5	12.2	24.6	27.4	44.2	51.5	38.8	-	

1 総数は年齢不詳を含む

2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

山口県

2020年

性別	部位	ICD-10	総数	1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位	C00-C96	725.6		32.2	3.9	3.6	10.4	40.8	51.0	104.3	208.5	269.8	436.6	430.4	683.1	834.2	970.2	1,199.7	1,442.7	1,626.2	1,872.1	-
	口腔・咽頭	C00-C14	12.9		0.0	0.0	0.0	0.0	0.0	7.8	0.0	2.9	0.0	4.2	2.3	9.8	9.0	22.9	25.2	25.7	26.3	40.7	-
	食道	C15	7.8		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	4.9	6.8	9.5	22.1	15.8	19.1	22.8	-
	胃	C16	67.2		0.0	0.0	0.0	0.0	0.0	3.9	7.0	11.6	9.9	14.6	11.7	36.9	42.8	76.4	126.1	177.9	181.8	213.1	-
	大腸（結腸・直腸）	C18-C20	130.2		0.0	0.0	0.0	0.0	0.0	7.8	7.0	17.4	17.3	31.3	46.8	98.3	135.3	171.9	244.3	302.4	322.9	379.0	-
	結腸	C18	94.4		0.0	0.0	0.0	0.0	0.0	3.9	7.0	11.6	12.4	20.9	35.1	61.4	83.4	108.9	181.3	225.3	251.1	286.3	-
	直腸	C19-C20	35.7		0.0	0.0	0.0	0.0	0.0	3.9	0.0	5.8	4.9	10.4	11.7	36.9	51.9	63.0	63.1	77.1	71.7	92.7	-
	肝および肝内胆管	C22	22.1		0.0	0.0	0.0	0.0	0.0	0.0	3.5	0.0	0.0	4.2	2.3	9.8	18.0	19.1	31.5	45.5	81.3	86.2	-
	胆のう・胆管	C23-C24	18.4		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.7	7.4	11.3	15.3	15.8	43.5	40.7	102.5	-
	膵臓	C25	35.3		0.0	0.0	0.0	0.0	0.0	3.9	0.0	0.0	2.5	4.2	21.1	12.3	24.8	53.5	55.2	79.1	105.2	118.7	-
	喉頭	C32	0.7		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	0.0	0.0	2.3	0.0	3.2	0.0	0.0	1.6	-
	肺	C33-C34	77.1		0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.8	7.4	18.8	14.0	34.4	76.7	112.7	159.2	199.6	208.1	208.2	-
	皮膚	C43-C44	21.8		0.0	0.0	0.0	0.0	3.7	3.9	0.0	0.0	4.9	4.2	9.4	9.8	15.8	21.0	28.4	41.5	47.8	102.5	-
	乳房	C50	141.5		0.0	0.0	0.0	0.0	3.7	7.8	34.8	60.8	123.7	200.6	154.4	255.5	245.7	202.4	217.5	221.3	191.3	167.5	-
	子宮	C53-C55	46.9		0.0	0.0	0.0	0.0	3.7	7.8	24.3	40.5	49.5	73.1	67.8	100.7	69.9	80.2	55.2	55.3	57.4	35.8	-
	子宮頸部	C53	19.7		0.0	0.0	0.0	0.0	0.0	7.8	24.3	26.1	34.6	46.0	16.4	24.6	20.3	26.7	15.8	23.7	28.7	17.9	-
	子宮体部	C54	26.7		0.0	0.0	0.0	0.0	3.7	0.0	0.0	14.5	14.8	27.2	51.5	76.2	49.6	53.5	37.8	31.6	26.3	14.6	-
	卵巣	C56	18.7		0.0	0.0	0.0	3.5	7.4	0.0	10.4	14.5	17.3	31.3	32.7	19.7	36.1	26.7	25.2	9.9	16.7	30.9	-
	膀胱	C67	9.9		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	2.3	2.5	4.5	11.5	14.2	9.9	31.1	52.0	-
	腎・尿路（膀胱除く）	C64-C66 C68	16.6		0.0	0.0	0.0	0.0	3.7	0.0	0.0	0.0	0.0	6.3	4.7	9.8	18.0	15.3	33.1	27.7	62.2	48.8	-
	脳・中枢神経系	C70-C72	3.7		0.0	0.0	3.6	0.0	0.0	0.0	0.0	2.9	2.5	0.0	0.0	2.5	4.5	5.7	9.5	5.9	7.2	8.1	-
	甲状腺	C73	18.9		0.0	0.0	0.0	0.0	0.0	0.0	7.0	34.8	19.8	25.1	28.1	14.7	24.8	22.9	30.0	29.6	28.7	19.5	-
	悪性リンパ腫	C81-C85 C96	27.8		4.6	0.0	0.0	0.0	11.1	7.8	0.0	11.6	9.9	6.3	2.3	19.7	27.1	30.6	45.7	59.3	64.6	91.1	-
	多発性骨髄腫	C88-C90	7.5		0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	0.0	2.3	7.4	6.8	19.1	7.9	9.9	31.1	19.5	-
	白血病	C91-C95	10.1		13.8	3.9	0.0	3.5	0.0	0.0	3.5	0.0	0.0	2.1	4.7	9.8	15.8	11.5	9.5	21.7	31.1	24.4	-

1 総数は年齢不詳を含む

2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

山口県

2020年

性別	部位	ICD-10	総数	1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数	2 全部位	C00-C96	876.5	22.5	13.3	14.1	10.1	30.1	31.7	69.0	129.4	185.5	302.5	387.9	653.8	1,004.1	1,409.3	1,842.5	2,245.4	2,365.6	2,517.0	-	
	口腔・咽頭	C00-C14	21.9	0.0	0.0	0.0	0.0	0.0	3.7	0.0	2.9	1.2	7.2	15.7	24.1	35.2	40.5	52.5	41.5	50.7	51.6	-	
	食道	C15	22.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	3.1	8.5	16.5	31.7	55.3	55.9	62.9	55.1	37.8	-	
	胃	C16	104.2	0.0	0.0	0.0	0.0	0.0	1.9	5.1	10.1	7.4	15.5	21.8	59.7	90.3	166.0	237.1	304.3	307.3	335.7	-	
	大腸（結腸・直腸）	C18-C20	145.4	0.0	0.0	0.0	0.0	0.0	3.7	5.1	11.5	13.5	38.2	54.4	116.8	179.5	234.2	303.1	400.8	384.1	438.8	-	
	結腸	C18	99.4	0.0	0.0	0.0	0.0	0.0	1.9	3.4	8.6	8.6	17.6	30.2	62.2	106.7	140.3	216.8	288.5	289.9	321.9	-	
	直腸	C19-C20	46.0	0.0	0.0	0.0	0.0	0.0	1.9	1.7	2.9	4.9	20.7	24.2	54.6	72.7	93.9	86.4	112.3	94.2	116.9	-	
	肝および肝内胆管	C22	35.4	0.0	1.9	0.0	0.0	0.0	0.0	1.7	1.4	0.0	7.2	13.3	12.7	24.6	57.3	69.4	104.4	113.1	128.3	-	
	胆のう・胆管	C23-C24	19.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	3.6	3.8	14.1	21.7	36.4	55.0	55.1	108.8	-	
	膵臓	C25	36.4	0.0	0.0	0.0	0.0	0.0	1.9	0.0	0.0	2.5	4.1	19.3	27.9	28.2	56.3	75.4	84.2	131.9	123.7	-	
	喉頭	C32	4.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.2	3.8	5.9	9.9	12.7	10.1	14.5	8.0	-	
	肺	C33-C34	117.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	11.1	18.6	27.8	58.4	126.7	207.5	283.7	362.6	318.9	319.6	-	
	皮膚	C43-C44	23.3	0.0	0.0	0.0	0.0	1.8	1.9	3.4	1.4	3.7	5.2	12.1	10.2	16.4	23.7	31.3	49.4	69.6	131.7	-	
	乳房	C50	74.7	0.0	0.0	0.0	0.0	1.8	3.7	16.8	30.2	61.4	99.1	79.8	132.0	127.9	105.7	117.7	125.7	118.9	119.1	-	
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	膀胱	C67	23.8	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	3.6	10.2	18.8	34.6	54.2	57.3	89.9	89.4	-	
	腎・尿路（膀胱除く）	C64-C66 C68	24.5	0.0	0.0	0.0	0.0	1.8	0.0	0.0	0.0	6.1	8.3	14.5	16.5	29.3	32.6	54.2	50.5	87.0	72.2	-	
	脳・中枢神経系	C70-C72	5.0	0.0	3.8	3.5	0.0	0.0	0.0	1.7	2.9	2.5	2.1	0.0	2.5	7.0	8.9	11.0	12.3	10.1	9.2	-	
	甲状腺	C73	13.4	0.0	0.0	0.0	0.0	0.0	0.0	3.4	20.1	11.1	15.5	16.9	14.0	19.9	19.8	22.9	24.7	20.3	17.2	-	
	悪性リンパ腫	C81-C85 C96	31.6	4.5	1.9	3.5	1.7	7.1	5.6	3.4	7.2	13.5	6.2	6.0	17.8	34.0	36.6	56.7	89.8	78.3	115.7	-	
	多発性骨髄腫	C88-C90	6.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	1.0	2.4	5.1	5.9	14.8	6.8	16.8	30.4	17.2	-	
	白血病	C91-C95	12.2	6.7	3.8	1.8	3.4	1.8	1.9	1.7	0.0	3.7	5.2	7.3	10.2	14.1	17.8	17.8	31.4	39.1	28.6	-	

1 総数は年齢不詳を含む

2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

B. 上皮内がんを含む

山口県

2020年

性別	部位	ICD-10	総数	1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C96 D00-D09	1,134.5	13.2	22.1	24.2	9.8	20.3	14.2	42.4	68.5	107.3	206.2	362.5	696.0	1,335.3	2,091.3	2,804.2	3,581.9	3,768.4	4,266.6	-	
	食道	C15 D001	42.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	6.1	15.0	28.9	73.4	114.7	107.9	127.4	121.4	77.5	-
	大腸（結腸・直腸）	2 C18-C20 D010-D012	205.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.5	17.1	12.2	71.5	82.5	189.1	303.2	421.9	457.3	657.6	577.8	635.5	-
	結腸	2 C18 D010	139.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	14.3	4.9	36.7	45.0	110.3	188.3	266.3	331.1	467.9	423.2	449.5	-
	直腸	2 C19-C20 D011-D012	66.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	2.9	7.3	34.7	37.5	78.8	114.9	155.7	126.2	189.8	154.6	186.0	-
	肺	C33-C34 D021-D022	165.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	14.6	18.4	42.5	84.0	181.0	321.6	439.0	590.1	504.2	589.0	-
	皮膚	C43-C44 D030-D049	28.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.5	5.7	2.4	6.1	15.0	10.5	17.1	26.6	40.2	78.0	121.4	232.5	-
	乳房	C50 D05	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	1.8	0.0	7.4	3.9	-
	膀胱	C67 D090	70.5	4.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	8.2	5.0	31.5	83.1	116.8	177.4	226.1	287.0	294.5	-
女	全部位	C00-C96 D00-D09	812.1	32.2	3.9	3.6	13.9	55.6	152.9	226.0	327.2	391.0	518.1	488.9	766.6	922.1	1,075.2	1,327.3	1,598.8	1,748.2	1,955.0	-	
	食道	C15 D001	8.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	4.9	6.8	11.5	23.6	15.8	19.1	24.4	-	
	大腸（結腸・直腸）	2 C18-C20 D010-D012	152.4	0.0	0.0	0.0	0.0	0.0	7.8	7.0	23.2	19.8	39.7	56.1	125.3	164.6	202.4	294.8	375.5	375.5	403.4	-	
	結腸	2 C18 D010	110.7	0.0	0.0	0.0	0.0	0.0	3.9	7.0	14.5	14.8	27.2	42.1	81.1	103.7	133.7	220.7	282.6	282.2	302.5	-	
	直腸	2 C19-C20 D011-D012	41.7	0.0	0.0	0.0	0.0	0.0	3.9	0.0	8.7	4.9	12.5	14.0	44.2	60.9	68.8	74.1	92.9	93.3	100.8	-	
	肺	C33-C34 D021-D022	81.5	0.0	0.0	0.0	0.0	3.7	0.0	0.0	5.8	7.4	20.9	21.1	34.4	81.2	128.0	167.1	209.5	217.6	211.4	-	
	皮膚	C43-C44 D030-D049	28.5	0.0	0.0	0.0	0.0	3.7	3.9	0.0	0.0	7.4	4.2	11.7	12.3	20.3	24.8	37.8	59.3	69.4	128.5	-	
	乳房	C50 D05	153.1	0.0	0.0	0.0	0.0	3.7	7.8	45.2	66.6	141.1	217.3	163.7	277.7	263.8	217.7	244.3	229.2	208.1	175.7	-	
	子宮	C53-C55 D06	76.3	0.0	0.0	0.0	3.5	14.8	109.8	135.6	147.7	148.5	123.3	91.2	127.8	85.7	93.6	63.1	61.3	57.4	37.4	-	
子宮頸部	C53 D06	49.1	0.0	0.0	0.0	3.5	11.1	109.8	135.6	133.2	133.6	96.1	39.8	51.6	36.1	40.1	23.6	29.6	28.7	19.5	-		
膀胱	C67 D090	16.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.3	7.0	7.4	18.0	24.8	22.1	29.6	45.4	65.1	-		
総数	3 全部位	C00-C96 D00-D09	965.1	22.5	13.3	14.1	11.8	37.1	80.2	131.3	197.0	248.2	360.4	427.8	732.5	1,120.3	1,565.5	2,011.0	2,455.3	2,543.9	2,638.4	-	
	食道	C15 D001	24.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	3.1	8.5	16.5	38.7	61.3	62.7	64.0	59.4	40.1	-
	大腸（結腸・直腸）	2 C18-C20 D010-D012	177.5	0.0	0.0	0.0	0.0	0.0	3.7	6.7	20.1	16.0	55.8	68.9	156.1	231.1	308.4	370.0	497.4	455.2	472.0	-	
	結腸	2 C18 D010	124.1	0.0	0.0	0.0	0.0	0.0	1.9	5.1	14.4	9.8	32.0	43.5	95.2	144.3	197.7	271.8	362.6	337.7	346.0	-	
	直腸	2 C19-C20 D011-D012	53.4	0.0	0.0	0.0	0.0	0.0	1.9	1.7	5.8	6.1	23.7	25.4	60.9	86.8	110.7	98.2	134.7	117.4	126.0	-	
	肺	C33-C34 D021-D022	121.2	0.0	0.0	0.0	0.0	1.8	0.0	0.0	4.3	11.1	19.6	31.4	58.4	129.0	221.4	293.0	373.9	330.5	323.1	-	
	皮膚	C43-C44 D030-D049	28.6	0.0	0.0	0.0	0.0	1.8	1.9	3.4	2.9	4.9	5.2	13.3	11.4	18.8	25.7	38.9	67.4	89.9	159.2	-	
	乳房	C50 D05	80.8	0.0	0.0	0.0	0.0	1.8	3.7	21.9	33.1	70.0	107.4	84.6	143.4	137.2	113.7	132.1	130.2	129.0	124.9	-	
	子宮	C53-C55 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
子宮頸部	C53 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
膀胱	C67 D090	42.2	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	7.2	6.0	19.0	49.3	69.2	94.0	114.5	140.6	132.9	-	

1 総数は年齢不詳を含む

2 粘膜がんを含む

3 総数は男女および性別不詳の合計

表4. 発見経緯 (%) : 部位別

A. 上皮内がんを除く

山口県

2020年

部位	ICD-10	集計対象数 ¹	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96	11,582	10.8	31.9	0.0	53.5	3.8
口腔・咽頭	C00-C14	291	0.3	28.9	0.0	67.0	3.8
食道	C15	297	13.5	32.0	0.0	52.5	2.0
胃	C16	1,382	14.6	29.2	0.0	52.6	3.5
大腸（結腸・直腸）	C18-C20	1,924	11.3	25.7	0.0	60.2	2.8
結腸	C18	1,310	11.6	27.1	0.0	58.7	2.6
直腸	C19-C20	614	10.7	22.6	0.0	63.5	3.1
肝および肝内胆管	C22	452	3.8	57.7	0.0	34.1	4.4
胆のう・胆管	C23-C24	255	3.9	36.1	0.0	58.4	1.6
膵臓	C25	481	3.7	34.3	0.0	60.3	1.7
喉頭	C32	61	1.6	14.8	0.0	82.0	1.6
肺	C33-C34	1,547	10.4	44.0	0.0	42.7	2.8
皮膚	C43-C44	312	0.3	13.8	0.0	85.3	0.6
乳房	C50	996	19.6	14.5	0.0	59.5	6.4
乳房（女性のみ）	C50	991	19.7	14.3	0.0	59.6	6.4
子宮	C53-C55	328	13.7	17.1	0.0	68.0	1.2
子宮頸部	C53	139	21.6	17.3	0.0	59.0	2.2
子宮体部	C54	187	8.0	16.6	0.0	75.4	0.0
卵巣	C56	130	4.6	23.8	0.0	67.7	3.8
前立腺	C61	1,110	20.3	42.9	0.0	29.8	7.0
膀胱	C67	314	1.3	26.1	0.0	66.2	6.4
腎・尿路（膀胱除く）	C64-C66 C68	325	8.6	48.0	0.0	39.7	3.7
脳・中枢神経系	C70-C72	66	0.0	15.2	0.0	77.3	7.6
甲状腺	C73	179	12.3	46.4	0.0	33.5	7.8
悪性リンパ腫	C81-C85 C96	419	2.6	28.4	0.2	65.2	3.6
多発性骨髄腫	C88-C90	85	3.5	45.9	0.0	47.1	3.5
白血病	C91-C95	161	8.1	29.8	0.0	57.1	5.0

1 DCOを除く総数

04 表4. 発見経緯 (%) : 部位別

B. 上皮内がんを含む

山口県

2020年

部位	ICD-10	集計対象数	1 がん検診・健康診断・人間ドック	他疾患の経過観察中	剖検発見	その他	不明
全部位	C00-C96 D00-D09	12,771	11.9	32.2	0.0	52.3	3.5
食道	C15 D001	323	14.6	32.8	0.0	50.8	1.9
大腸 (結腸・直腸) 2	C18-C20 D010-D012	2,355	15.2	27.2	0.0	55.2	2.5
結腸 2	C18 D010	1,642	16.0	28.6	0.0	53.2	2.3
直腸 2	C19-C20 D011-D012	713	13.3	24.0	0.0	59.7	2.9
肺	C33-C34 D021-D022	1,600	10.3	45.3	0.0	41.7	2.8
皮膚	C43-C44 D030-D049	383	0.3	13.3	0.0	85.6	0.8
乳房	C50 D05	1,078	21.2	15.2	0.0	57.5	6.0
乳房 (女性のみ)	C50 D05	1,073	21.3	15.1	0.0	57.6	6.0
子宮	C53-C55 D06	535	23.4	24.7	0.0	51.0	0.9
子宮頸部	C53 D06	346	31.8	28.9	0.0	38.2	1.2
膀胱	C67 D090	561	1.6	29.9	0.0	64.7	3.7

1 DCOを除く総数

2 粘膜がんを含む

表5-1. 進展度・総合 (%) : 部位別

A. 上皮内がんを除く

山口県

2020年

部位	ICD-10	集計対象数	1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域	2
全部位	C00-C96	11,333		48.7	9.5	13.3	19.2	9.3		22.7
口腔・咽頭	C00-C14	291		41.6	16.2	30.6	4.1	7.6		46.7
食道	C15	297		43.1	9.1	25.3	15.5	7.1		34.3
胃	C16	1,382		52.7	10.3	10.1	19.7	7.2		20.4
大腸（結腸・直腸）	C18-C20	1,924		44.9	17.3	10.6	20.7	6.6		27.9
結腸	C18	1,310		45.3	15.4	11.9	20.6	6.8		27.3
直腸	C19-C20	614		44.0	21.2	7.8	20.8	6.2		29.0
肝および肝内胆管	C22	452		60.8	2.9	9.7	11.5	15.0		12.6
胆のう・胆管	C23-C24	255		15.7	3.5	40.4	22.7	17.6		43.9
膵臓	C25	481		20.0	7.7	17.5	46.4	8.5		25.2
喉頭	C32	61		65.6	14.8	14.8	1.6	3.3		29.5
肺	C33-C34	1,547		37.7	9.2	9.4	35.0	8.7		18.6
皮膚	C43-C44	312		84.6	1.3	8.3	1.0	4.8		9.6
乳房	C50	996		59.9	19.7	4.2	7.2	8.9		23.9
乳房（女性のみ）	C50	991		59.8	19.8	4.2	7.3	8.9		24.0
子宮	C53-C55	328		64.6	2.7	20.1	9.5	3.0		22.9
子宮頸部	C53	139		49.6	3.6	33.8	9.4	3.6		37.4
子宮体部	C54	187		76.5	2.1	10.2	9.6	1.6		12.3
卵巣	C56	130		18.5	0.0	46.9	21.5	12.3		46.9
前立腺	C61	1,110		67.2	1.1	11.6	11.8	8.3		12.7
膀胱	C67	314		70.4	1.6	9.6	4.5	14.0		11.1
腎・尿路（膀胱除く）	C64-C66 C68	325		54.5	2.2	21.5	12.3	9.5		23.7
脳・中枢神経系	C70-C72	66		63.6	0.0	15.2	6.1	15.2		15.2
甲状腺	C73	179		43.0	29.1	10.1	5.0	12.8		39.1
悪性リンパ腫	C81-C85 C96	411		30.7	3.2	16.1	36.3	13.9		19.2
多発性骨髄腫	C88-C90	-		-	-	-	-	-		-
白血病	C91-C95	-		-	-	-	-	-		-

1 DC0、「777：該当せず」を除く総数

2 リンパ節転移＋隣接臓器浸潤

42 表5-1. 進展度・総合 (%) : 部位別

B. 上皮内がんを含む

山口県

2020年

部位	ICD-10	集計対象数 1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 2
全部位	C00-C96 D00-D09	12,522	9.3	44.1	8.6	12.0	17.4	8.6	20.6
食道	C15 D001	323	8.0	39.6	8.4	23.2	14.2	6.5	31.6
大腸 (結腸・直腸) 3	C18-C20 D010-D012	2,355	18.2	36.6	14.1	8.7	16.9	5.5	22.8
結腸 3	C18 D010	1,642	20.1	36.1	12.3	9.5	16.4	5.5	21.8
直腸 3	C19-C20 D011-D012	713	13.7	37.9	18.2	6.7	18.0	5.5	25.0
肺	C33-C34 D021-D022	1,600	3.3	36.4	8.9	9.1	33.9	8.4	18.0
皮膚	C43-C44 D030-D049	383	18.3	68.9	1.0	6.8	0.8	4.2	7.8
乳房	C50 D05	1,078	7.4	55.4	18.2	3.9	6.7	8.4	22.1
乳房 (女性のみ)	C50 D05	1,073	7.5	55.3	18.3	3.9	6.7	8.4	22.2
子宮	C53-C55 D06	535	38.1	39.6	1.7	12.3	5.8	2.4	14.0
子宮頸部	C53 D06	346	59.0	19.9	1.4	13.6	3.8	2.3	15.0
膀胱	C67 D090	561	43.1	39.4	0.9	5.3	2.5	8.7	6.2

1 DCO、「777:該当せず」を除く総数

2 リンパ節転移+隣接臓器浸潤

3 粘膜がんを含む

表5-2. 進展度・治療前 (%) : 部位別

A. 上皮内がんを除く

山口県

2020年

部位	ICD-10	集計対象数 1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 2
全部位	C00-C96	11,333	0.7	47.6	8.5	11.6	18.4	13.3	20.0
口腔・咽頭	C00-C14	291	0.7	37.5	16.2	29.6	3.4	12.7	45.7
食道	C15	297	2.7	40.7	9.1	24.6	14.8	8.1	33.7
胃	C16	1,382	0.0	54.3	10.6	7.7	17.3	10.1	18.2
大腸（結腸・直腸）	C18-C20	1,924	0.5	39.1	16.5	11.1	19.3	13.5	27.6
結腸	C18	1,310	0.7	38.8	14.7	12.8	19.0	14.0	27.6
直腸	C19-C20	614	0.2	39.9	20.2	7.5	19.9	12.4	27.7
肝および肝内胆管	C22	452	0.0	60.6	2.2	10.4	11.1	15.7	12.6
胆のう・胆管	C23-C24	255	0.0	14.9	3.9	33.7	22.0	25.5	37.6
膵臓	C25	481	0.0	21.8	5.2	16.8	45.7	10.4	22.0
喉頭	C32	61	0.0	67.2	14.8	13.1	1.6	3.3	27.9
肺	C33-C34	1,547	0.4	37.2	8.1	9.2	34.6	10.4	17.3
皮膚	C43-C44	312	1.3	77.6	1.0	6.1	1.0	13.1	7.1
乳房	C50	996	2.6	61.6	15.3	4.2	6.7	9.5	19.5
乳房（女性のみ）	C50	991	2.6	61.6	15.3	4.2	6.8	9.5	19.6
子宮	C53-C55	328	2.1	61.3	2.1	17.1	9.1	8.2	19.2
子宮頸部	C53	139	5.0	43.9	3.6	32.4	9.4	5.8	36.0
子宮体部	C54	187	0.0	74.9	1.1	5.9	9.1	9.1	7.0
卵巣	C56	130	0.0	13.8	0.0	20.0	20.8	45.4	20.0
前立腺	C61	1,110	0.0	69.5	1.1	8.0	11.7	9.7	9.1
膀胱	C67	314	1.9	65.9	2.2	10.2	3.8	15.9	12.4
腎・尿路（膀胱除く）	C64-C66 C68	325	1.5	55.7	2.5	10.2	12.0	18.2	12.6
脳・中枢神経系	C70-C72	66	0.0	62.1	0.0	15.2	6.1	16.7	15.2
甲状腺	C73	179	0.0	48.6	16.2	6.7	5.0	23.5	22.9
悪性リンパ腫	C81-C85 C96	411	0.0	30.2	3.2	16.1	36.3	14.4	19.2
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-	-

1 DCO、「777：該当せず」を除く総数

2 リンパ節転移＋隣接臓器浸潤

表5-2. 進展度・治療前 (%) : 部位別

B. 上皮内がんを含む

山口県

2020年

部位	ICD-10	集計対象数 1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 2
全部位	C00-C96 D00-D09	12,522	6.1	44.5	7.7	10.5	16.7	14.6	18.2
食道	C15 D001	323	9.6	38.1	8.4	22.6	13.6	7.7	31.0
大腸 (結腸・直腸) 3	C18-C20 D010-D012	2,355	7.0	33.6	13.5	9.1	15.8	21.0	22.6
結腸 3	C18 D010	1,642	7.6	32.6	11.8	10.3	15.2	22.6	22.0
直腸 3	C19-C20 D011-D012	713	5.8	35.9	17.4	6.5	17.1	17.4	23.8
肺	C33-C34 D021-D022	1,600	1.8	37.3	7.8	8.9	33.5	10.8	16.8
皮膚	C43-C44 D030-D049	383	18.3	64.2	0.8	5.0	0.8	11.0	5.7
乳房	C50 D05	1,078	9.2	57.5	14.1	3.9	6.2	9.1	18.0
乳房 (女性のみ)	C50 D05	1,073	9.2	57.4	14.2	3.9	6.2	9.0	18.1
子宮	C53-C55 D06	535	38.3	37.8	1.3	10.5	5.6	6.5	11.8
子宮頸部	C53 D06	346	59.2	17.9	1.4	13.0	3.8	4.6	14.5
膀胱	C67 D090	561	22.5	54.2	1.2	5.9	2.1	14.1	7.1

1 DCO、「777:該当せず」を除く総数

2 リンパ節転移+隣接臓器浸潤

3 粘膜がんを含む

表5-3. 進展度・術後 (%) : 部位別

A. 上皮内がんを除く

山口県

2020年

部位	ICD-10	集計対象数	1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域	2
全部位	C00-C96	6,988		56.2	10.6	10.1	5.2	17.9		20.7
口腔・咽頭	C00-C14	170		52.4	9.4	18.8	1.8	17.6		28.2
食道	C15	130		69.2	3.8	3.1	1.5	22.3		6.9
胃	C16	1,053		60.9	10.6	8.8	6.5	13.2		19.5
大腸（結腸・直腸）	C18-C20	1,595		50.0	18.7	10.3	12.7	8.3		29.0
結腸	C18	1,134		49.3	17.2	11.8	14.0	7.7		29.0
直腸	C19-C20	461		51.8	22.3	6.5	9.3	10.0		28.9
肝および肝内胆管	C22	187		57.8	2.1	1.1	1.1	38.0		3.2
胆のう・胆管	C23-C24	115		19.1	0.9	49.6	3.5	27.0		50.4
膵臓	C25	121		28.9	14.0	15.7	4.1	37.2		29.8
喉頭	C32	18		33.3	22.2	22.2	0.0	22.2		44.4
肺	C33-C34	783		59.1	9.1	6.3	2.4	23.1		15.3
皮膚	C43-C44	295		83.7	1.4	7.8	0.7	6.4		9.2
乳房	C50	776		66.8	17.9	1.5	1.2	12.6		19.5
乳房（女性のみ）	C50	771		66.7	18.0	1.6	1.2	12.6		19.6
子宮	C53-C55	241		80.1	1.7	9.1	1.2	7.9		10.8
子宮頸部	C53	74		77.0	1.4	6.8	0.0	14.9		8.1
子宮体部	C54	166		81.9	1.8	10.2	1.8	4.2		12.0
卵巣	C56	94		23.4	0.0	54.3	8.5	12.8		54.3
前立腺	C61	337		45.7	0.3	13.1	0.6	40.4		13.4
膀胱	C67	265		61.9	1.5	4.5	1.5	30.6		6.0
腎・尿路（膀胱除く）	C64-C66 C68	249		59.4	1.2	20.9	2.4	16.1		22.1
脳・中枢神経系	C70-C72	48		58.3	0.0	16.7	2.1	22.9		16.7
甲状腺	C73	159		38.4	30.2	9.4	1.9	20.1		39.6
悪性リンパ腫	C81-C85 C96	83		16.9	2.4	1.2	6.0	73.5		3.6
多発性骨髄腫	C88-C90	-		-	-	-	-	-		-
白血病	C91-C95	-		-	-	-	-	-		-

1 DC0、「660：手術なし・術前治療後」、「777：該当せず」を除く総数

2 リンパ節転移＋隣接臓器浸潤

94 表5-3. 進展度・術後 (%) : 部位別

B. 上皮内がんを含む

山口県

2020年

部位	ICD-10	集計対象数 1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 2
全部位	C00-C96 D00-D09	8,124	13.6	48.4	9.1	8.7	4.4	15.8	17.8
食道	C15 D001	153	15.0	58.8	3.3	2.6	1.3	19.0	5.9
大腸 (結腸・直腸) 3	C18-C20 D010-D012	2,024	21.1	39.4	14.7	8.1	10.0	6.7	22.8
結腸 3	C18 D010	1,465	22.5	38.2	13.3	9.1	10.9	6.0	22.5
直腸 3	C19-C20 D011-D012	559	17.4	42.8	18.4	5.4	7.7	8.4	23.8
肺	C33-C34 D021-D022	836	6.3	55.4	8.5	5.9	2.3	21.7	14.4
皮膚	C43-C44 D030-D049	355	16.1	69.6	1.1	6.5	0.6	6.2	7.6
乳房	C50 D05	850	8.2	60.9	16.4	1.4	1.1	12.0	17.8
乳房 (女性のみ)	C50 D05	845	8.3	60.8	16.4	1.4	1.1	12.0	17.9
子宮	C53-C55 D06	434	42.4	44.5	0.9	5.1	0.7	6.5	6.0
子宮頸部	C53 D06	267	68.9	21.3	0.4	1.9	0.0	7.5	2.2
膀胱	C67 D090	502	45.8	32.7	0.8	2.4	0.8	17.5	3.2

1 DC0、「660:手術なし・術前治療後」、「777:該当せず」を除く総数

2 リンパ節転移+隣接臓器浸潤

3 粘膜がんを含む

表6. 初回治療内容割合 (%) : 部位別

A. 上皮内がんを除く

山口県

2020年

部位	ICD-10	集計対象数 ¹	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他 の治療	治療なし ・不明
全部位	C00-C96	11,582	25.6	21.5	8.0	9.6	30.6	10.3	2.2	22.0
口腔・咽頭	C00-C14	291	47.4	1.0	4.1	32.3	31.6	0.0	0.7	18.9
食道	C15	297	9.4	21.5	22.6	22.6	45.5	0.3	0.3	18.2
胃	C16	1,382	20.9	19.8	29.4	0.3	23.7	0.1	0.4	21.6
大腸（結腸・直腸）	C18-C20	1,924	24.0	48.9	9.8	2.1	34.5	0.1	0.5	14.9
結腸	C18	1,310	26.6	48.2	9.7	0.2	33.1	0.1	0.4	14.2
直腸	C19-C20	614	18.4	50.3	10.1	6.0	37.3	0.2	0.8	16.4
肝および肝内胆管	C22	452	17.7	11.3	0.0	2.2	29.2	0.0	24.1	37.4
胆のう・胆管	C23-C24	255	29.8	6.7	1.2	1.2	27.1	0.0	0.8	42.7
膵臓	C25	481	20.4	3.5	0.0	1.9	53.4	0.0	1.9	38.0
喉頭	C32	61	21.3	0.0	1.6	59.0	32.8	0.0	0.0	16.4
肺	C33-C34	1,547	3.6	36.3	0.0	12.7	37.8	0.2	1.0	28.3
皮膚	C43-C44	312	90.1	0.0	0.0	0.6	2.2	0.0	1.6	8.0
乳房	C50	996	74.2	1.2	0.0	22.4	31.7	51.1	0.1	11.5
乳房（女性のみ）	C50	991	74.3	1.1	0.0	22.5	31.9	51.2	0.1	11.5
子宮	C53-C55	328	57.9	13.7	0.9	18.0	33.8	0.9	0.3	9.8
子宮頸部	C53	139	48.2	5.8	1.4	40.3	38.1	0.0	0.0	11.5
子宮体部	C54	187	65.8	19.8	0.5	1.6	31.0	1.6	0.5	7.5
卵巣	C56	130	75.4	3.8	0.0	0.0	59.2	0.0	0.8	16.2
前立腺	C61	1,110	1.8	19.9	1.7	16.2	2.9	59.1	0.8	16.4
膀胱	C67	314	8.3	9.6	68.8	9.6	35.0	1.0	18.8	17.2
腎・尿路（膀胱除く）	C64-C66 C68	325	9.5	56.0	0.6	0.9	20.6	0.3	1.8	23.1
脳・中枢神経系	C70-C72	66	62.1	0.0	0.0	59.1	53.0	0.0	1.5	25.8
甲状腺	C73	179	70.4	1.7	0.0	7.8	3.4	1.7	0.0	24.6
悪性リンパ腫	C81-C85 C96	419	7.2	1.9	0.2	12.4	56.6	1.7	1.9	30.5
多発性骨髄腫	C88-C90	85	1.2	0.0	0.0	9.4	62.4	0.0	1.2	35.3
白血病	C91-C95	161	0.0	0.0	0.0	1.2	64.0	0.0	1.9	35.4

1 DCOを除く総数

重複を含むため合計は100%にならない

48 表6. 初回治療内容割合 (%) : 部位別

B. 上皮内がんを含む

山口県

2020年

部位	ICD-10	集計対象数 ¹	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他 の治療	治療なし ・不明
全部位	C00-C96 D00-D09	12,771	26.0	20.6	12.2	9.0	28.2	9.5	2.7	20.3
食道	C15 D001	323	8.7	19.8	27.9	21.1	41.8	0.3	0.3	17.3
大腸 (結腸・直腸) ²	C18-C20 D010-D012	2,355	20.2	41.7	24.1	1.7	28.2	0.1	0.5	12.3
結腸 ²	C18 D010	1,642	21.9	40.7	25.4	0.2	26.4	0.1	0.4	11.4
直腸 ²	C19-C20 D011-D012	713	16.4	44.2	21.0	5.3	32.1	0.3	0.7	14.4
肺	C33-C34 D021-D022	1,600	3.6	38.3	0.0	12.3	36.6	0.2	0.9	27.4
皮膚	C43-C44 D030-D049	383	88.8	0.0	0.0	0.5	2.3	0.0	2.3	8.4
乳房	C50 D05	1,078	75.2	1.1	0.0	23.0	29.5	48.8	0.2	11.1
乳房 (女性のみ)	C50 D05	1,073	75.3	1.0	0.0	23.1	29.6	48.8	0.2	11.1
子宮	C53-C55 D06	535	68.0	10.3	0.7	11.0	20.7	0.6	4.9	9.5
子宮頸部	C53 D06	346	69.7	5.2	0.9	16.2	15.3	0.0	7.2	10.1
膀胱	C67 D090	561	5.9	7.0	77.7	5.5	27.1	0.5	20.1	10.7

1 DCOを除く総数

2 粘膜がんを含む

重複を含むため合計は100%にならない

表7. 外科的・鏡視下・内視鏡的治療の範囲（%）： 部位別

A. 上皮内がんを除く

山口県

2020年

部位	ICD-10	集計対象数 ¹	腫瘍遺残なし	腫瘍遺残あり	不明
全部位	C00-C96	6,240	88.0	10.4	1.5
口腔・咽頭	C00-C14	150	82.0	12.7	5.3
食道	C15	157	93.6	6.4	0.0
胃	C16	940	93.1	6.3	0.6
大腸（結腸・直腸）	C18-C20	1,519	88.9	10.7	0.4
結腸	C18	1,063	87.8	11.9	0.3
直腸	C19-C20	456	91.7	7.7	0.7
肝および肝内胆管	C22	131	90.8	6.9	2.3
胆のう・胆管	C23-C24	91	89.0	8.8	2.2
膵臓	C25	115	85.2	11.3	3.5
喉頭	C32	14	92.9	7.1	0.0
肺	C33-C34	614	93.8	5.9	0.3
皮膚	C43-C44	281	96.1	2.8	1.1
乳房	C50	751	92.3	6.4	1.3
乳房（女性のみ）	C50	747	92.2	6.4	1.3
子宮	C53-C55	235	93.2	6.0	0.9
子宮頸部	C53	75	88.0	10.7	1.3
子宮体部	C54	160	95.6	3.8	0.6
卵巣	C56	100	70.0	22.0	8.0
前立腺	C61	260	77.7	21.2	1.2
膀胱	C67	246	50.8	45.1	4.1
腎・尿路（膀胱除く）	C64-C66 C68	214	91.1	6.5	2.3
脳・中枢神経系	C70-C72	41	29.3	65.9	4.9
甲状腺	C73	129	94.6	2.3	3.1
悪性リンパ腫	C81-C85 C96	39	61.5	28.2	10.3
多発性骨髄腫	C88-C90	1	0.0	0.0	100.0
白血病	C91-C95	0	-	-	-

1 外科的、鏡視下、内視鏡的治療のいずれかが「1：あり」 DCOを除く総数

50 表7. 外科的・鏡視下・内視鏡的治療の範囲 (%) : 部位別

B. 上皮内がんを含む

山口県

2020年

部位	ICD-10	集計対象数 ¹	腫瘍遺残なし	腫瘍遺残あり	不明
全部位	C00-C96 D00-D09	7,360	89.0	9.4	1.6
食道	C15 D001	180	92.8	6.7	0.6
大腸 (結腸・直腸) ²	C18-C20 D010-D012	1,947	90.3	8.6	1.1
結腸 ²	C18 D010	1,394	89.5	9.4	1.1
直腸 ²	C19-C20 D011-D012	553	92.6	6.5	0.9
肺	C33-C34 D021-D022	667	94.2	5.5	0.3
皮膚	C43-C44 D030-D049	340	96.5	2.6	0.9
乳房	C50 D05	823	92.2	6.6	1.2
乳房 (女性のみ)	C50 D05	819	92.2	6.6	1.2
子宮	C53-C55 D06	420	94.5	4.3	1.2
子宮頸部	C53 D06	260	93.8	4.6	1.5
膀胱	C67 D090	480	69.6	27.7	2.7

1 外科的、鏡視下、内視鏡的治療のいずれかが「1：あり」 DC0を除く総数

2 粘膜がんを含む

表8. 精度指標： 部位別、性別

A. 上皮内がんを除く

山口県

2020年

部位	ICD-10	死亡／罹患比 (MI比)			死亡情報のみの症例および遡り調査で「がん」が確認された症例 DCI (%)			死亡情報のみの症例 DCO (%)			病理学的裏付けのある症例 MV (%)			組織学的裏付けのある症例 HV (%)		
		男	女	総数 1	男	女	総数 1	男	女	総数 1	男	女	総数 1	男	女	総数 1
全部位	C00-C96	0.42	0.38	0.40	1.8	3.5	2.5	1.1	2.1	1.5	87.2	85.6	86.5	84.1	82.2	83.3
口腔・咽頭	C00-C14	0.28	0.43	0.32	1.0	2.2	1.4	0.5	2.2	1.0	94.6	89.0	92.9	91.1	89.0	90.5
食道	C15	0.45	0.36	0.44	1.6	1.8	1.7	0.8	1.8	1.0	93.5	92.7	93.3	93.1	92.7	93.0
胃	C16	0.39	0.41	0.40	1.6	3.6	2.3	0.8	1.9	1.1	94.0	93.0	93.7	92.7	91.1	92.2
大腸（結腸・直腸）	C18-C20	0.34	0.32	0.33	1.5	2.1	1.7	1.5	1.3	1.4	94.0	90.6	92.4	93.1	90.3	91.8
結腸	C18	0.35	0.33	0.34	1.9	2.4	2.2	1.9	1.7	1.8	93.4	89.9	91.7	92.2	89.6	90.9
直腸	C19-C20	0.34	0.28	0.32	0.5	1.2	0.8	0.5	0.4	0.5	95.1	92.5	94.0	94.8	92.1	93.7
肝および肝内胆管	C22	0.76	0.81	0.78	4.7	13.5	7.6	2.5	9.6	4.8	40.4	34.0	38.3	39.5	32.7	37.3
胆のう・胆管	C23-C24	0.89	0.89	0.89	1.5	12.3	6.8	1.5	6.9	4.1	80.1	54.6	67.7	66.9	43.8	55.6
膵臓	C25	0.76	0.83	0.79	2.1	5.6	3.9	0.4	2.8	1.6	74.6	60.2	67.3	63.7	51.8	57.7
喉頭	C32	0.39	0.20	0.38	0.0	0.0	0.0	0.0	0.0	0.0	96.4	100.0	96.7	96.4	100.0	96.7
肺	C33-C34	0.60	0.52	0.57	2.3	4.0	2.9	1.2	2.8	1.7	82.4	77.8	80.8	74.4	69.9	72.8
皮膚	C43-C44	0.07	0.04	0.05	0.6	0.0	0.3	0.6	0.0	0.3	99.4	99.4	99.4	99.4	99.4	99.4
乳房	C50	0.20	0.19	0.19	0.0	0.9	0.9	0.0	0.7	0.7	100.0	94.5	94.5	100.0	93.5	93.5
子宮	C53-C55	-	0.24	0.24	-	0.9	0.9	-	0.9	0.9	-	97.0	97.0	-	96.4	96.4
子宮頸部	C53	-	0.24	0.24	-	0.0	0.0	-	0.0	0.0	-	97.1	97.1	-	95.7	95.7
子宮体部	C54	-	0.17	0.17	-	0.5	0.5	-	0.5	0.5	-	98.9	98.9	-	98.9	98.9
卵巣	C56	-	0.42	0.42	-	3.8	3.8	-	1.5	1.5	-	91.7	91.7	-	84.8	84.8
前立腺	C61	0.15	-	0.15	0.6	-	0.6	0.5	-	0.5	91.2	-	91.2	91.1	-	91.1
膀胱	C67	0.38	0.46	0.40	1.2	10.0	3.1	0.8	5.7	1.9	89.2	74.3	85.9	85.6	68.6	81.9
腎・尿路（膀胱除く）	C64-C66 C68	0.28	0.29	0.29	0.5	2.6	1.2	0.5	2.6	1.2	86.8	70.9	81.2	83.0	65.8	76.9
脳・中枢神経系	C70-C72	0.39	0.50	0.43	2.4	3.8	3.0	2.4	0.0	1.5	73.2	76.9	74.6	70.7	76.9	73.1
甲状腺	C73	0.17	0.14	0.14	0.0	1.5	1.1	0.0	0.8	0.6	97.9	96.2	96.7	85.1	85.7	85.6
悪性リンパ腫	C81-C85 C96	0.41	0.38	0.40	3.5	3.6	3.5	0.4	2.0	1.2	92.1	89.3	90.8	88.2	85.7	87.0
多発性骨髄腫	C88-C90	0.74	0.45	0.56	8.8	5.7	6.9	2.9	1.9	2.3	85.3	86.8	86.2	82.4	81.1	81.6
白血病	C91-C95	0.84	0.68	0.77	2.2	4.2	3.0	1.1	2.8	1.8	93.5	98.6	95.7	84.9	81.7	83.5

1 総数は男女および性別不詳の合計

表8. 精度指標： 部位別、性別

B. 上皮内がんを含む

山口県

2020年

部位	ICD-10	死亡／罹患比 (MI比)			死亡情報のみの症例および遡り調査で「がん」が確認された症例 DCI (%)			死亡情報のみの症例 DCO (%)			病理学的裏付けのある症例 MV (%)			組織学的裏付けのある症例 HV (%)		
		男	女	総数 1	男	女	総数 1	男	女	総数 1	男	女	総数 1	男	女	総数 1
全部位	C00-C96 D00-D09	0.38	0.34	0.36	1.7	3.1	2.3	1.0	1.9	1.4	88.2	87.2	87.8	85.3	84.1	84.8
食道	C15 D001	0.41	0.34	0.40	1.5	1.7	1.5	0.7	1.7	0.9	94.0	93.1	93.9	93.7	93.1	93.6
大腸 (結腸・直腸) 2	C18-C20 D010-D012	0.27	0.27	0.27	1.1	1.8	1.4	1.1	1.1	1.1	95.3	92.0	93.8	94.6	91.7	93.3
結腸 2	C18 D010	0.26	0.28	0.27	1.5	2.0	1.7	1.5	1.4	1.4	95.0	91.4	93.3	94.1	91.2	92.7
直腸 2	C19-C20 D011-D012	0.29	0.24	0.27	0.5	1.0	0.7	0.5	0.3	0.4	95.7	93.5	94.8	95.5	93.2	94.6
肺	C33-C34 D021-D022	0.59	0.49	0.55	2.3	3.8	2.8	1.1	2.6	1.7	82.7	79.0	81.4	74.8	71.5	73.6
皮膚	C43-C44 D030-D049	0.06	0.03	0.04	0.5	0.0	0.3	0.5	0.0	0.3	99.5	99.5	99.5	99.5	99.5	99.5
乳房	C50 D05	0.20	0.18	0.18	0.0	0.8	0.8	0.0	0.6	0.6	100.0	94.9	94.9	100.0	94.0	94.0
子宮	C53-C55 D06	-	0.15	0.15	-	0.6	0.6	-	0.6	0.6	-	98.1	98.1	-	97.8	97.8
子宮頸部	C53 D06	-	0.10	0.10	-	0.0	0.0	-	0.0	0.0	-	98.8	98.8	-	98.3	98.3
膀胱	C67 D090	0.21	0.27	0.22	0.7	5.9	1.8	0.4	3.4	1.1	94.0	84.7	92.1	91.8	81.4	89.6

1 総数は男女および性別不詳の合計

2 粘膜がんを含む