

表1. 罹患数、罹患割合(%)、粗罹患率、年齢調整罹患率(人口10万対)及び累積罹患率(人口100対)；部位別、性別

B. 上皮内がんを含む

2010年

部位	ICD-10	罹患数						罹患割合(%)						粗罹患率						年齢調整罹患率						累積罹患率(0-74歳)					
		男			女			男			女			男			女			男			女			男			女		
		男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計			
全部位	C00-C96 D00-D09	6,652	4,845	11,497	100.0	100.0	100.0	100.0	100.0	100.0	972.3	631.5	792.2	470.4	326.3	382.7	330.2	245.9	278.4	38.8	26.1	31.7									
食道	C15 D001	257	35	292	3.9	0.7	2.5	37.6	4.6	20.1	18.5	1.7	9.2	12.9	1.2	6.5	1.7	0.1	0.9												
大腸(結腸・直腸)*1	C18-C20 D010-D012	1,077	836	1,913	16.2	17.3	16.6	157.4	109.0	131.8	80.1	46.0	61.2	56.7	32.9	43.7	6.9	3.8	5.2												
結腸*1	C18 D010	661	619	1,280	9.9	12.8	11.1	96.6	80.7	88.2	48.1	32.9	39.6	33.9	23.3	28.0	4.1	2.7	3.3												
直腸*1	C19-C20 D011-D012	416	217	633	6.3	4.5	5.5	60.8	28.3	43.6	32.0	13.2	21.6	22.9	9.6	15.6	2.8	1.1	1.9												
肺	C33-C34 D021-D022	1,024	517	1,541	15.4	10.7	13.4	149.7	67.4	106.2	68.2	24.4	43.1	46.2	17.0	29.7	5.2	1.9	3.4												
皮膚	C43-C44 D030-D049	141	117	258	2.1	2.4	2.2	20.6	15.3	17.8	9.4	5.1	7.0	6.7	3.6	4.9	0.7	0.4	0.6												
乳房	C50 D05	6	820	826	0.1	16.9	7.2	0.9	106.9	56.9	0.4	77.1	40.5	0.3	60.2	31.5	0.0	6.5	3.4												
子宮	C53-C55 D06	-	473	473	-	9.8	4.1	-	61.7	-	-	58.8	-	-	48.1	-	-	4.4	-												
子宮頸部	C53 D06	-	306	306	-	6.3	2.7	-	39.9	-	-	44.2	-	-	36.7	-	-	3.1	-												
膀胱	C67 D090	368	123	491	5.5	2.5	4.3	53.8	16.0	33.8	24.9	5.1	13.6	16.8	3.4	9.2	1.7	0.3	1.0												

*1 粘膜がんを含む

表2. 年齢階級別罹患数、罹患割合(%) ; 部位別、性別

B. 上皮内がんを含む

2010年

性別	部位	ICD-10																							
		0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上						
男	全部位	3 100.0	1 100.0	1 100.0	2 100.0	9 100.0	14 100.0	10 100.0	10 100.0	25 100.0	43 100.0	89 100.0	180 100.0	415 100.0	775 100.0	1 108 100.0	1 246 100.0	1 017 100.0	739 100.0						
	食道	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	4	2.2	27	6.5	45	4.1	46	3.7	37	3.6	11	1.5
	大腸(結腸・直腸)*1	0	0.0	0	0.0	0	0.0	0	0.0	2 20.0	3 12.0	9 20.9	22 24.7	36 20.0	97 23.4	138 17.8	158 16.2	184 16.6	203 16.3	133 13.1	90 12.2				
	結腸*1	0	0.0	0	0.0	0	0.0	0	0.0	2 20.0	2 8.0	5 11.6	11 12.4	20 11.1	53 12.8	81 10.5	93 9.5	113 10.2	122 9.8	96 9.4	61 8.3				
	直腸*1	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1 4.0	4 9.3	11 12.4	16 8.9	44 10.6	57 7.4	65 6.7	71 6.4	81 6.5	37 3.6	29 3.9			
	肺	0	0.0	0	0.0	0	0.0	1 7.1	1 10.0	2 8.0	2 4.7	12 13.5	23 12.8	50 12.0	103 13.3	143 14.7	149 13.4	208 16.7	202 18.9	128 17.3					
	皮膚	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1 4.0	1 2.3	3 3.4	4 2.2	5 1.2	20 2.6	14 1.4	20 1.8	15 1.2	29 2.9	29 3.9			
	乳房	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	3 0.3	1 0.1	1 0.1	0	0.0	1 0.1
	膀胱	0	0.0	0	0.0	0	0.0	1 11.1	1 10.0	0	0.0	0	0.0	3 7.0	3 3.4	14 7.8	22 5.3	26 3.4	40 4.1	47 4.2	87 7.0	66 6.5	58 7.9		
	全部位	3 100.0	0 0.0	1 100.0	2 100.0	19 100.0	39 100.0	61 100.0	106 100.0	154 100.0	208 100.0	281 100.0	333 100.0	483 100.0	499 100.0	558 100.0	661 100.0	660 100.0	857 100.0						
	食道	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	3 0.6	7 1.4	5 0.9	7 1.1	9 1.4	3 0.4				
	大腸(結腸・直腸)*1	0	0.0	0	0.0	0	0.0	1 2.6	1 1.6	3 2.8	13 8.4	19 9.1	25 12.4	58 17.4	74 15.3	106 21.2	105 18.8	143 21.6	127 19.2	161 18.8					
	結腸*1	0	0.0	0	0.0	0	0.0	1 2.6	1 1.6	2 1.9	9 5.8	11 5.3	18 9.0	39 11.7	46 9.5	75 15.0	83 14.9	111 16.8	96 14.6	127 14.8					
	直腸*1	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1 0.9	4 2.6	7 3.5	19 5.7	28 5.8	31 6.2	22 3.9	32 4.8	31 4.7	34 4.0				
	肺	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	3 2.8	2 1.3	7 3.4	8 4.0	29 8.7	47 9.7	53 10.6	59 10.6	88 13.3	87 13.2	134 15.6			
	皮膚	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1 0.6	1 0.5	2 1.0	6 1.8	6 1.2	13 2.6	15 2.7	15 2.3	20 3.0	38 4.4				
	乳房	0	0.0	0	0.0	0	0.0	1 5.3	2 5.1	10 16.4	30 28.3	49 31.8	95 45.7	76 37.8	87 26.1	131 27.1	109 21.8	65 11.6	61 9.2	46 7.0	58 6.8				
子宮	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	39 63.9	56 52.8	54 35.1	40 19.2	33 16.4	43 12.9	47 9.7	32 6.4	30 5.4	16 2.4	23 3.5	24 2.8			
子宮頸部	0	0.0	0	0.0	0	0.0	0	0.0	8 42.1	25 64.1	38 62.3	53 50.0	52 33.8	28 13.5	11 5.5	19 3.9	13 2.6	13 2.3	3 0.5	11 1.7	13 1.5				
膀胱	0	0.0	0	0.0	0	0.0	1 1.6	0 0.0	1 0.6	0 0.0	1 0.6	0 0.0	2 1.0	4 1.2	11 2.3	3 0.6	15 2.7	20 3.0	29 4.4	37 4.3					
全部位	6 100.0	1 100.0	2 100.0	4 100.0	28 100.0	53 100.0	71 100.0	131 100.0	197 100.0	297 100.0	381 100.0	483 100.0	558 100.0	661 100.0	660 100.0	857 100.0	857 100.0	1,596 100.0							
食道	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	3 1.0	5 1.3	27 3.6	32 2.5	62 4.2	50 3.0	53 2.8	46 2.7	14 0.9				
大腸(結腸・直腸)*1	0	0.0	0	0.0	0	0.0	1 1.9	3 4.2	6 4.6	22 11.2	41 13.8	61 16.0	155 20.7	212 16.9	264 17.9	289 17.3	346 18.1	260 15.5	251 15.7						
結腸*1	0	0.0	0	0.0	0	0.0	2 7.1	1 1.9	3 4.2	4 3.1	14 7.1	22 7.4	38 10.0	92 12.3	127 10.1	168 11.4	196 11.8	233 12.2	192 11.5	188 11.8					
直腸*1	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2 1.5	8 4.1	19 6.4	23 6.0	63 8.4	85 6.8	96 6.5	93 5.6	113 5.9	68 4.1	63 4.0				
肺	0	0.0	0	0.0	0	0.0	1 1.9	1 1.4	5 3.8	4 2.0	19 6.4	31 8.1	79 10.6	150 11.9	196 13.3	208 12.5	296 15.5	289 17.2	262 16.4						
皮膚	0	0.0	0	0.0	0	0.0	0	0.0	1 0.8	2 1.0	4 1.3	6 1.6	11 1.5	26 2.1	27 1.8	35 2.1	30 1.6	49 2.9	67 4.2						
乳房	0	0.0	0	0.0	0	0.0	2 3.8	2 3.8	10 14.1	30 22.9	49 24.9	95 32.0	76 19.9	87 11.6	131 10.4	112 7.6	66 4.0	62 3.3	46 2.7	59 3.7					
子宮	0	0.0	0	0.0	0	0.0	0	0.0	9 32.1	27 50.9	39 54.9	56 42.7	54 27.4	40 13.5	33 8.7	47 3.7	32 2.2	30 1.8	16 0.8	23 1.4	24 1.5				
子宮頸部	0	0.0	0	0.0	0	0.0	0	0.0	8 28.6	25 47.2	38 53.5	53 40.5	52 26.4	28 9.4	11 2.9	19 2.5	19 1.5	13 0.8	3 0.2	11 0.7	13 0.8				
膀胱	0	0.0	0	0.0	0	0.0	1 3.6	1 1.9	1 1.4	0 0.0	4 2.0	3 1.0	16 4.2	26 3.5	37 2.9	43 2.9	62 3.7	107 5.6	95 5.7	95 6.0					

*1 粘膜がんを含む

表3. 年齢階級別罹患率（人口10万対）； 部位別、性別

A. 上皮内がんを除く

2010年

性別	部位	ICD-10	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上
男	全部位	C00-C96	10.4	3.2	3.0	5.9	25.2	37.3	19.7	49.1	91.4	202.9	380.4	725.3	1,144.0	1,917.3	2,633.0	3,271.8	3,853.6	4,430.4
	口腔・咽頭	C00-C14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	4.9	5.1	16.5	36.7	33.7	70.4	27.5	50.9	60.3	99.0
	食道	C15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.7	9.5	44.5	40.2	109.7	112.6	115.9	140.8	68.1	
	胃	C16	0.0	0.0	0.0	0.0	0.0	2.9	7.4	0.0	19.8	46.2	94.5	137.3	266.7	337.5	608.0	679.8	748.7	
	大腸（結腸・直腸）	C18-C20	0.0	0.0	0.0	0.0	3.2	0.0	0.0	6.1	12.4	36.0	59.1	141.2	157.5	260.9	380.4	466.6	422.4	526.0
	結腸	C18	0.0	0.0	0.0	0.0	3.2	0.0	0.0	4.1	4.9	18.0	28.4	73.5	81.9	155.3	230.3	268.6	309.7	346.5
	直腸	C19-C20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	7.4	18.0	30.7	67.7	75.5	105.6	150.2	197.9	112.6	179.4
	肝および肝内胆管	C22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.1	0.0	10.3	37.8	63.8	91.6	153.2	215.2	271.5	281.6	222.8
	胆のう・胆管	C23-C24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	7.1	5.8	12.9	24.8	55.1	56.6	100.6	198.0
	膵臓	C25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	10.3	4.7	27.1	40.2	78.7	107.6	87.7	116.7	99.0
	喉頭	C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0	0.0	7.7	22.5	33.1	12.5	25.5	36.2	55.7
	肺	C33-C34	0.0	0.0	0.0	0.0	0.0	2.9	2.5	4.1	4.9	30.8	54.3	96.7	165.5	296.1	372.9	588.2	812.6	792.0
	皮膚	C43-C44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	2.5	7.7	7.1	9.7	28.9	29.0	42.5	28.3	100.6	148.5
	乳房	C50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.2	2.5	2.8	0.0	6.2
	前立腺	C61	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.1	42.6	144.6	300.2	435.5	500.5	603.4	618.8
	膀胱	C67	0.0	0.0	0.0	0.0	3.2	0.0	0.0	0.0	2.5	2.6	16.5	25.1	22.5	53.8	77.6	141.4	168.9	278.4
	腎・尿路（膀胱除く）	C64-C66 C68	0.0	0.0	0.0	0.0	0.0	2.9	0.0	2.0	7.4	10.3	23.6	30.9	28.9	49.7	50.1	90.5	88.5	129.4
	脳・中枢神経系	C70-C72	3.5	3.2	0.0	0.0	3.2	0.0	0.0	2.0	2.5	2.6	4.7	0.0	6.4	8.3	5.0	5.7	16.1	6.2
	甲状腺	C73	0.0	0.0	0.0	0.0	0.0	8.6	0.0	0.0	0.0	0.0	4.7	5.8	3.2	2.1	10.0	11.3	4.0	24.8
	悪性リンパ腫	C81-C85 C96	0.0	0.0	0.0	3.0	0.0	0.0	4.9	8.2	7.4	20.5	9.5	21.3	24.1	43.5	72.6	84.8	136.8	154.7
多発性骨髄腫	C88-C90	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	1.9	8.0	4.1	12.5	28.3	20.1	37.1	
白血病	C91-C95	0.0	0.0	0.0	3.0	6.3	2.9	0.0	2.0	9.9	5.1	11.8	13.5	16.1	20.7	25.0	31.1	8.0	49.5	
女	全部位	C00-C96	10.8	0.0	3.1	6.3	36.3	43.2	83.9	144.9	272.3	459.5	415.6	565.4	673.0	833.0	1,058.1	1,255.0	1,538.1	1,842.9
	口腔・咽頭	C00-C14	0.0	0.0	0.0	0.0	0.0	2.9	0.0	2.1	4.6	9.7	2.2	0.0	9.0	7.2	21.8	18.1	27.2	26.6
	食道	C15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	4.5	12.5	9.9	14.1	22.3	6.7
	胃	C16	0.0	0.0	0.0	0.0	6.6	0.0	0.0	8.3	16.2	24.3	26.8	50.1	65.7	103.9	144.7	190.8	222.9	273.1
	大腸（結腸・直腸）	C18-C20	0.0	0.0	0.0	0.0	0.0	2.9	0.0	4.1	23.1	34.0	49.2	87.1	95.5	152.3	190.2	249.0	267.5	339.7
	結腸	C18	0.0	0.0	0.0	0.0	2.9	0.0	4.1	13.8	19.5	38.0	61.2	58.2	111.1	150.6	196.8	195.7	268.7	
	直腸	C19-C20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.2	14.6	11.2	26.0	37.3	41.2	39.6	52.2	71.8	71.1
	肝および肝内胆管	C22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.9	4.9	4.5	18.5	16.4	30.5	87.2	108.4	133.7	119.9
	胆のう・胆管	C23-C24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	2.2	3.7	11.9	17.9	39.6	60.2	59.4	113.2
	膵臓	C25	0.0	0.0	0.0	0.0	3.3	0.0	0.0	0.0	0.0	4.9	8.9	13.0	23.9	43.0	53.5	82.3	99.1	106.6
	喉頭	C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	0.0	0.0	1.5	0.0	4.0	0.0	2.5	0.0
	肺	C33-C34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.2	4.6	17.0	17.9	53.8	70.1	94.9	116.9	176.7	215.5	297.5
	皮膚	C43-C44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	4.5	9.3	6.0	19.7	19.8	18.1	44.6	71.1
	乳房	C50	0.0	0.0	0.0	0.0	3.3	5.8	24.7	58.0	108.5	226.1	163.1	148.3	177.6	182.7	124.8	114.5	106.5	126.6
	子宮	C53-C55	0.0	0.0	0.0	0.0	3.3	17.3	37.0	47.6	57.7	70.5	60.3	66.7	65.7	53.7	51.5	32.1	52.0	53.3
	子宮頸部	C53	0.0	0.0	0.0	0.0	0.0	11.5	34.6	41.4	53.1	41.3	11.2	22.2	23.9	19.7	17.8	6.0	22.3	28.9
	子宮体部	C54	0.0	0.0	0.0	0.0	3.3	5.8	2.5	6.2	4.6	29.2	49.2	42.6	40.3	34.0	33.7	24.1	27.2	4.4
	卵巣	C56	0.0	0.0	0.0	0.0	0.0	0.0	4.9	4.1	13.8	9.7	15.6	29.7	20.9	17.9	25.8	20.1	14.9	15.5
	膀胱	C67	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.6	9.0	5.4	25.8	26.1	47.1	59.9	
	腎・尿路（膀胱除く）	C64-C66 C68	0.0	0.0	0.0	0.0	0.0	0.0	2.5	0.0	2.3	7.3	6.7	14.8	9.0	14.3	31.7	28.1	29.7	44.4
脳・中枢神経系	C70-C72	3.6	0.0	3.1	0.0	3.3	2.9	0.0	0.0	0.0	4.9	2.2	3.7	9.0	0.0	7.9	10.0	12.4	4.4	
甲状腺	C73	0.0	0.0	0.0	3.2	0.0	0.0	7.4	0.0	16.2	17.0	17.9	20.4	29.8	19.7	25.8	14.1	19.8	17.8	
悪性リンパ腫	C81-C85 C96	0.0	0.0	0.0	0.0	9.9	2.9	2.5	4.1	0.0	14.6	11.2	11.1	23.9	25.1	29.7	38.2	59.4	51.1	
多発性骨髄腫	C88-C90	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5	3.7	6.0	7.2	2.0	2.0	19.8	22.2		
白血病	C91-C95	3.6	0.0	0.0	3.2	3.3	5.8	0.0	2.1	9.2	0.0	6.7	11.1	7.5	10.7	13.9	16.1	29.7	15.5	
男女計	全部位	C00-C96	10.6	1.6	3.0	6.1	30.6	40.3	51.8	96.8	185.0	334.7	398.5	643.7	899.8	1,335.9	1,754.0	2,092.4	2,420.5	2,526.2
	口腔・咽頭	C00-C14	0.0	0.0	0.0	0.0	0.0	1.4	0.0	2.1	4.8	7.5	9.2	18.0	20.9	36.5	24.3	31.7	39.9	45.8
	食道	C15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	5.7	21.8	21.7	57.6	55.3	56.4	67.4	22.9
	胃	C16	0.0	0.0	0.0	0.0	3.2	1.4	3.7	4.1	17.9	35.0	59.7	92.8	162.5	212.3	328.5	364.0	397.0	398.7
	大腸（結腸・直腸）	C18-C20	0.0	0.0	0.0	0.0	1.6	1.4	0.0	5.1	17.9	35.0	54.0	113.6	125.3	202.6	274.3	339.3	326.5	388.9
	結腸	C18	0.0	0.0	0.0	0.0	1.6	1.4	0.0	4.1	9.5	18.7	33.3	67.2	69.6	131.6	185.8	226.6	239.1	289.2
	直腸	C19-C20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	8.4	16.2	20.7	46.4	55.7	71.1	88.5	112.7	87.4	99.7
	肝および肝内胆管	C22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	3.6	7.5	20.7	40.7	52.6	87.4	143.8	176.1	190.1	147.1
	胆のう・胆管	C23-C24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	4.6	4.7	12.4	21.1	46.4	58.7	75.1	135.6
	膵臓	C25	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.0	1.2	7.5	6.9	19.9	31.7	59.5	77.4	84.5	105.8	104.6
	喉頭	C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.2	0.0	0.0	3.8	11.6	15.4	7.7	10.6	15.3	14.7
	肺	C33-C34	0.0	0.0	0.0	0.0	0.0	1.4	1.2	5.1	4.8	23.7	35.6	74.8	116.0	188.2	230.0	347.6	443.0	428.1
	皮膚	C43-C44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	2.4	3.7	5.7	9.5	17.0	24.0	29.9	22.3	65.9	91.5
	乳房	C50	0.0	0.0	0.0															

表3. 年齢階級別罹患率（人口10万対）； 部位別、性別

B. 上皮内がんを含む

2010年

性別	部位	ICD-10	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	
男	全部位	C00-C96 D00-D09	10.4	3.2	3.0	5.9	28.4	40.2	24.6	51.2	106.3	228.6	425.3	802.7	1,245.2	2,018.7	2,773.2	3,523.5	4,090.9	4,572.7	
	食道	C15 D001	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.7	9.5	52.2	46.6	113.9	112.6	130.1	148.8	68.1	
	大腸（結腸・直腸）*1	C18-C20 D010-D012	0.0	0.0	0.0	0.0	6.3	0.0	4.9	6.1	22.2	56.5	85.1	187.6	221.7	327.1	480.5	574.0	535.0	556.9	
	結腸 *1	C18 D010	0.0	0.0	0.0	0.0	6.3	0.0	4.9	4.1	12.4	28.2	47.3	102.5	130.1	192.6	282.8	345.0	386.2	377.5	
	直腸 *1	C19-C20 D011-D012	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	9.9	28.2	37.8	85.1	91.6	134.6	177.7	229.1	148.8	179.4	
	肺	C33-C34 D021-D022	0.0	0.0	0.0	0.0	0.0	0.0	2.9	2.5	4.1	4.9	30.8	54.3	96.7	165.5	296.1	372.9	588.2	812.6	792.0
	皮膚	C43-C44 D030-D049	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	2.5	7.7	9.5	9.7	32.1	29.0	50.1	42.4	116.7	179.4
	乳房	C50 D05	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.2	2.5	2.8	0.0	6.2
	膀胱	C67 D090	0.0	0.0	0.0	0.0	3.2	2.9	2.9	0.0	0.0	7.4	7.7	33.1	42.6	41.8	82.8	117.6	246.0	265.5	358.9
	女	全部位	C00-C96 D00-D09	10.8	0.0	3.1	6.3	62.8	112.4	150.5	219.5	355.4	505.7	449.2	617.3	720.7	893.9	1,105.7	1,327.3	1,634.7	1,902.8
		食道	C15 D001	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	4.5	12.5	9.9	14.1	22.3	6.7
		大腸（結腸・直腸）*1	C18-C20 D010-D012	0.0	0.0	0.0	0.0	0.0	2.9	2.5	6.2	30.0	46.2	55.9	107.5	110.4	189.9	208.1	287.1	314.6	357.5
		結腸 *1	C18 D010	0.0	0.0	0.0	0.0	0.0	2.9	2.5	4.1	20.8	26.7	40.2	72.3	68.6	134.4	164.5	222.9	237.8	282.0
		直腸 *1	C19-C20 D011-D012	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	9.2	19.5	15.6	35.2	41.8	55.5	43.6	64.3	76.8	75.5
肺		C33-C34 D021-D022	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.2	4.6	17.0	17.9	53.8	70.1	94.9	116.9	176.7	215.5	297.5
皮膚		C43-C44 D030-D049	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	2.4	4.5	11.1	9.0	23.3	29.7	30.1	49.5	84.4	
乳房		C50 D05	0.0	0.0	0.0	0.0	3.3	5.8	24.7	62.1	113.1	113.1	231.0	169.8	161.3	195.5	195.3	128.8	122.5	113.9	128.8
子宮		C53-C55 D06	0.0	0.0	0.0	0.0	29.7	77.8	96.3	116.0	124.6	97.3	73.7	79.7	70.1	57.3	59.4	32.1	57.0	53.3	
子宮頸部		C53 D06	0.0	0.0	0.0	0.0	26.4	72.0	93.8	109.7	120.0	68.1	24.6	35.2	28.4	23.3	25.8	6.0	27.2	28.9	
膀胱		C67 D090	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	0.0	2.3	4.5	7.4	16.4	5.4	29.7	40.2	71.8	82.2	
男女計		全部位	C00-C96 D00-D09	10.6	1.6	3.0	6.1	45.2	76.2	87.6	134.8	235.1	370.9	437.6	708.0	973.3	1,415.6	1,842.5	2,239.2	2,570.7	2,607.9
		食道	C15 D001	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	5.7	25.6	24.8	59.5	55.3	62.2	70.5	22.9
		大腸（結腸・直腸）*1	C18-C20 D010-D012	0.0	0.0	0.0	0.0	3.2	1.4	3.7	6.2	26.3	51.2	70.1	146.7	164.0	253.5	319.6	406.3	398.6	410.1
	結腸 *1	C18 D010	0.0	0.0	0.0	0.0	3.2	1.4	3.7	4.1	16.7	27.5	43.6	87.1	98.3	161.3	216.8	273.6	294.3	307.2	
	直腸 *1	C19-C20 D011-D012	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	9.5	23.7	26.4	59.6	65.8	92.2	102.9	132.7	104.2	102.9	
	肺	C33-C34 D021-D022	0.0	0.0	0.0	0.0	0.0	1.4	1.4	1.2	5.1	4.8	23.7	35.6	74.8	116.0	188.2	230.0	347.6	443.0	428.1
	皮膚	C43-C44 D030-D049	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	2.4	5.0	6.9	10.4	20.1	25.9	38.7	35.2	75.1	109.5
	乳房	C50 D05	0.0	0.0	0.0	0.0	1.6	2.9	12.3	30.9	58.5	118.6	87.3	82.4	101.4	107.6	73.0	72.8	70.5	96.4	
	膀胱	C67 D090	0.0	0.0	0.0	0.0	1.6	1.4	1.2	0.0	4.8	3.7	18.4	24.6	28.6	41.3	68.6	125.6	145.6	155.2	

*1 粘膜がんを含む

表4. 発見経緯 (%) ; 部位別

A. 上皮内がんを除く

国内DCOを除く届出患者、男女計

2010年

部位	ICD-10	集計対象数	がん検診	健診 人間ドック	他疾患の 経過観察中	剖検発見	その他・不明 (症状受診を含む)
全部位	C00-C96	9,806	7.4	5.6	29.5	0.1	57.3
口腔・咽頭	C00-C14	194	1.5	0.5	9.3	0.0	88.7
食道	C15	256	7.8	5.5	20.7	0.0	66.0
胃	C16	1,599	9.8	9.3	29.3	0.1	51.6
大腸 (結腸・直腸)	C18-C20	1,435	6.7	5.6	24.0	0.1	63.6
結腸	C18	957	7.5	4.5	27.0	0.1	60.9
直腸	C19-C20	478	5.0	7.7	18.2	0.0	69.0
肝および肝内胆管	C22	616	0.5	3.6	60.9	0.0	35.1
胆のう・胆管	C23-C24	239	0.4	2.5	31.4	0.0	65.7
膵臓	C25	366	0.3	2.2	30.1	0.0	67.5
喉頭	C32	67	3.0	0.0	11.9	0.0	85.1
肺	C33-C34	1,411	5.5	9.0	41.2	0.0	44.3
皮膚	C43-C44	211	0.0	0.0	12.8	0.0	87.2
乳房	C50	750	22.9	2.1	9.7	0.0	65.2
乳房 (女性のみ)	C50	744	23.1	2.2	9.7	0.0	65.1
子宮	C53-C55	310	22.3	2.3	12.6	0.0	62.9
子宮頸部	C53	152	31.6	2.6	13.2	0.0	52.6
子宮体部	C54	151	13.9	2.0	11.9	0.0	72.2
卵巣	C56	90	3.3	3.3	17.8	0.0	75.6
前立腺	C61	804	14.2	6.2	37.2	0.1	42.3
膀胱	C67	288	1.0	2.8	22.6	0.0	73.6
腎・尿路 (膀胱除く)	C64-C66 C68	242	0.4	5.8	37.6	0.0	56.2
脳・中枢神経系	C70-C72	54	0.0	0.0	7.4	0.0	92.6
甲状腺	C73	125	2.4	10.4	32.0	0.0	55.2
悪性リンパ腫	C81-C85 C96	304	0.7	4.3	25.7	0.7	68.8
多発性骨髄腫	C88-C90	57	0.0	10.5	38.6	0.0	50.9
白血病	C91-C95	126	0.0	6.3	38.9	0.0	54.8

表4. 発見経緯 (%) ; 部位別

B. 上皮内がんを含む

国内DCOを除く届出患者、男女計 2010年

部位	ICD-10	集計対象数	がん検診	健診 人間ドック	他疾患の 経過観察中	剖検発見	その他・不明 (症状受診を含む)
全部位	C00-C96 D00-D09	10,609	8.4	5.8	29.3	0.0	56.5
食道	C15 D001	273	8.1	6.2	22.7	0.0	63.0
大腸 (結腸・直腸) *1	C18-C20 D010-D012	1,770	8.6	7.0	26.0	0.1	58.3
結腸 *1	C18 D010	1,187	9.1	6.2	28.2	0.1	56.4
直腸 *1	C19-C20 D011-D012	583	7.5	8.6	21.6	0.0	62.3
肺	C33-C34 D021-D022	1,411	5.5	9.0	41.2	0.0	44.3
皮膚	C43-C44 D030-D049	256	0.0	0.0	12.1	0.0	87.9
乳房	C50 D05	795	23.6	2.3	9.9	0.0	64.2
乳房 (女性のみ)	C50 D05	789	23.8	2.3	9.9	0.0	64.0
子宮	C53-C55 D06	460	32.2	2.6	12.6	0.0	52.6
子宮頸部	C53 D06	302	42.1	3.0	12.9	0.0	42.1
膀胱	C67 D090	464	0.6	2.8	24.4	0.0	72.2

*1 粘膜がんを含む

表5. 臨床進行度分布 (%) ; 部位別
A. 上皮内がんを除く
国内DCOを除く届出患者、男女計 2010年

部位	ICD-10	集計対象数	限局	所属リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明
全部位	C00-C96	9,806	43.3	9.1	15.7	19.3	12.6
口腔・咽頭	C00-C14	194	34.0	14.4	31.4	4.1	16.0
食道	C15	256	36.3	9.4	23.0	21.9	9.4
胃	C16	1,599	52.1	9.9	10.9	20.7	6.4
大腸 (結腸・直腸)	C18-C20	1,435	42.6	19.9	9.8	22.6	5.1
結腸	C18	957	43.7	18.2	10.0	23.6	4.5
直腸	C19-C20	478	40.6	23.2	9.4	20.5	6.3
肝および肝内胆管	C22	616	56.3	1.1	18.2	8.1	16.2
胆のう・胆管	C23-C24	239	12.6	2.9	39.7	26.4	18.4
膵臓	C25	366	5.7	1.9	33.1	47.3	12.0
喉頭	C32	67	71.6	7.5	13.4	3.0	4.5
肺	C33-C34	1,411	28.6	9.2	14.9	35.9	11.4
皮膚	C43-C44	211	75.8	1.4	11.8	1.4	9.5
乳房	C50	750	55.7	21.6	7.1	5.2	10.4
乳房 (女性のみ)	C50	744	55.5	21.8	7.1	5.1	10.5
子宮	C53-C55	310	56.8	3.5	25.8	7.4	6.5
子宮頸部	C53	152	52.0	3.3	32.9	4.6	7.2
子宮体部	C54	151	63.6	4.0	19.9	9.9	2.6
卵巣	C56	90	20.0	1.1	44.4	18.9	15.6
前立腺	C61	804	62.6	0.9	18.5	10.2	7.8
膀胱	C67	288	64.6	2.4	16.0	2.8	14.2
腎・尿路 (膀胱除く)	C64-C66 C68	242	54.5	1.2	19.4	18.6	6.2
脳・中枢神経系	C70-C72	54	29.6	0.0	9.3	3.7	57.4
甲状腺	C73	125	50.4	24.0	8.8	5.6	11.2
悪性リンパ腫	C81-C85 C96	304	18.8	0.3	17.4	32.6	30.9
多発性骨髄腫	C88-C90	57	1.8	0.0	0.0	1.8	96.5
白血病	C91-C95	126	1.6	0.0	0.0	2.4	96.0

表5. 臨床進行度分布 (%) ; 部位別

B. 上皮内がんを含む

国内DC0を除く届出患者、男女計

2010年

部位	ICD-10	集計対象数	上皮内がん	限局	所属リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明
全部位	C00-C96 D00-D09	10,609	7.5	40.0	8.5	14.5	17.8	11.7
食道	C15 D001	273	5.5	34.1	8.8	21.6	20.5	9.5
大腸 (結腸・直腸) *1	C18-C20 D010-D012	1,770	18.9	34.6	16.1	8.0	18.3	4.1
結腸 *1	C18 D010	1,187	19.4	35.2	14.7	8.1	19.0	3.6
直腸 *1	C19-C20 D011-D012	583	18.0	33.3	19.0	7.7	16.8	5.1
肺	C33-C34 D021-D022	1,411	0.0	28.6	9.2	14.9	35.9	11.4
皮膚	C43-C44 D030-D049	256	17.2	62.5	1.2	9.8	1.2	8.2
乳房	C50 D05	795	5.3	52.6	20.4	6.7	4.9	10.2
乳房 (女性のみ)	C50 D05	789	5.3	52.3	20.5	6.7	4.8	10.3
子宮	C53-C55 D06	460	32.4	38.3	2.4	17.4	5.0	4.6
子宮頸部	C53 D06	302	49.3	26.2	1.7	16.6	2.3	4.0
膀胱	C67 D090	464	37.5	40.1	1.5	9.9	1.7	9.3

*1 粘膜がんを含む

表6. 受療割合 (%) ; 部位別 *1

A. 上皮内がんを除く

国内DCOを除く届出患者、男女計 2010年

部位	ICD-10	集計対象数	外科・体腔鏡 内視鏡的治療	放射線療法	化学・免疫・ 内分泌療法	特異療法なしまたは 治療方法不明
全部位	000-C96	9,806	57.3	9.5	40.8	19.0
口腔・咽頭	000-C14	194	46.4	30.4	45.9	22.7
食道	C15	256	51.6	32.0	46.9	18.0
胃	C16	1,599	77.9	0.5	26.8	12.9
大腸 (結腸・直腸)	C18-C20	1,435	86.5	1.5	39.6	9.7
結腸	C18	957	85.6	0.4	38.3	10.6
直腸	C19-C20	478	88.3	3.6	42.1	7.9
肝および肝内胆管	C22	616	21.9	1.8	37.7	27.8
胆のう・胆管	C23-C24	239	59.0	1.3	27.6	25.5
膵臓	C25	366	36.1	5.5	52.7	27.6
喉頭	C32	67	35.8	59.7	44.8	14.9
肺	C33-C34	1,411	35.0	14.7	40.5	28.8
皮膚	C43-C44	211	85.3	1.4	6.6	11.8
乳房	C50	750	82.8	27.6	64.1	11.1
乳房 (女性のみ)	C50	744	82.7	27.8	64.1	11.2
子宮	C53-C55	310	75.5	17.1	37.4	11.3
子宮頸部	C53	152	63.8	30.9	30.3	14.5
子宮体部	C54	151	90.1	4.0	46.4	4.6
卵巣	C56	90	57.8	0.0	62.2	20.0
前立腺	C61	804	29.9	5.5	57.2	18.3
膀胱	C67	288	71.9	17.0	30.9	19.1
腎・尿路 (膀胱除く)	C64-C66 C68	242	69.8	5.0	22.7	16.9
脳・中枢神経系	C70-C72	54	51.9	63.0	51.9	25.9
甲状腺	C73	125	72.8	1.6	4.0	24.8
悪性リンパ腫	C81-C85 C96	304	13.2	12.5	62.8	28.0
多発性骨髄腫	C88-C90	57	0.0	5.3	64.9	33.3
白血病	C91-C95	126	0.8	4.0	69.0	26.2

*1 重複を含むため合計は100%にならない

表6. 受療割合 (%) ; 部位別 *1

B. 上皮内がんを含む

国内DC0を除く届出患者、男女計 2010年

部位	ICD-10	集計対象数	外科・体腔鏡 内視鏡的治療	放射線療法	化学・免疫・ 内分泌療法	特異療法なしまたは 治療方法不明
全部位	000-C96 D00-D09	10,609	60.1	9.0	38.5	17.9
食道	C15 D001	273	53.1	30.4	44.7	17.6
大腸 (結腸・直腸) *2	C18-C20 D010-D012	1,770	88.9	1.2	32.3	8.0
結腸 *2	C18 D010	1,187	88.1	0.3	31.0	8.7
直腸 *2	C19-C20 D011-D012	583	90.4	2.9	34.8	6.5
肺	C33-C34 D021-D022	1,411	35.0	14.7	40.5	28.8
皮膚	C43-C44 D030-D049	256	85.9	1.2	5.5	11.3
乳房	C50 D05	795	83.1	27.9	62.1	11.1
乳房 (女性のみ)	C50 D05	789	83.0	28.1	62.1	11.2
子宮	C53-C55 D06	460	80.9	11.7	25.4	9.8
子宮頸部	C53 D06	302	77.8	15.9	15.6	10.6
膀胱	C67 D090	464	78.2	11.2	32.3	13.1

*1 重複を含むため合計は100%にならない

*2 粘膜がんを含む

表7. 切除内容 (%) ; 部位別

A. 上皮内がんを除く

国内DC0を除く届出患者、男女計

2010年

部位	ICD-10	外科・体腔鏡 内視鏡治療数	完全切除	不完全切除	治癒度不明	姑息・対症 転移巣切除	不明
全部位	C00-C96	5,622	77.0	9.3	6.0	4.9	2.8
口腔・咽頭	C00-C14	90	83.3	5.6	3.3	7.8	0.0
食道	C15	132	74.2	11.4	4.5	7.6	2.3
胃	C16	1,246	80.7	9.6	4.0	2.8	2.9
大腸 (結腸・直腸)	C18-C20	1,241	74.4	12.7	4.8	4.6	3.5
結腸	C18	819	75.6	12.3	4.5	4.0	3.5
直腸	C19-C20	422	72.0	13.5	5.2	5.7	3.6
肝および肝内胆管	C22	135	79.3	5.9	5.2	5.9	3.7
胆のう・胆管	C23-C24	141	46.8	7.1	3.5	36.9	5.7
膵臓	C25	132	40.2	15.2	6.1	37.9	0.8
喉頭	C32	24	79.2	8.3	8.3	4.2	0.0
肺	C33-C34	494	84.6	3.2	6.7	2.8	2.6
皮膚	C43-C44	180	93.9	2.2	2.2	1.1	0.6
乳房	C50	621	85.5	4.3	7.7	0.2	2.3
乳房 (女性のみ)	C50	615	85.5	4.2	7.8	0.2	2.3
子宮	C53-C55	234	78.6	7.3	12.0	1.3	0.9
子宮頸部	C53	97	73.2	10.3	14.4	1.0	1.0
子宮体部	C54	136	82.4	5.1	10.3	1.5	0.7
卵巣	C56	52	61.5	15.4	15.4	1.9	5.8
前立腺	C61	240	74.2	12.1	7.1	4.6	2.1
膀胱	C67	207	66.7	14.5	12.6	1.4	4.8
腎・尿路 (膀胱除く)	C64-C66 C68	169	83.4	5.3	8.3	1.8	1.2
脳・中枢神経系	C70-C72	28	21.4	53.6	14.3	0.0	10.7
甲状腺	C73	91	94.5	2.2	3.3	0.0	0.0
悪性リンパ腫	C81-C85 C96	40	35.0	22.5	20.0	15.0	7.5
多発性骨髄腫	C88-C90	0
白血病	C91-C95	1	0.0	0.0	0.0	0.0	100.0

表7. 切除内容(%) ; 部位別

B. 上皮内がんを含む

国内DC0を除く届出患者、男女計 2010年

部位	ICD-10	外科・体腔鏡 内視鏡治療数	完全切除	不完全切除	治癒度不明	姑息・対症 転移巣切除	不明
全部位	C00-C96 D00-D09	6,371	78.7	8.5	5.9	4.3	2.6
食道	C15 D001	145	76.6	10.3	4.1	6.9	2.1
大腸 (結腸・直腸) *1	C18-C20 D010-D012	1,573	78.1	10.6	4.5	3.6	3.3
結腸 *1	C18 D010	1,046	79.2	10.2	4.0	3.2	3.4
直腸 *1	C19-C20 D011-D012	527	75.9	11.2	5.3	4.6	3.0
肺	C33-C34 D021-D022	494	84.6	3.2	6.7	2.8	2.6
皮膚	C43-C44 D030-D049	220	94.5	2.3	1.8	0.9	0.5
乳房	C50 D05	661	85.3	4.1	7.9	0.2	2.6
乳房 (女性のみ)	C50 D05	655	85.3	4.0	7.9	0.2	2.6
子宮	C53-C55 D06	372	85.5	4.8	8.3	0.8	0.5
子宮頸部	C53 D06	235	87.2	4.7	7.2	0.4	0.4
膀胱	C67 D090	363	74.4	10.2	11.6	0.8	3.0

*1 粘膜がんを含む

表8. 精度指標； 部位別、性別
A. 上皮内がんを除く

2010年

部位	ICD-10																	
	罹患／死亡比 (IM比)			死亡情報で初めて 把握された症例 DCN (%)			死亡情報のみの 症例 DC0 (%)			国際 DC0 (%)			病理学的裏付けの ある症例 MV (%)			組織学的裏付けの ある症例 HV (%)		
	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計
全部位	2.19	2.23	2.21	17.6	19.3	18.3	8.0	8.7	8.3	7.5	8.2	7.8	81.1	79.1	80.2	75.4	73.4	74.6
C00-C096	2.32	2.00	2.21	14.4	12.9	13.9	6.8	6.5	6.7	6.8	6.5	6.7	87.0	82.3	85.6	84.2	77.4	82.2
C10-C14	1.60	1.84	1.63	13.8	5.7	12.7	7.5	2.9	6.9	6.7	2.9	6.2	86.7	94.3	87.6	85.8	91.4	86.5
C15	2.75	2.15	2.53	13.8	20.7	15.9	7.5	10.1	8.3	7.3	9.4	7.9	90.7	86.2	89.3	89.8	84.8	88.2
C16	2.42	2.36	2.39	17.5	18.2	17.8	9.3	8.8	9.1	9.0	8.4	8.7	87.2	84.2	85.8	86.7	83.6	85.3
C18-C20	2.45	2.32	2.38	16.9	19.0	18.0	8.3	9.4	8.9	8.1	8.9	8.5	87.0	82.3	84.6	86.4	81.7	84.0
C18	2.37	2.52	2.42	18.3	15.8	17.4	10.8	7.1	9.5	10.5	7.1	9.3	87.5	89.7	88.3	87.2	89.1	87.9
C19-C20	1.64	1.36	1.53	28.9	43.0	33.8	12.7	19.5	15.0	12.7	19.5	15.0	31.6	21.1	28.0	30.2	19.5	26.5
C22	1.38	1.34	1.36	19.0	30.6	25.3	7.1	17.0	12.5	7.1	17.0	12.5	62.7	45.6	53.5	48.4	37.4	42.5
C23-C24	1.09	1.21	1.15	25.6	30.0	27.8	10.8	11.9	11.4	10.3	11.4	10.9	44.8	42.9	43.8	36.9	35.7	36.3
C25	4.19	...	4.50	11.9	0.0	11.1	7.5	0.0	6.9	6.0	0.0	5.6	89.6	100.0	90.3	86.6	100.0	87.5
C32	1.59	1.70	1.62	24.2	30.4	26.3	7.5	10.3	8.4	6.8	10.3	8.0	81.1	73.3	78.5	58.7	51.8	56.4
C33-C34	17.29	8.36	11.83	0.8	4.3	2.3	0.8	1.1	0.9	0.8	0.0	0.5	99.2	100.0	99.5	98.3	97.8	98.1
C43-C44	6.00	4.94	4.94	0.0	7.5	7.4	0.0	4.0	4.0	0.0	3.7	3.7	100.0	94.8	94.9	100.0	92.9	93.0
C50	-	3.76	3.76	-	6.5	6.5	-	4.0	4.0	-	4.0	4.0	-	93.2	93.2	-	89.5	89.5
C53-C55	-	4.59	4.59	-	3.2	3.2	-	2.6	2.6	-	2.6	2.6	-	94.9	94.9	-	89.1	89.1
C53	-	5.70	5.70	-	2.6	2.6	-	1.9	1.9	-	1.9	1.9	-	98.1	98.1	-	96.8	96.8
C54	-	1.80	1.80	-	18.6	18.6	-	7.2	7.2	-	7.2	7.2	-	78.4	78.4	-	71.1	71.1
C56	5.78	-	5.78	10.9	-	10.9	6.6	-	6.6	6.6	-	6.6	89.2	-	89.2	89.0	-	89.0
C61	2.57	2.63	2.58	15.6	21.4	17.1	8.2	9.5	8.6	8.2	8.3	8.3	86.1	83.3	85.4	81.8	77.4	80.6
C67	2.21	2.09	2.16	14.0	18.5	15.5	6.4	12.0	8.3	5.8	7.6	6.4	81.4	80.4	81.1	76.7	72.8	75.4
C64-C66 C68	2.27	2.21	2.24	8.0	22.6	16.1	4.0	3.2	3.6	4.0	3.2	3.6	80.0	80.6	80.4	80.0	80.6	80.4
C70-C72	6.00	7.43	7.11	8.3	4.8	5.5	4.2	1.9	2.3	0.0	1.9	1.6	87.5	93.3	92.2	70.8	79.8	78.1
C73	1.93	2.05	1.98	16.0	11.1	14.0	5.3	5.9	5.6	5.3	5.9	5.6	88.8	89.6	89.1	85.0	86.7	85.7
C81-C85 C96	1.25	1.52	1.37	20.0	40.6	29.9	8.6	21.9	14.9	5.7	21.9	13.4	88.6	56.3	73.1	82.9	53.1	68.7
C88-C90	1.25	1.64	1.41	25.7	28.1	26.8	8.1	9.4	8.7	0.0	0.0	0.0	98.6	100.0	99.3	74.3	68.8	71.7
C91-C95																		

表8. 精度指標； 部位別、性別
B. 上皮内がんを含む

2010年

部位	罹患/死亡比 (IM比)		死亡情報で初めて把握された症例 DCN (%)		死亡情報のみの症例 DCO (%)		国際 DCO (%)		病理学的裏付けのある症例 MV (%)		組織学的裏付けのある症例 HV (%)						
	男	女	男	女	男	女	男	女	男	女	男	女					
	男女計	男女計	男女計	男女計	男女計	男女計	男女計	男女計	男女計	男女計	男女計	男女計					
全部位	2.34	2.42	2.37	17.8	17.1	7.5	8.1	7.7	7.0	7.6	7.3	82.3	80.7	81.6	76.8	75.5	76.3
C00-C96 D00-D09																	
食道	1.71	1.84	1.73	13.2	5.7	12.3	7.0	2.9	6.2	2.9	5.8	87.2	94.3	88.0	86.4	91.4	87.0
大腸 (結腸・直腸) *1	3.06	2.72	2.90	14.0	15.8	14.8	7.3	7.7	7.1	7.3	7.2	89.9	86.2	88.3	89.5	85.6	87.8
結腸 *1	3.19	2.65	2.90	13.3	16.6	14.9	6.4	8.2	6.2	7.8	7.0	90.0	84.5	87.3	89.6	84.0	86.9
直腸 *1	2.87	2.97	2.90	15.1	13.4	14.5	8.9	6.0	8.7	6.0	7.7	89.7	91.2	90.2	89.4	90.3	89.7
肺	1.59	1.70	1.62	24.2	30.4	26.3	7.5	10.3	6.8	10.3	8.0	81.1	73.3	78.5	58.7	51.8	56.4
皮膚	20.14	10.64	14.33	0.7	3.4	1.9	0.7	0.9	0.7	0.0	0.4	99.3	100.0	99.6	98.6	98.3	98.4
乳房	6.00	5.22	5.23	0.0	7.1	7.0	0.0	3.8	0.0	3.5	3.5	100.0	95.1	95.2	100.0	93.2	93.2
子宮	-	5.50	5.50	-	4.4	4.4	-	2.7	2.7	2.7	2.7	-	95.3	95.3	-	92.8	92.8
子宮頸部	-	9.00	9.00	-	1.6	1.6	-	1.3	1.3	1.3	1.3	-	97.4	97.4	-	94.4	94.4
膀胱	4.09	3.84	4.02	9.8	16.3	11.4	5.2	6.5	5.2	5.7	5.3	91.3	88.6	90.6	87.2	83.7	86.4

*1 粘膜がんを含む